

Guide to Friction, Wear, and Erosion Testing



Kenneth G. Budinski



Guide to Friction, Wear, and Erosion Testing

Kenneth G. Budinski

Technical Director

Bud Labs

ASTM Stock Number: MNL56



ASTM International
100 Barr Harbor Drive
PO Box C700
West Conshohocken, PA 19428-2959

Printed in the U.S.A.

Library of Congress Cataloging-in-Publication Data

Budinski, Kenneth G.

MNL 56 guide to friction, wear and erosion testing/Kenneth G. Budinski.

p. cm.

"ASTM Stock Number: MNL56."

ISBN 978-0-8031-4269-5

1. Materials-Testing. 2. Friction. 3. Mechanical wear. 4. Erosion. I. Title. II. Title: MNL fifty six guide to friction, wear and erosion testing.

TA418. 72. B83 2007

620.1'1292-dc22

2007031507

Copyright © 2007 ASTM International, West Conshohocken, PA. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of the publisher.

Photocopy Rights

Authorization to photocopy items for internal, personal, or educational classroom use, or the internal, personal, or educational classroom use of specific clients, is granted by the American Society for Testing and Materials (ASTM) provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923; Tel: 508-750-8400; online: <http://www.copyright.com/>.

NOTE: This manual does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this manual to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

Month, Year
City, State

Contents





Foreword	ix
Preface	xi
Chapter 1—Identification of Different Types of Wear	1
Introduction	1
Terminology/Key Words	1
Terms from ASTM G 40: Terminology Relating to Wear and Erosion	1
Terms from ASTM D 4175: Standard Terminology Relating to Petroleum, Petroleum Products, and Lubricants	2
Terms from Other Sources	3
Why Identify Wear Mode	3
Categories of Wear	4
Abrasive Wear	4
Nonabrasive Wear	5
Galling	6
Oxidative Wear	6
Fretting Wear	6
Rolling Wear	7
Impact Wear	7
Other Forms of Wear	8
Machining Wear	8
Human Joint Deterioration	8
Erosion	9
Slurry	9
Solid Particle	9
Cavitation	10
Droplet	10
Impingement	10
Gas	10
Atomic/Molecular	11
Spark	11
Laser Ablation	11
Types of Friction	12
Sliding	12
Rolling	12
Solids Contacted by a Fluid	12
Static Friction/Blocking	12
Types of Lubrication	13
Solid Film	13
Thin Film	13
Liquid	13
Gas	14
Grease	14
Chapter Summary	14
Important Concepts	15
Resources for More Information	15
Chapter 2—Alternatives to Testing: Modeling and Simulation	16
Introduction	16
Expert Systems	16
Computer Simulations	17
Finite Element Modeling	17
Friction Models	18
Wear Models	19
Adhesive Wear	19
Erosion Models	19
Solid Particle Erosion	19
Slurry Erosion	20
Liquid Erosion	20

Cavitation	21
Fretting Models	21
Surface Fatigue Models	22
What to Do About Modeling: Summary	22
Important Concepts	22
Resources for More Information	22
Chapter 3—Methodology/Test Selection	24
General Methodology	24
Establish the Purpose	24
Establish the Objective	24
Define the Wear System	24
Reporting the Data	25
Elements of a Valid Wear Test	26
Material Documentation	26
Statistical Significance	26
Surface Condition	27
Role of Time and Distance	28
Test Environment	28
Wear and Friction Measurements	28
Reporting Wear Losses	29
Test Selection	30
Procedure	30
Simulation	30
Test Protocol	30
Chapter Summary	30
Important Concepts	31
Resources for More Information	32
Chapter 4—Abrasive Wear Testing	33
Introduction	33
Gouging Abrasion	33
Low-Stress Abrasion	33
ASTM G 65	33
ASTM G 174	35
ASTM G 132	36
ASTM G 171	36
ASTM D 1242	37
ASTM D 4060 (Taber)	37
Nonstandard Tests	38
Summary	39
High-Stress Abrasion	39
Polishing	40
Product Abrasivity	41
Standard Tests	41
Magnetic Media	41
Photographic Paper/Film, Plastics, Paints	42
Ball Cratering Test	42
Chapter Summary	43
Important Concepts	43
Resources for More Information	43
Chapter 5—Adhesive Wear Testing	45
Introduction	45
Galling: ASTM G 98	45
Pin-on-Disk: ASTM G 99	45
Reciprocating Ball-on-Plane: ASTM G 133	46
Block-on-Ring: ASTM G 77	47
Scuffing/Scoring	48
Oxidative Wear	49

Chapter Summary	50
Important Concepts	50
Resources for More Information	50
Chapter 6—Plastic/Elastomer Wear	51
Introduction	51
Abrasion Tests	53
Taber Abraser	53
Falling Sand	53
Dry-Sand Rubber Wheel: ASTM G 65	53
Loop Abrasion Test: ASTM G 174	54
Scratch Test: ASTM G 171	55
Rubber Abrasion	55
Sliding Wear of Plastics/Elastomers	56
Plastic-to-Metal	56
Pin-on-Rotating Disk	57
Plastic-to-Plastic	57
Plastic-to-Ceramic/Cermet	58
Break-In	58
Specific Wear Rate	58
PV Limit	58
Erosion of Plastics	59
ASTM Tests	59
Nonstandard Tests	60
Chapter Summary	60
Important Concepts	60
Resources for More Information	60
Chapter 7—Lubricated Wear Tests	62
Introduction	62
Types of Lubricants That Can Be Encountered	62
Lubricating Oils	62
Lubricating Greases	63
Solid Film Lubricants	63
ASTM Lubricated Wear Tests	66
Block-on-Ring: ASTM G 77	66
Reciprocating Test: ASTM G 133	66
Pin-on-Disk: ASTM G 99	67
Four-Ball Test: ASTM D 4172	67
Friction and Wear of Greases with the SRV Tester: ASTM D 5707	67
BOCLE: Ball-on-Cylinder: ASTM D 5001	67
Load-Carrying Capability Tests	68
Pin and Vee Block: ASTM D 2670	68
ASTM D 5183 Four-Ball Friction Test	68
ASTM D 2981 Block-on-Ring Test for Solid Lubricants	68
A Lubricated Fretting Test	68
Testing Gears with the FZG Rig	69
Rolling Element Tests	69
Chapter Summary	70
Important Concepts	70
Resources for More Information	70
Chapter 8—Fretting Tests	71
Introduction	71
Mechanisms of Fretting Corrosion and Wear	71
Fretting Tests	72
Ball-on-Plane	73
Standard Tests: Fretting Fatigue	74
Electrical Contact Tests	74
Hip Implant Couples	75
Grease	76

Chapter Summary	76
Important Concepts	76
Resources for More Information	76
Chapter 9—Rolling Wear, Impact Wear, and Surface Fatigue Testing	78
Introduction	78
Surface Fatigue of Coatings and Surface Treatments	78
Surface Fatigue in Rolling Element Bearings	79
Surface Fatigue of Rails, Tracks, and Wheels	81
Surface Fatigue of Gears	81
Impact Wear and Surface Fatigue	82
Rolling Element Wear Tests	83
Gear Fatigue Tests	84
Rolling Surface Fatigue Tests	84
Impact Wear Tests	85
Chapter Summary	85
Important Concepts	85
Resources for More Information	85
Chapter 10—Erosion Testing	86
Introduction	86
Solid Particle Erosion Tests	86
Falling Sand Test	86
Gas Jet Erosion Test	86
Slurry Erosion Tests	87
Wet-Sand/Rubber Wheel and the Carbide Abrasion Test	88
Propeller Tests	89
Ball Cratering Test	89
Slurry Pot	89
Orifice Enlargement	90
Erosion/Corrosion	90
Droplet/Impingement Erosion	90
Cavitation	91
Cavitation Testing with an Ultrasonic Horn	91
Submerged Water Jet Cavitation Test	92
Chapter Summary	93
Important Concepts	93
Resources for More Information	93
Chapter 11—Types of Friction and Friction Testing	95
Origin of Friction	95
Importance of Friction	96
Types of Friction and Important Facts	96
Friction Databases	98
Factors That Affect Friction	98
Sliding Friction Tests	100
Friction Measurement and Recording Protocol	102
Reporting Friction Data	103
Solid-on-Solid Friction Tests	104
Footwear Tests	104
Frictionometer	104
Pavement/Tire Tests	104
ASTM G 143: Capstan Friction	104
Solid-on-Solid Plus Third Body Tests	105
Thrust Washer Test	105
Block-on-Ring Test	106
Pin-on-Disk	106
Reciprocating Block-on-Plane	107
Rolling Friction	107
Bearing Friction Tester	107
Spin-Down Friction Testing	108

Friction of Ball Bearings at Low Temperature	108
Ball Bearing Friction at Room Temperature	108
Solid-on-Solid Plus a Fluid/Lube Friction	109
ASTM D 5183: Four-Ball Friction Test	109
ASTM D 3233: Falex Pin-and-Vee Block Test	109
ASTM D 6425: Reciprocating Lubricated Friction and Wear (SRV Machine) ...	109
ASTM G 133: Procedure B Reciprocating Ball-on-Plane and Lube Test	110
Chapter Summary	110
Important Concepts	110
Resources for More Information	110
Chapter 12—Micro-, Nano-, and Biotribotests	112
Introduction	112
Surface Analysis Tools	112
Optical Microscopy	113
Profilometry	113
Indentation Testing	115
Scanning Electron Microscopy	115
Scanning Probe Microscopy	116
Scratch Testing	117
Biotribology Tests	118
Chapter Summary	118
Important Concepts	118
Resources for More Information	119
Chapter 13—Test Confidence and Correlation with Service	120
Introduction	120
Test Confidence	120
Test Selection	120
Correlation Case Histories	122
Friction	123
Abrasion	123
Nonabrasive Wear	124
Wear of Plastics	124
Slurry Abrasivity	124
Fretting Corrosion	125
Polishing Wear	126
Solid Particle Erosion	126
Lubricated Wear Testing	127
Erosion/Corrosion	128
Chapter Summary	128
Important Concepts	128
Resources for More Information	129
Subject Index	130



Foreword

This book is the product of a career devoted to selecting materials for a multitude of sliding/rolling/eroded mechanical components. Some components were commercial products that had to compete in the world market, and others were parts in production machinery that had to produce those marketed products. The author's responsibility was to achieve useful levels of friction and component life, all at competitive prices.

Kenneth Budinski began with degrees in Metallurgy, with virtually no knowledge of the problem of sliding/rolling surfaces. He progressed through his career with no research funding, no graduate students, and no authorization to conduct academic style research. Nonetheless, he attained a uniquely broad experience in measuring friction and wear of a very wide range of metals, ceramics, and polymers, and with very many surface processes and coatings. Budinski has been a member of Committee G02 of the ASTM (on Wear and Erosion) since 1970, sometime chair of the Committee and of its various subcommittees, and recipient of the highest G02 awards. Hardly a meeting has gone by without Budinski's presentation of yet another careful study of a wear test, together with his rigorous analysis of data from his tests. It is this combination of practical experience and scholarly discussion that has prepared Budinski to write this book. It is part definitions of terms, part identification of tribological (friction, wear, lubrication) mechanisms, part description of standard test machines, and part discussion of the philosophy of testing and material evaluation. This book is one of many of Budinski's writings, including several books, chapters in handbooks, journal papers, and other presentations.

As for test devices, there are hundreds. An account is given in this book on why most of the tests were developed and what fundamental mechanisms of wear or friction are likely functioning in each test. Indeed, in the usual case, several mechanisms may function simultaneously, changing over time of sliding, or changing during start-stop cycles of test, and changing as the use of the intended product changes. Budinski missed none of these points.





This book is a very early progress report on the art of designing a given life into mechanical components. There is not, as too many designers suppose, a direct pathway to selecting that "right" material for every product. Selecting a material to hold a tensile load is simple in that tensile properties of most materials are published and mature equations are in hand to work out the safe dimensions of such parts. Wear properties are not that simple.

There are several mechanisms whereby little bits of material are made to depart from or be rearranged upon a tribological surface. Tribological wisdom begins by identifying the major applicable mechanism and the likely one or two attending mechanisms. Even then, there are no reliable lists of materials showing resistance to specific mechanisms. Neither are there any wear tests that can be linked directly to real products. Budinski sorts out all of these issues in his several chapters. Other authors would likely divide up the overall array differently but probably not better.

The final word is that good tribological design requires a broad knowledge of tribological mechanisms, a feel for what materials may fit the case, a careful resort to wear/friction/erosion testing to narrow the range of choices, and then an assessment of the chosen material in products or production machinery. Getting it right in products puts your very company at stake: getting it right in production machinery only involves more maintenance. Budinski offers several case studies to illustrate these points.

Budinski steps into another world, though, when discussing wear/friction/erosion models. He offers a very few equations without much conviction of their utility. He mentions that if models or equations were further developed there would be no need for tests of the type he describes in this book—a very distant hope. But the many available tests may instruct us on the necessary complexity of useful wear models. Based on the number of mechanisms inherent in the many developed tests, I suggest that useful wear equations may need 30 or more variables. What hope is there, then, in equations for wear that contain 2 or 3 condition variables and only one material variable? Clearly, Budinski's book will not be replaced by useful equations for many decades.

Ken Ludema
Professor Emeritus
University of Michigan
Ann Arbor, Michigan
July 1, 2007



Preface

Friction, wear, and erosion are terms that most people use in their daily lives. Most people accept the cost of sport shoes wearing out after 4 months of use; people accept wear of roadways and flooring; people accept 30,000 miles as the limiting use of an automobile before fan belts, brakes, and other components start to wear out.

On a larger scale, most industrialized countries accept about 7% of their gross domestic product as their annual cost of wear, erosion, and unwanted friction. As one example of this annual cost: 450 million auto tires were manufactured in 2006 [1]. Probably 100 million of these tires were required for new vehicles. The remaining 350 million were most likely used to replace worn tires. Assuming that one tire cost \$100, this amounts to a cost of wear of 35 billion dollars. This is just one commodity. Another staggering cost is the energy (gasoline) consumed in overcoming friction losses in an automobile. Some estimates for these losses are that as much as 30% of a vehicle's engine horsepower is used in overcoming friction in the sliding components between the gasoline explosion in the cylinders and the traction force transmitted to the roadway.

The point is that friction, wear, and erosion (tribology) concerns cost each and every person, as well as the environment, dearly. However, the world does not have to regard these costs and environmental consequences as inevitable costs of technology. They can be addressed and almost always reduced by appropriate engineering action. People older than 50 years of age will probably remember when the average life of an automobile tire was only about 15,000 miles. Today tire life is typically about 40,000 miles. What happened?

Engineers and scientists worked on this tribology problem. Tires were redesigned to be stiffer, which reduced roadway slip and thus wear. Tire materials were also improved. Undoubtedly, many of these tire improvements came to happen through screening tests conducted in laboratories, bench tests, as they are called. Tire engineers certainly could never make full size tires and run them to death to assess every change that may work. Concepts were screened by bench tests and that is what this guide is about.

This guide reviews current friction, wear, erosion, and lubrication fundamentals and describes the bench tests that are most often used to study and solve tribology problems. Tests are compared and critiqued. Information is presented to help the reader select a test that he or she might use to address a tribology concern that they are responsible for solving. The overall objective of the guide is to lower the annual cost of wear, erosion, and unwanted friction through appropriate tribotesting.

The scope includes tests that are used to study engineering materials (metals, plastics, ceramics, composites, lubricants, coatings, treatments), tests used to solve tribology problems and limited product tribotesting (abrasivity of magnetic media, printer ribbons, web friction etc.). Tire tests are not included—sorry! The tests described in this guide are predominately standard tests developed by consensus through ASTM International. Many countries have standard tests in these same areas, but the tests described in this guide are probably included in country-specific test standards. For example, every country that has tribotesting standards probably has a standard on a pin-on-disk test, a reciprocating pin-on-flat test, a sled friction test, etc. These are the same tests described in this guide. This guide is applicable worldwide.

The intended readership of this guide comprises mostly people who do not normally work in the field: students, designers, maintenance personnel, researchers, and academicians. It will help these people research a particular form of wear or friction, what tests are available, the cautions with each test, and information on how the different tests compare in severity. Also, it discusses how well they simulate real life applications. Veteran tribologists will find this guide a useful reference for ASTM test numbers and test details.





In summary, this guide is about tests (mostly standards) available to address friction, wear, erosion, and lubrication problems. It will serve as a mentor for newcomers to tribology and a useful reference for practicing tribologists. There are 13 chapters. The first presents needed terms and definitions. It is followed by a chapter on the alternates to bench testing: expert systems, modeling, and simulations; then follows a chapter on testing methodology. There are several chapters on specific forms of wear: abrasion testing, adhesive wear testing, plastic/elastomer testing, lubricated wear testing, fretting testing, rolling wear testing, and erosion testing. The guide ends with chapters on friction testing; micro-, nano-, and biotribotests; and correlation of these tests with service.

This book is essentially a project of the ASTM Committee G02 on Wear and Erosion. They are acknowledged for their sponsorship and participation in the review process. This guide is the product of more than 40 years of tribotesting in industry on the part of the author and probably another hundred years of experience in government, industry and academia on the part of the six tribology professionals who reviewed this guide for correctness and completeness. I sincerely thank them for their contributions.

K. G. Budinski

Reference

- [1] J. A. Melsom, "50 Years of Keeping the Rubber Industry in the Black," *ASTM Standardization News*, December 2006, p. 41.





KEN BUDINSKI is the technical director of Bud Labs, a ten-year old company that designs and builds friction and wear testers and conducts tribological (friction, wear, erosion, and lubrication) studies for clients. He is Chairman of the ASTM Subcommittee G02.50 on Friction and he previously served as Chair of the G02 Committee on Wear and Erosion. He is a member of the ASTM Committee B08 on Metallic and Inorganic Coatings and a member of the steering committee for the Biannual International Wear of Materials Conference. His duties at Bud labs include test and machine design, and analysis/interpretation of client test results.

Mr. Budinski has a BS in Mechanical Engineering from General Motors Institute (1961) and an MS in Metallurgical Engineering from Michigan Technological University (1963). He worked at Rochester Products Division of GM from 1957 to 1962, starting as a cooperative engineering student and ending as a manufacturing development engineer specializing in die casting. Upon completing graduate studies at Michigan Tech he joined the Materials Engineering Laboratory of the Kodak Park Division of Eastman Kodak Company as a metallurgist. Wear problems at this plant started his interest in wear testing and wear research. This plant made photographic films and the sensitive nature of the products meant that production machines had to run at high speed with no lubricants that could contaminate the film. The films sliding on themselves and other surfaces also required many tribological advances to control friction and prevent scratching. The net result of Kodak's unusual wear and friction requirements led Mr. Budinski to learn as much as possible about tribology and he established one of the most comprehensive tribology labs in the US. His tribology studies were key to many products and to many manufacturing operations. He retired from Kodak in 2002 as Technical Associate and immediately joined Bud Labs as Technical Director.

He became a member of ASTM (G02) in 1972 and participated in most of the interlaboratory studies for developing the G02 Wear and Friction test methods. He has lectured on wear and friction in countless courses. He taught Engineering Materials at Rochester Institute of Technology and Monroe Community College. He participated in a National Science Foundation technology transfer mission to China in 1983 and another to Belarus and Poland in 1996. He shared his materials engineering experience by authoring and coauthoring eight editions of a textbook titled *Engineering Materials: Properties and Selection* (Prentice Hall). He authored the very first book on Surface Engineering (*Surface Engineering for Wear Resistance*, Prentice Hall); he also authored teaching texts on technical writing (*Engineer's Guide to Technical Writing*, ASM) and technical presentations (*Guide to Preparing and Delivering Technical Presentations*, ASTM International). He has presented more than 100 papers at technical conferences and has authored more than 50 papers in refereed journals.

Mr. Budinski is a Fellow in ASTM International, ASM International, and the Rochester Engineering Society. He has won many awards for his technical achievements including "Rochester Engineer of the Year" (2000). His most significant contribution to engineering and science has been sharing his research and learning in tribology and engineering materials. This book is a continuation of this sharing.

www.astm.org

ISBN 978-0-8031-4269-5
Stock #: MNL56