

# Contents

## ASTM STANDARDS IN BUILDING CODES

VOLUME 1: A 6 - C 173  
VOLUME 2: C 177 - D870  
VOLUME 3: D 882 - E 90  
VOLUME 4: E 94 - G 155

A complete Subject Index appears at the end of Volume 4.

In the serial designations prefixed to the following titles, the number following the dash indicates the year of original issue, or in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2009 have as their final number 09. A letter following this number indicates more than one revision during that year, that is, 09a indicates the second revision in 2009, 09b the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2009). A superscript epsilon (<sup>ε</sup>) indicates an editorial change since the last revision or reapproval—<sup>ε1</sup> for the first change, <sup>ε2</sup> for the second change, etc.

### VOLUME 1

A 6 / A 6M – 08a	Specification for General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling
A 27 / A 27M – 08	Specification for Steel Castings, Carbon, for General Application
A 29 / A 29M – 05	Specification for Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for
A 36 / A 36M – 08	Specification for Carbon Structural Steel
A 47 / A 47M – 99(2004)	Specification for Ferritic Malleable Iron Castings
A 48 / A 48M – 03(2008)	Specification for Gray Iron Castings
A 53 / A 53M – 07	Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless
A 74 – 09	Specification for Cast Iron Soil Pipe and Fittings
A 82 / A 82M – 07	Specification for Steel Wire, Plain, for Concrete Reinforcement
A 90 / A 90M – 07	Test Method for Weight [Mass] of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings
A 105 / A 105M – 05	Specification for Carbon Steel Forgings for Piping Applications
A 106 / A 106M – 08	Specification for Seamless Carbon Steel Pipe for High-Temperature Service
A 108 – 07	Specification for Steel Bar, Carbon and Alloy, Cold-Finished
A 116 – 05	Specification for Metallic-Coated, Steel-Woven Wire Fence Fabric
A 121 – 07	Specification for Metallic-Coated Carbon Steel Barbed Wire
A 123 / A 123M – 08	Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products
A 126 – 04	Specification for Gray Iron Castings for Valves, Flanges, and Pipe Fittings
A 135 / A 135M – 06	Specification for Electric-Resistance-Welded Steel Pipe
A 139 / A 139M – 04	Specification for Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over)
A 148 / A 148M – 08	Specification for Steel Castings, High Strength, for Structural Purposes
A 153 / A 153M – 05	Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware
A 167 – 99(2004)	Specification for Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip
A 176 – 99(2004)	Specification for Stainless and Heat-Resisting Chromium Steel Plate, Sheet, and Strip
A 182 / A 182M – 08a	Specification for Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service
A 183 – 03	Specification for Carbon Steel Track Bolts and Nuts
A 184 / A 184M – 06	Specification for Welded Deformed Steel Bar Mats for Concrete Reinforcement
A 185 / A 185M – 07	Specification for Steel Welded Wire Reinforcement, Plain, for Concrete
A 193 / A 193M – 08b	Specification for Alloy-Steel and Stainless Steel Bolting Materials for High Temperature or High Pressure Service and Other Special Purpose Applications
A 194 / A 194M – 08b	Specification for Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both
A 197 / A 197M – 00(2006)	Specification for Cupola Malleable Iron

## CONTENTS

A	213 / A 213M – 08a	Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes
A	216 / A 216M – 08	Specification for Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service
A	229 / A 229M – 99(2005)	Specification for Steel Wire, Oil-Tempered for Mechanical Springs
A	234 / A 234M – 07	Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service
A	240 / A 240M – 08a	Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications
A	242 / A 242M – 04 <sup>e1</sup>	Specification for High-Strength Low-Alloy Structural Steel
A	249 / A 249M – 08	Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes
A	252 – 98(2007)	Specification for Welded and Seamless Steel Pipe Piles
A	254 – 97(2007)	Specification for Copper-Brazed Steel Tubing
A	264 – 03	Specification for Stainless Chromium-Nickel Steel-Clad Plate
A	269 – 08	Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service
A	270 – 03a(2008) <sup>e1</sup>	Specification for Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing
A	276 – 08a	Specification for Stainless Steel Bars and Shapes
A	278 / A 278M – 01(2006)	Specification for Gray Iron Castings for Pressure-Containing Parts for Temperatures Up to 650°F (350°C)
A	283 / A 283M – 03(2007)	Specification for Low and Intermediate Tensile Strength Carbon Steel Plates
A	307 – 07b	Specification for Carbon Steel Bolts and Studs, 60 000 PSI Tensile Strength
A	308 / A 308M – 06	Specification for Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process
A	309 – 01(2007)	Test Method for Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test
A	312 / A 312M – 08a	Specification for Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes
A	313 / A 313M – 08	Specification for Stainless Steel Spring Wire
A	320 / A 320M – 08	Specification for Alloy-Steel and Stainless Steel Bolting Materials for Low-Temperature Service
A	325 – 09	Specification for Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength
A	325M – 09	Specification for Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric)
A	328 / A 328M – 07	Specification for Steel Sheet Piling
A	354 – 07a	Specification for Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners
A	370 – 09	Test Methods and Definitions for Mechanical Testing of Steel Products
A	376 / A 376M – 06	Specification for Seamless Austenitic Steel Pipe for High-Temperature Central-Station Service
A	377 – 03(2008) <sup>e1</sup>	Index of Specifications for Ductile-Iron Pressure Pipe
A	391 / A 391M – 07	Specification for Grade 80 Alloy Steel Chain
A	392 – 07	Specification for Zinc-Coated Steel Chain-Link Fence Fabric
A	395 / A 395M – 99(2004)	Specification for Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures
A	403 / A 403M – 07a	Specification for Wrought Austenitic Stainless Steel Piping Fittings
A	413 / A 413M – 07	Specification for Carbon Steel Chain
A	416 / A 416M – 06	Specification for Steel Strand, Uncoated Seven-Wire for Prestressed Concrete
A	420 / A 420M – 07	Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service
A	421 / A 421M – 05	Specification for Uncoated Stress-Relieved Steel Wire for Prestressed Concrete
A	424 – 06	Specification for Steel, Sheet, for Porcelain Enameling
A	428 / A 428M – 06	Test Method for Weight [Mass] of Coating on Aluminum-Coated Iron or Steel Articles
A	435 / A 435M – 90(2007)	Specification for Straight-Beam Ultrasonic Examination of Steel Plates
A	449 – 07b	Specification for Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use
A	463 / A 463M – 06	Specification for Steel Sheet, Aluminum-Coated, by the Hot-Dip Process
A	466 / A 466M – 07	Specification for Weldless Chain
A	467 / A 467M – 07	Specification for Machine and Coil Chain
A	475 – 03	Specification for Zinc-Coated Steel Wire Strand
A	478 – 97(2008)	Specification for Chromium-Nickel Stainless Steel Weaving and Knitting Wire
A	479 / A 479M – 08	Specification for Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels
A	480 / A 480M – 08b	Specification for General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip
A	489 – 04 <sup>e1</sup>	Specification for Carbon Steel Lifting Eyes
A	490 – 08b	Specification for Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength
A	490M – 08	Specification for High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric)
A	491 – 07	Specification for Aluminum-Coated Steel Chain-Link Fence Fabric

## CONTENTS

A 492 – 95(2004)	Specification for Stainless Steel Rope Wire
A 496 / A 496M – 07	Specification for Steel Wire, Deformed, for Concrete Reinforcement
A 497 / A 497M – 07	Specification for Steel Welded Wire Reinforcement, Deformed, for Concrete
A 499 – 89(2008)	Specification for Steel Bars and Shapes, Carbon Rolled from “T” Rails
A 500 / A 500M – 07	Specification for Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes
A 501 – 07	Specification for Hot-Formed Welded and Seamless Carbon Steel Structural Tubing
A 510 – 08	Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel
A 510M – 08	Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel (Metric)
A 513 – 08a	Specification for Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing
A 514 / A 514M – 05	Specification for High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding
A 516 / A 516M – 06	Specification for Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service
A 518 / A 518M – 99(2008)	Specification for Corrosion-Resistant High-Silicon Iron Castings
A 529 / A 529M – 05	Specification for High-Strength Carbon-Manganese Steel of Structural Quality
A 532 / A 532M – 93a(2008)	Specification for Abrasion-Resistant Cast Irons
A 536 – 84(2004) <sup>e1</sup>	Specification for Ductile Iron Castings
A 554 – 08a	Specification for Welded Stainless Steel Mechanical Tubing
A 555 / A 555M – 05	Specification for General Requirements for Stainless Steel Wire and Wire Rods
A 563 – 07a	Specification for Carbon and Alloy Steel Nuts
A 563M – 07	Specification for Carbon and Alloy Steel Nuts (Metric)
A 568 / A 568M – 07a	Specification for Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for
A 572 / A 572M – 07	Specification for High-Strength Low-Alloy Columbium-Vanadium Structural Steel
A 574 – 08	Specification for Alloy Steel Socket-Head Cap Screws
A 574M – 08	Specification for Alloy Steel Socket-Head Cap Screws [Metric]
A 575 – 96(2007)	Specification for Steel Bars, Carbon, Merchant Quality, M-Grades
A 580 / A 580M – 08	Specification for Stainless Steel Wire
A 582 / A 582M – 05	Specification for Free-Machining Stainless Steel Bars
A 586 – 04a	Specification for Zinc-Coated Parallel and Helical Steel Wire Structural Strand
A 588 / A 588M – 05	Specification for High-Strength Low-Alloy Structural Steel, up to 50 ksi [345 MPa] Minimum Yield Point, with Atmospheric Corrosion Resistance
A 603 – 98(2003)	Specification for Zinc-Coated Steel Structural Wire Rope
A 606 – 04	Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance
A 615 / A 615M – 08b	Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement
A 618 / A 618M – 04	Specification for Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing
A 625 / A 625M – 08	Specification for Tin Mill Products, Black Plate, Single-Reduced
A 627 – 03	Test Methods for Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities
A 635 / A 635M – 08	Specification for Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for
A 641 / A 641M – 09	Specification for Zinc-Coated (Galvanized) Carbon Steel Wire
A 645 / A 645M – 05	Specification for Pressure Vessel Plates, 5 % and 5 ½ % Nickel Alloy Steels, Specially Heat Treated
A 653 / A 653M – 08	Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
A 656 / A 656M – 05 <sup>e2</sup>	Specification for Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability
A 666 – 03	Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar
A 668 / A 668M – 04	Specification for Steel Forgings, Carbon and Alloy, for General Industrial Use
A 674 – 05	Practice for Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids
A 675 / A 675M – 03 <sup>e1</sup>	Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties
A 690 / A 690M – 07	Specification for High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments
A 703 / A 703M – 08a	Specification for Steel Castings, General Requirements, for Pressure-Containing Parts
A 704 / A 704M – 06	Specification for Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement
A 706 / A 706M – 08a	Specification for Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement
A 716 – 08	Specification for Ductile Iron Culvert Pipe
A 722 / A 722M – 07	Specification for Uncoated High-Strength Steel Bars for Prestressing Concrete
A 733 – 03	Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples

## CONTENTS

A	743 / A 743M – 06	Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application
A	746 – 03	Specification for Ductile Iron Gravity Sewer Pipe
A	755 / A 755M – 03(2008)	Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products
A	760 / A 760M – 06	Specification for Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains
A	764 – 07	Specification for Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs
A	767 / A 767M – 05	Specification for Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement
A	775 / A 775M – 07b	Specification for Epoxy-Coated Steel Reinforcing Bars
A	778 – 01	Specification for Welded, Unannealed Austenitic Stainless Steel Tubular Products
A	780 – 01(2006)	Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings
A	786 / A 786M – 05	Specification for Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates
A	792 / A 792M – 08	Specification for Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process
A	793 – 96(2001)	Specification for Rolled Floor Plate, Stainless Steel
A	794 – 06	Specification for Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled
A	795 / A 795M – 08	Specification for Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use
A	798 / A 798M – 07	Practice for Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications
A	809 – 08	Specification for Aluminum-Coated (Aluminized) Carbon Steel Wire
A	817 – 07	Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcellled Tension Wire
A	820 / A 820M – 06	Specification for Steel Fibers for Fiber-Reinforced Concrete
A	824 – 01(2007)	Specification for Metallic-Coated Steel Marcellled Tension Wire for Use With Chain Link Fence
A	847 / A 847M – 05	Specification for Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance
A	857 / A 857M – 07	Specification for Steel Sheet Piling, Cold Formed, Light Gage
A	861 – 04(2008)	Specification for High-Silicon Iron Pipe and Fittings
A	865 / A 865M – 06	Specification for Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints
A	875 / A 875M – 06	Specification for Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process
A	884 / A 884M – 06	Specification for Epoxy-Coated Steel Wire and Welded Wire Reinforcement
A	888 – 09	Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications
A	898 / A 898M – 07	Specification for Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes
A	899 – 91(2007)	Specification for Steel Wire, Epoxy-Coated
A	913 / A 913M – 07	Specification for High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST)
A	924 / A 924M – 08a	Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process
A	929 / A 929M – 01(2007)	Specification for Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe
A	934 / A 934M – 07	Specification for Epoxy-Coated Prefabricated Steel Reinforcing Bars
A	951 / A 951M – 06	Specification for Steel Wire for Masonry Joint Reinforcement
A	955 / A 955M – 07a	Specification for Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement
A	959 – 07	Guide for Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels
A	992 / A 992M – 06a	Specification for Structural Steel Shapes
A	996 / A 996M – 06a	Specification for Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement
A	1003 / A 1003M – 08	Specification for Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members
A	1008 / A 1008M – 08a	Specification for Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable
A	1011 / A 1011M – 08	Specification for Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength
B	1 – 01(2007)	Specification for Hard-Drawn Copper Wire
B	2 – 08	Specification for Medium-Hard-Drawn Copper Wire
B	3 – 01(2007)	Specification for Soft or Annealed Copper Wire
B	8 – 04	Specification for Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft
B	16 / B 16M – 05	Specification for Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines
B	19 – 05	Specification for Cartridge Brass Sheet, Strip, Plate, Bar, and Disks
B	26 / B 26M – 05	Specification for Aluminum-Alloy Sand Castings
B	29 – 03	Specification for Refined Lead
B	30 – 08a	Specification for Copper Alloys in Ingot Form
B	32 – 08	Specification for Solder Metal
B	33 – 04	Specification for Tinned Soft or Annealed Copper Wire for Electrical Purposes

## CONTENTS

B 36 / B 36M – 08a	Specification for Brass Plate, Sheet, Strip, and Rolled Bar
B 42 – 02 <sup>e1</sup>	Specification for Seamless Copper Pipe, Standard Sizes
B 43 – 98(2004)	Specification for Seamless Red Brass Pipe, Standard Sizes
B 61 – 08	Specification for Steam or Valve Bronze Castings
B 62 – 02	Specification for Composition Bronze or Ounce Metal Castings
B 68 – 02	Specification for Seamless Copper Tube, Bright Annealed
B 68M – 99(2005)	Specification for Seamless Copper Tube, Bright Annealed (Metric)
B 69 – 08	Specification for Rolled Zinc
B 75 – 02	Specification for Seamless Copper Tube
B 75M – 99(2005)	Specification for Seamless Copper Tube (Metric)
B 85 – 03	Specification for Aluminum-Alloy Die Castings
B 88 – 03	Specification for Seamless Copper Water Tube
B 88M – 05	Specification for Seamless Copper Water Tube (Metric)
B 101 – 07	Specification for Lead-Coated Copper Sheet and Strip for Building Construction
B 111 / B 111M – 08a	Specification for Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock
B 117 – 07a	Practice for Operating Salt Spray (Fog) Apparatus
B 134 / B 134M – 08	Specification for Brass Wire
B 135 – 08a	Specification for Seamless Brass Tube
B 135M – 08a	Specification for Seamless Brass Tube [Metric]
B 138 / B 138M – 06	Specification for Manganese Bronze Rod, Bar, and Shapes
B 151 / B 151M – 05	Specification for Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar
B 152 / B 152M – 06a <sup>e1</sup>	Specification for Copper Sheet, Strip, Plate, and Rolled Bar
B 164 – 03(2008)	Specification for Nickel-Copper Alloy Rod, Bar, and Wire
B 169 / B 169M – 05	Specification for Aluminum Bronze Sheet, Strip, and Rolled Bar
B 177 – 01(2006) <sup>e1</sup>	Guide for Engineering Chromium Electroplating
B 179 – 06	Specification for Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes
B 209 – 07	Specification for Aluminum and Aluminum-Alloy Sheet and Plate
B 209M – 07	Specification for Aluminum and Aluminum-Alloy Sheet and Plate (Metric)
B 210 – 04	Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes
B 210M – 05	Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric)
B 211 – 03	Specification for Aluminum and Aluminum-Alloy Bar, Rod, and Wire
B 211M – 03	Specification for Aluminum and Aluminum-Alloy Bar, Rod, and Wire (Metric)
B 221 – 08	Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes
B 221M – 07	Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric)
B 227 – 04	Specification for Hard-Drawn Copper-Clad Steel Wire
B 228 – 04	Specification for Concentric-Lay-Stranded Copper-Clad Steel Conductors
B 230 / B 230M – 07	Specification for Aluminum 1350–H19 Wire for Electrical Purposes
B 231 / B 231M – 04	Specification for Concentric-Lay-Stranded Aluminum 1350 Conductors
B 232 / B 232M – 01 <sup>e1</sup>	Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR)
B 241 / B 241M – 02	Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube
B 244 – 97(2002)	Test Method for Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments
B 247 – 02a	Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings
B 247M – 02a	Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric)
B 249 / B 249M – 06	Specification for General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings
B 251 – 02 <sup>e1</sup>	Specification for General Requirements for Wrought Seamless Copper and Copper-Alloy Tube
B 251M – 97(2003)	Specification for General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric)
B 265 – 08b	Specification for Titanium and Titanium Alloy Strip, Sheet, and Plate
B 280 – 08	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service
B 286 – 07	Specification for Copper Conductors for Use in Hookup Wire for Electronic Equipment
B 302 – 07	Specification for Threadless Copper Pipe, Standard Sizes
B 306 – 02	Specification for Copper Drainage Tube (DWV)
B 308 / B 308M – 02	Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles
B 316 / B 316M – 02	Specification for Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods
B 348 – 08a	Specification for Titanium and Titanium Alloy Bars and Billets
B 370 – 03	Specification for Copper Sheet and Strip for Building Construction
B 398 / B 398M – 02(2007)	Specification for Aluminum-Alloy 6201-T81 Wire for Electrical Purposes
B 399 / B 399M – 04	Specification for Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors

## CONTENTS

B 416 – 98(2007)	Specification for Concentric-Lay-Stranded Aluminum-Clad Steel Conductors
B 418 – 08	Specification for Cast and Wrought Galvanic Zinc Anodes
B 429 / B 429M – 06	Specification for Aluminum-Alloy Extruded Structural Pipe and Tube
B 447 – 07	Specification for Welded Copper Tube
B 449 – 93(2004)	Specification for Chromates on Aluminum
B 455 – 05	Specification for Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes
B 456 – 03	Specification for Electrodeposited Coatings of Copper Plus Nickel Plus Chromium and Nickel Plus Chromium
B 483 / B 483M – 03	Specification for Aluminum and Aluminum-Alloy Drawn Tube and Pipe for General Purpose Applications
B 571 – 97(2008) <sup>e1</sup>	Practice for Qualitative Adhesion Testing of Metallic Coatings
B 584 – 08a	Specification for Copper Alloy Sand Castings for General Applications
B 632 / B 632M – 08	Specification for Aluminum-Alloy Rolled Tread Plate
B 633 – 07	Specification for Electrodeposited Coatings of Zinc on Iron and Steel
B 660 – 08	Practices for Packaging/Packing of Aluminum and Magnesium Products
B 687 – 99(2005) <sup>e1</sup>	Specification for Brass, Copper, and Chromium-Plated Pipe Nipples
B 695 – 04	Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel
B 743 – 06	Specification for Seamless Copper Tube in Coils
B 745 / B 745M – 97(2005)	Specification for Corrugated Aluminum Pipe for Sewers and Drains
B 749 – 03	Specification for Lead and Lead Alloy Strip, Sheet, and Plate Products
B 766 – 86(2008)	Specification for Electrodeposited Coatings of Cadmium
B 788 / B 788M – 04	Practice for Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe
B 813 – 00(2009)	Specification for Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube
B 819 – 00(2006)	Specification for Seamless Copper Tube for Medical Gas Systems
B 824 – 04	Specification for General Requirements for Copper Alloy Castings
B 828 – 02	Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings
B 837 – 01	Specification for Seamless Copper Tube for Natural Gas and Liquefied Petroleum (LP) Gas Fuel Distribution Systems
B 843 – 07	Specification for Magnesium Alloy Anodes for Cathodic Protection
C 4 – 04 <sup>e1</sup>	Specification for Clay Drain Tile and Perforated Clay Drain Tile
C 5 – 03	Specification for Quicklime for Structural Purposes
C 11 – 08c	Terminology Relating to Gypsum and Related Building Materials and Systems
C 12 – 08	Practice for Installing Vitrified Clay Pipe Lines
C 14 – 07	Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe
C 14M – 07	Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric)
C 22 / C 22M – 00(2005) <sup>e1</sup>	Specification for Gypsum
C 27 – 98(2008)	Classification of Fireclay and High-Alumina Refractory Brick
C 28 / C 28M – 00(2005)	Specification for Gypsum Plasters
C 29 / C 29M – 07	Test Method for Bulk Density (“Unit Weight”) and Voids in Aggregate
C 31 / C 31M – 08b	Practice for Making and Curing Concrete Test Specimens in the Field
C 32 – 05	Specification for Sewer and Manhole Brick (Made From Clay or Shale)
C 33 / C 33M – 08	Specification for Concrete Aggregates
C 34 – 03	Specification for Structural Clay Load-Bearing Wall Tile
C 35 – 01(2005)	Specification for Inorganic Aggregates for Use in Gypsum Plaster
C 39 / C 39M – 05 <sup>e2</sup>	Test Method for Compressive Strength of Cylindrical Concrete Specimens
C 42 / C 42M – 04	Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete
C 55 – 06 <sup>e1</sup>	Specification for Concrete Building Brick
C 56 – 05	Specification for Structural Clay Nonloadbearing Tile
C 59 / C 59M – 00(2006)	Specification for Gypsum Casting Plaster and Gypsum Molding Plaster
C 61 / C 61M – 00(2006)	Specification for Gypsum Keene’s Cement
C 62 – 08	Specification for Building Brick (Solid Masonry Units Made From Clay or Shale)
C 67 – 08	Test Methods for Sampling and Testing Brick and Structural Clay Tile
C 73 – 05	Specification for Calcium Silicate Brick (Sand-Lime Brick)
C 76 – 08a	Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe
C 76M – 08a	Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric)
C 78 – 08	Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)
C 90 – 08	Specification for Loadbearing Concrete Masonry Units
C 91 – 05	Specification for Masonry Cement
C 94 / C 94M – 09	Specification for Ready-Mixed Concrete
C 97 – 02(2008)	Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone
C 99 – 08	Test Method for Modulus of Rupture of Dimension Stone
C 109 / C 109M – 08	Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50-mm] Cube Specimens)
C 114 – 09	Test Methods for Chemical Analysis of Hydraulic Cement
C 119 – 08	Terminology Relating to Dimension Stone

## CONTENTS

C 126 – 99(2005)	Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units
C 127 – 07	Test Method for Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate
C 128 – 07a	Test Method for Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate
C 129 – 06	Specification for Nonloadbearing Concrete Masonry Units
C 131 – 06	Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine
C 136 – 06	Test Method for Sieve Analysis of Fine and Coarse Aggregates
C 138 / C 138M – 08	Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete
C 140 – 08a	Test Methods for Sampling and Testing Concrete Masonry Units and Related Units
C 143 / C 143M – 08	Test Method for Slump of Hydraulic-Cement Concrete
C 144 – 04	Specification for Aggregate for Masonry Mortar
C 150 – 07	Specification for Portland Cement
C 157 / C 157M – 08	Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete
C 168 – 08b	Terminology Relating to Thermal Insulation
C 170 – 06	Test Method for Compressive Strength of Dimension Stone
C 171 – 07	Specification for Sheet Materials for Curing Concrete
C 172 – 08	Practice for Sampling Freshly Mixed Concrete
C 173 / C 173M – 08a	Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method

## VOLUME 2

C 177 – 04	Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus
C 185 – 08	Test Method for Air Content of Hydraulic Cement Mortar
C 188 – 95(2003)	Test Method for Density of Hydraulic Cement
C 195 – 07	Specification for Mineral Fiber Thermal Insulating Cement
C 196 – 00(2005)	Specification for Expanded or Exfoliated Vermiculite Thermal Insulating Cement
C 199 – 84(2005)	Test Method for Pier Test for Refractory Mortars
C 206 – 03	Specification for Finishing Hydrated Lime
C 207 – 06	Specification for Hydrated Lime for Masonry Purposes
C 208 – 08a	Specification for Cellulosic Fiber Insulating Board
C 209 – 07a <sup>e1</sup>	Test Methods for Cellulosic Fiber Insulating Board
C 212 – 00(2006)	Specification for Structural Clay Facing Tile
C 215 – 08	Test Method for Fundamental Transverse, Longitudinal, and Torsional Resonant Frequencies of Concrete Specimens
C 216 – 07a	Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)
C 219 – 07a	Terminology Relating to Hydraulic Cement
C 231 – 08c	Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method
C 240 – 08 <sup>e1</sup>	Test Methods of Testing Cellular Glass Insulation Block
C 241 – 90(2005)	Test Method for Abrasion Resistance of Stone Subjected to Foot Traffic
C 242 – 01(2007)	Terminology of Ceramic Whitewares and Related Products
C 260 – 06	Specification for Air-Entraining Admixtures for Concrete
C 266 – 08	Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles
C 267 – 01(2006)	Test Methods for Chemical Resistance of Mortars, Grouts, and Monolithic Surfacing and Polymer Concretes
C 270 – 08a	Specification for Mortar for Unit Masonry
C 272 – 01(2007)	Test Method for Water Absorption of Core Materials for Structural Sandwich Constructions
C 273 / C 273M – 07a	Test Method for Shear Properties of Sandwich Core Materials
C 279 – 88(2007)	Specification for Chemical-Resistant Masonry Units
C 287 – 98(2008) <sup>e1</sup>	Specification for Chemical-Resistant Sulfur Mortar
C 293 – 08	Test Method for Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading)
C 296 – 00(2004) <sup>e1</sup>	Specification for Asbestos-Cement Pressure Pipe
C 297 / C 297M – 04	Test Method for Flatwise Tensile Strength of Sandwich Constructions
C 303 – 07	Test Method for Dimensions and Density of Preformed Block and Board-Type Thermal Insulation
C 307 – 03(2008)	Test Method for Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacing
C 308 – 00(2005)	Test Methods for Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars
C 309 – 07	Specification for Liquid Membrane-Forming Compounds for Curing Concrete
C 315 – 07	Specification for Clay Flue Liners and Chimney Pots
C 317 / C 317M – 00(2005)	Specification for Gypsum Concrete
C 321 – 00(2005)	Test Method for Bond Strength of Chemical-Resistant Mortars
C 330 – 05	Specification for Lightweight Aggregates for Structural Concrete

## CONTENTS

C 331 – 05	Specification for Lightweight Aggregates for Concrete Masonry Units
C 332 – 07	Specification for Lightweight Aggregates for Insulating Concrete
C 335 – 05a <sup>e1</sup>	Test Method for Steady-State Heat Transfer Properties of Pipe Insulation
C 348 – 08	Test Method for Flexural Strength of Hydraulic-Cement Mortars
C 365 / C 365M – 05	Test Method for Flatwise Compressive Properties of Sandwich Cores
C 373 – 88(2006)	Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products
C 384 – 04	Test Method for Impedance and Absorption of Acoustical Materials by Impedance Tube Method
C 386 – 93(2008)	Practice for Use of Chemical-Resistant Sulfur Mortar
C 387 / C 387M – 09	Specification for Packaged, Dry, Combined Materials for Mortar and Concrete
C 393 / C 393M – 06	Test Method for Core Shear Properties of Sandwich Constructions by Beam Flexure
C 395 – 01(2006)	Specification for Chemical-Resistant Resin Mortars
C 397 – 00(2005)	Practice for Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars
C 398 – 98(2008)	Practice for Use of Hydraulic Cement Mortars in Chemical-Resistant Masonry
C 399 – 98(2008) <sup>e1</sup>	Practice for Use of Chemical-Resistant Resin Mortars
C 401 – 91(2005)	Classification of Alumina and Alumina-Silicate Castable Refractories
C 404 – 07	Specification for Aggregates for Masonry Grout
C 406 – 06 <sup>e1</sup>	Specification for Roofing Slate
C 410 – 08	Specification for Industrial Floor Brick
C 411 – 05	Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation
C 412 – 05a	Specification for Concrete Drain Tile
C 412M – 05a	Specification for Concrete Drain Tile (Metric)
C 413 – 01(2006)	Test Method for Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacing, and Polymer Concretes
C 423 – 08a	Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method
C 425 – 04	Specification for Compression Joints for Vitrified Clay Pipe and Fittings
C 428 – 05(2006)	Specification for Asbestos-Cement Nonpressure Sewer Pipe
C 443 – 05a	Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets
C 443M – 07	Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric)
C 444 – 03	Specification for Perforated Concrete Pipe
C 444M – 03	Specification for Perforated Concrete Pipe (Metric)
C 449 – 07	Specification for Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement
C 450 – 08	Practice for Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging
C 452 – 06	Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate
C 466 – 03(2008)	Specification for Chemically Setting Silicate and Silica Chemical-Resistant Mortars
C 472 – 99(2004)	Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete
C 473 – 07	Test Methods for Physical Testing of Gypsum Panel Products
C 474 – 05	Test Methods for Joint Treatment Materials for Gypsum Board Construction
C 475 / C 475M – 02(2007)	Specification for Joint Compound and Joint Tape for Finishing Gypsum Board
C 476 – 08	Specification for Grout for Masonry
C 478 – 09	Specification for Precast Reinforced Concrete Manhole Sections
C 478M – 09	Specification for Precast Reinforced Concrete Manhole Sections (Metric)
C 481 – 99(2005)	Test Method for Laboratory Aging of Sandwich Constructions
C 482 – 02(2009)	Test Method for Bond Strength of Ceramic Tile to Portland Cement Paste
C 485 – 09	Test Method for Measuring Warpage of Ceramic Tile
C 494 / C 494M – 08a	Specification for Chemical Admixtures for Concrete
C 495 – 07	Test Method for Compressive Strength of Lightweight Insulating Concrete
C 496 / C 496M – 04 <sup>e1</sup>	Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens
C 499 – 09	Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile
C 501 – 84(2002)	Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser
C 502 – 09	Test Method for Wedging of Flat, Rectangular Ceramic Wall and Floor Tile
C 503 – 08a	Specification for Marble Dimension Stone
C 508 – 00(2004)	Specification for Asbestos-Cement Underdrain Pipe
C 509 – 06	Specification for Elastomeric Cellular Preformed Gasket and Sealing Material
C 514 – 04	Specification for Nails for the Application of Gypsum Board
C 516 – 08	Specification for Vermiculite Loose Fill Thermal Insulation
C 518 – 04	Test Method for Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus
C 520 – 04	Test Methods for Density of Granular Loose Fill Insulations
C 530 – 99(2005)	Specification for Structural Clay Nonloadbearing Screen Tile
C 531 – 00(2005)	Test Method for Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacing, and Polymer Concretes
C 533 – 07	Specification for Calcium Silicate Block and Pipe Thermal Insulation

C 534 / C 534M – 08	Specification for Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form
C 542 – 05	Specification for Lock-Strip Gaskets
C 547 – 07 <sup>e1</sup>	Specification for Mineral Fiber Pipe Insulation
C 549 – 06	Specification for Perlite Loose Fill Insulation
C 552 – 07	Specification for Cellular Glass Thermal Insulation
C 553 – 08	Specification for Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications
C 557 – 03 <sup>e1</sup>	Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing
C 564 – 08	Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings
C 567 – 05a	Test Method for Determining Density of Structural Lightweight Concrete
C 568 – 08a	Specification for Limestone Dimension Stone
C 578 – 08b	Specification for Rigid, Cellular Polystyrene Thermal Insulation
C 579 – 01(2006)	Test Methods for Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacing, and Polymer Concretes
C 580 – 02(2008)	Test Method for Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacing, and Polymer Concretes
C 585 – 90(2004)	Practice for Inner and Outer Diameters of Rigid Thermal Insulation for Nominal Sizes of Pipe and Tubing (NPS System)
C 587 – 04	Specification for Gypsum Veneer Plaster
C 591 – 08a	Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate Thermal Insulation
C 592 – 08a	Specification for Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type)
C 595 – 08a	Specification for Blended Hydraulic Cements
C 596 – 07	Test Method for Drying Shrinkage of Mortar Containing Hydraulic Cement
C 602 – 07	Specification for Agricultural Liming Materials
C 610 – 07	Specification for Molded Expanded Perlite Block and Pipe Thermal Insulation
C 612 – 04 <sup>e1</sup>	Specification for Mineral Fiber Block and Board Thermal Insulation
C 615 – 03	Specification for Granite Dimension Stone
C 616 – 08	Specification for Quartz-Based Dimension Stone
C 618 – 08a	Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete
C 627 – 93(2007)	Test Method for Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester
C 629 – 08	Specification for Slate Dimension Stone
C 631 – 95a(2004)	Specification for Bonding Compounds for Interior Gypsum Plastering
C 635 / C 635M – 07	Specification for the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings
C 636 / C 636M – 08	Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-In Panels
C 642 – 06	Test Method for Density, Absorption, and Voids in Hardened Concrete
C 645 – 08a	Specification for Nonstructural Steel Framing Members
C 648 – 04(2009)	Test Method for Breaking Strength of Ceramic Tile
C 652 – 09	Specification for Hollow Brick (Hollow Masonry Units Made From Clay or Shale)
C 654 – 05a	Specification for Porous Concrete Pipe
C 654M – 05a	Specification for Porous Concrete Pipe (Metric)
C 658 – 98(2008)	Specification for Chemical-Resistant Resin Grouts for Brick or Tile
C 665 – 06	Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing
C 666 / C 666M – 03(2008)	Test Method for Resistance of Concrete to Rapid Freezing and Thawing
C 672 / C 672M – 03	Test Method for Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals
C 685 / C 685M – 07	Specification for Concrete Made by Volumetric Batching and Continuous Mixing
C 700 – 07a	Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated
C 711 – 03(2009)	Test Method for Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants
C 716 – 06	Specification for Installing Lock-Strip Gaskets and Infill Glazing Materials
C 719 – 93(2005)	Test Method for Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle)
C 723 – 98(2008)	Practice for Chemical-Resistant Resin Grouts for Brick or Tile
C 726 – 05 <sup>e1</sup>	Specification for Mineral Fiber Roof Insulation Board
C 728 – 05	Specification for Perlite Thermal Insulation Board
C 739 – 08	Specification for Cellulosic Fiber Loose-Fill Thermal Insulation
C 744 – 08	Specification for Prefaced Concrete and Calcium Silicate Masonry Units
C 754 – 08	Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products
C 755 – 03	Practice for Selection of Water Vapor Retarders for Thermal Insulation

## CONTENTS

C 764 – 07	Specification for Mineral Fiber Loose-Fill Thermal Insulation
C 780 – 08a	Test Method for Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry
C 793 – 05	Test Method for Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants
C 794 – 06	Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants
C 795 – 08	Specification for Thermal Insulation for Use in Contact with Austenitic Stainless Steel
C 802 – 96(2008) <sup>e1</sup>	Practice for Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials
C 811 – 98(2008)	Practice for Surface Preparation of Concrete for Application of Chemical-Resistant Resin Monolithic Surfacing
C 834 – 05	Specification for Latex Sealants
C 836 – 06	Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course
C 840 – 08	Specification for Application and Finishing of Gypsum Board
C 841 – 03(2008) <sup>e1</sup>	Specification for Installation of Interior Lathing and Furring
C 842 – 05	Specification for Application of Interior Gypsum Plaster
C 843 – 99(2006)	Specification for Application of Gypsum Veneer Plaster
C 844 – 04	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster
C 845 – 04	Specification for Expansive Hydraulic Cement
C 846 – 94(2003)	Practice for Application of Cellulosic Fiber Insulating Board for Wall Sheathing
C 847 – 06	Specification for Metal Lath
C 857 – 07	Practice for Minimum Structural Design Loading for Underground Precast Concrete Utility Structures
C 858 – 09	Specification for Underground Precast Concrete Utility Structures
C 864 – 05	Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers
C 869 – 91(2006)	Specification for Foaming Agents Used in Making Preformed Foam for Cellular Concrete
C 871 – 08a	Test Methods for Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions
C 880 – 06	Test Method for Flexural Strength of Dimension Stone
C 881 / C 881M – 02	Specification for Epoxy-Resin-Base Bonding Systems for Concrete
C 882 / C 882M – 05 <sup>e1</sup>	Test Method for Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear
C 887 – 05	Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar
C 890 – 06	Practice for Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures
C 891 – 90(2003)	Practice for Installation of Underground Precast Concrete Utility Structures
C 897 – 05	Specification for Aggregate for Job-Mixed Portland Cement-Based Plasters
C 898 – 01	Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course
C 901 – 01	Specification for Prefabricated Masonry Panels
C 902 – 09	Specification for Pedestrian and Light Traffic Paving Brick
C 905 – 01(2006)	Test Methods for Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacing, and Polymer Concretes
C 913 – 08	Specification for Precast Concrete Water and Wastewater Structures
C 916 – 85(2007)	Specification for Adhesives for Duct Thermal Insulation
C 919 – 08	Practice for Use of Sealants in Acoustical Applications
C 920 – 08	Specification for Elastomeric Joint Sealants
C 921 – 03a	Practice for Determining the Properties of Jacketing Materials for Thermal Insulation
C 923 – 08	Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals
C 923M – 08b	Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric)
C 924 – 02	Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method
C 924M – 02	Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method (Metric)
C 926 – 06	Specification for Application of Portland Cement-Based Plaster
C 928 – 05	Specification for Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs
C 932 – 06	Specification for Surface-Applied Bonding Compounds for Exterior Plastering
C 933 – 07b	Specification for Welded Wire Lath
C 936 – 08	Specification for Solid Concrete Interlocking Paving Units
C 937 – 02	Specification for Grout Fluidifier for Preplaced-Aggregate Concrete
C 938 – 02	Practice for Proportioning Grout Mixtures for Preplaced-Aggregate Concrete
C 942 – 99(2004)	Test Method for Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory
C 944 / C 944M – 99(2005) <sup>e1</sup>	Test Method for Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method
C 946 – 91(2001)	Practice for Construction of Dry-Stacked, Surface-Bonded Walls

C 947 – 03	Test Method for Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading)
C 948 – 81(2001)	Test Method for Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete
C 954 – 07	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness
C 955 – 08a	Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases
C 956 – 04	Specification for Installation of Cast-In-Place Reinforced Gypsum Concrete
C 957 – 06	Specification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface
C 969 – 02	Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines
C 969M – 02	Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric)
C 977 – 03	Specification for Quicklime and Hydrated Lime for Soil Stabilization
C 979 – 05	Specification for Pigments for Integrally Colored Concrete
C 989 – 09	Specification for Slag Cement for Use in Concrete and Mortars
C 990 – 08	Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants
C 990M – 08	Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric)
C 991 – 08 <sup>e1</sup>	Specification for Flexible Fibrous Glass Insulation for Metal Buildings
C 1002 – 07	Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs
C 1006 – 07	Test Method for Splitting Tensile Strength of Masonry Units
C 1007 – 08a	Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
C 1014 – 08	Specification for Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation
C 1015 – 06	Practice for Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation
C 1017 / C 1017M – 07	Specification for Chemical Admixtures for Use in Producing Flowing Concrete
C 1019 – 09	Test Method for Sampling and Testing Grout
C 1021 – 08	Practice for Laboratories Engaged in Testing of Building Sealants
C 1028 – 07	Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method
C 1029 – 08	Specification for Spray-Applied Rigid Cellular Polyurethane Thermal Insulation
C 1032 – 06	Specification for Woven Wire Plaster Base
C 1036 – 06	Specification for Flat Glass
C 1037 – 08	Practice for Inspection of Underground Precast Concrete Utility Structures
C 1045 – 07	Practice for Calculating Thermal Transmission Properties Under Steady-State Conditions
C 1047 – 05	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
C 1048 – 04	Specification for Heat-Treated Flat Glass—Kind HS, Kind FT Coated and Uncoated Glass
C 1053 – 00(2005)	Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications
C 1059 / C 1059M – 99(2008)	Specification for Latex Agents for Bonding Fresh To Hardened Concrete
C 1063 – 08	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster
C 1064 / C 1064M – 08	Test Method for Temperature of Freshly Mixed Hydraulic-Cement Concrete
C 1071 – 05 <sup>e1</sup>	Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material)
C 1072 – 06	Test Method for Measurement of Masonry Flexural Bond Strength
C 1077 – 08a	Practice for Laboratories Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Laboratory Evaluation
C 1086 – 08	Specification for Glass Fiber Mechanically Bonded Felt Thermal Insulation
C 1087 – 00(2006)	Test Method for Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems
C 1088 – 09	Specification for Thin Veneer Brick Units Made From Clay or Shale
C 1093 – 08	Practice for Accreditation of Testing Agencies for Masonry
C 1104 / C 1104M – 00(2006)	Test Method for Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation
C 1107 / C 1107M – 08	Specification for Packaged Dry, Hydraulic-Cement Grout (Nonshrink)
C 1115 – 06	Specification for Dense Elastomeric Silicone Rubber Gaskets and Accessories
C 1116 / C 1116M – 08a	Specification for Fiber-Reinforced Concrete
C 1126 – 04	Specification for Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation
C 1127 – 01(2009)	Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface
C 1136 – 08	Specification for Flexible, Low Permeance Vapor Retarders for Thermal Insulation

## CONTENTS

C 1140 – 03a	Practice for Preparing and Testing Specimens from Shotcrete Test Panels
C 1141 – 06	Specification for Admixtures for Shotcrete
C 1142 – 95(2007)	Specification for Extended Life Mortar for Unit Masonry
C 1149 – 08	Specification for Self-Supported Spray Applied Cellulosic Thermal Insulation
C 1157 – 08a	Performance Specification for Hydraulic Cement
C 1158 – 05	Practice for Installation and Use of Radiant Barrier Systems (RBS) in Building Construction
C 1167 – 03	Specification for Clay Roof Tiles
C 1172 – 03	Specification for Laminated Architectural Flat Glass
C 1173 – 08	Specification for Flexible Transition Couplings for Underground Piping Systems
C 1177 / C 1177M – 08	Specification for Glass Mat Gypsum Substrate for Use as Sheathing
C 1178 / C 1178M – 08	Specification for Coated Glass Mat Water-Resistant Gypsum Backing Panel
C 1184 – 05	Specification for Structural Silicone Sealants
C 1185 – 08	Test Methods for Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards
C 1186 – 08	Specification for Flat Fiber-Cement Sheets
C 1193 – 09	Guide for Use of Joint Sealants
C 1194 – 03	Test Method for Compressive Strength of Architectural Cast Stone
C 1195 – 03	Test Method for Absorption of Architectural Cast Stone
C 1199 – 00	Test Method for Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods
C 1201 – 91(2003)	Test Method for Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference
C 1202 – 08	Test Method for Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration
C 1218 / C 1218M – 99(2008)	Test Method for Water-Soluble Chloride in Mortar and Concrete
C 1227 – 09	Specification for Precast Concrete Septic Tanks
C 1228 – 96(2004)	Practice for Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete
C 1229 – 94(2001)	Test Method for Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC) (Wash-Out Test)
C 1230 – 96(2004)	Test Method for Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads
C 1240 – 05	Specification for Silica Fume Used in Cementitious Mixtures
C 1242 – 05	Guide for Selection, Design, and Installation of Dimension Stone Anchoring Systems
C 1247 – 09	Test Method for Durability of Sealants Exposed to Continuous Immersion in Liquids
C 1248 – 08	Test Method for Staining of Porous Substrate by Joint Sealants
C 1249 – 06a	Guide for Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications
C 1250 – 05	Test Method for Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes
C 1253 – 93(2005)	Test Method for Determining the Outgassing Potential of Sealant Backing
C 1261 – 07	Specification for Firebox Brick for Residential Fireplaces
C 1272 – 07	Specification for Heavy Vehicular Paving Brick
C 1276 – 94(2005)	Test Method for Measuring the Viscosity of Mold Powders Above Their Melting Point Using a Rotational Viscometer
C 1277 – 08	Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings
C 1278 / C 1278M – 07a	Specification for Fiber-Reinforced Gypsum Panel
C 1280 – 07	Specification for Application of Gypsum Sheathing
C 1281 – 03(2009)	Specification for Preformed Tape Sealants for Glazing Applications
C 1283 – 07a	Practice for Installing Clay Flue Lining
C 1288 – 99(2004) <sup>e1</sup>	Specification for Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets
C 1289 – 08	Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board
C 1290 – 06 <sup>e1</sup>	Specification for Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts
C 1293 – 08b	Test Method for Determination of Length Change of Concrete Due to Alkali-Silica Reaction
C 1311 – 02	Specification for Solvent Release Sealants
C 1313 – 05	Specification for Sheet Radiant Barriers for Building Construction Applications
C 1314 – 07	Test Method for Compressive Strength of Masonry Prisms
C 1315 – 08	Specification for Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete
C 1320 – 05	Practice for Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction
C 1321 – 04	Practice for Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction
C 1325 – 08b	Specification for Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units
C 1328 – 05	Specification for Plastic (Stucco) Cement

## CONTENTS

C 1329 – 05	Specification for Mortar Cement
C 1330 – 02(2007)	Specification for Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants
C 1353 – 08	Test Method Using the Taber Abraser for Abrasion Resistance of Dimension Stone Subjected to Foot Traffic
C 1354 – 96(2004)	Test Method for Strength of Individual Stone Anchorages in Dimension Stone
C 1363 – 05	Test Method for Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus
C 1364 – 07	Specification for Architectural Cast Stone
C 1371 – 04a	Test Method for Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers
C 1382 – 05	Test Method for Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints
C 1386 – 07	Specification for Precast Autoclaved Aerated Concrete (AAC) Wall Construction Units
C 1396 / C 1396M – 06a	Specification for Gypsum Board
C 1397 – 05	Practice for Application of Class PB Exterior Insulation and Finish Systems
C 1401 – 07	Guide for Structural Sealant Glazing
C 1405 – 08	Specification for Glazed Brick (Single Fired, Brick Units)
C 1422 – 99(2005) <sup>e1</sup>	Specification for Chemically Strengthened Flat Glass
C 1427 – 07	Specification for Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form
C 1440 – 08	Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems
C 1460 – 08	Specification for Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground
C 1461 – 08	Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use
C 1464 – 06	Specification for Bent Glass
C 1467 / C 1467M – 00(2006)	Specification for the Installation of Molded Glass Fiber Reinforced Gypsum Parts
C 1479 – 07a	Practice for Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations
C 1481 – 00(2006)	Guide for Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS)
C 1491 – 03	Specification for Concrete Roof Pavers
C 1492 – 03	Specification for Concrete Roof Tile
C 1503 – 08	Specification for Silvered Flat Glass Mirror
C 1513 – 04	Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections
C 1526 – 08	Specification for Serpentine Dimension Stone
C 1527 – 03	Specification for Travertine Dimension Stone
C 1540 – 08	Specification for Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings
C 1563 – 08	Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent, and Storm Piping Applications
D 5 – 06 <sup>e1</sup>	Test Method for Penetration of Bituminous Materials
D 8 – 02	Terminology Relating to Materials for Roads and Pavements
D 16 – 08	Terminology for Paint, Related Coatings, Materials, and Applications
D 25 – 99(2005)	Specification for Round Timber Piles
D 36 – 06	Test Method for Softening Point of Bitumen (Ring-and-Ball Apparatus)
D 41 – 05	Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing
D 43 – 00(2006)	Specification for Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing
D 56 – 05	Test Method for Flash Point by Tag Closed Cup Tester
D 70 – 08	Test Method for Density of Semi-Solid Bituminous Materials (Pycnometer Method)
D 71 – 94(2004)	Test Method for Relative Density of Solid Pitch and Asphalt (Displacement Method)
D 75 – 03	Practice for Sampling Aggregates
D 86 – 08a	Test Method for Distillation of Petroleum Products at Atmospheric Pressure
D 87 – 07a	Test Method for Melting Point of Petroleum Wax (Cooling Curve)
D 92 – 05a	Test Method for Flash and Fire Points by Cleveland Open Cup Tester
D 93 – 08	Test Methods for Flash Point by Pensky-Martens Closed Cup Tester
D 113 – 07	Test Method for Ductility of Bituminous Materials
D 117 – 02	Guide for Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin
D 140 – 01(2007)	Practice for Sampling Bituminous Materials
D 143 – 94(2007)	Test Methods for Small Clear Specimens of Timber
D 146 – 04	Test Methods for Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing

## CONTENTS

D 149 – 97a(2004)	Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies
D 173 – 03	Specification for Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing
D 198 – 08	Test Methods of Static Tests of Lumber in Structural Sizes
D 217 – 02(2007)	Test Methods for Cone Penetration of Lubricating Grease
D 225 – 07	Specification for Asphalt Shingles (Organic Felt) Surfaced With Mineral Granules
D 226 – 06	Specification for Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing
D 227 – 03	Specification for Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing
D 228 – 08	Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing
D 242 – 04	Specification for Mineral Filler For Bituminous Paving Mixtures
D 245 – 06	Practice for Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber
D 256 – 06a <sup>e1</sup>	Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics
D 312 – 00(2006)	Specification for Asphalt Used in Roofing
D 323 – 08	Test Method for Vapor Pressure of Petroleum Products (Reid Method)
D 395 – 03(2008)	Test Methods for Rubber Property—Compression Set
D 396 – 08c	Specification for Fuel Oils
D 412 – 06a <sup>e2</sup>	Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension
D 413 – 98(2007)	Test Methods for Rubber Property—Adhesion to Flexible Substrate
D 422 – 63(2007)	Test Method for Particle-Size Analysis of Soils
D 429 – 08	Test Methods for Rubber Property—Adhesion to Rigid Substrates
D 448 – 08	Classification for Sizes of Aggregate for Road and Bridge Construction
D 449 – 03(2008)	Specification for Asphalt Used in Dampproofing and Waterproofing
D 450 – 07	Specification for Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing
D 471 – 06 <sup>e1</sup>	Test Method for Rubber Property—Effect of Liquids
D 522 – 93a(2008)	Test Methods for Mandrel Bend Test of Attached Organic Coatings
D 523 – 08	Test Method for Specular Gloss
D 543 – 06	Practices for Evaluating the Resistance of Plastics to Chemical Reagents
D 546 – 05	Test Method for Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures
D 558 – 04	Test Methods for Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures
D 570 – 98(2005)	Test Method for Water Absorption of Plastics
D 573 – 04	Test Method for Rubber—Deterioration in an Air Oven
D 578 – 05	Specification for Glass Fiber Strands
D 618 – 08	Practice for Conditioning Plastics for Testing
D 624 – 00(2007)	Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers
D 635 – 06	Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position
D 638 – 08	Test Method for Tensile Properties of Plastics
D 648 – 07	Test Method for Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position
D 668 – 99(2004)	Test Methods of Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation
D 692 – 00(2004)	Specification for Coarse Aggregate for Bituminous Paving Mixtures
D 695 – 08	Test Method for Compressive Properties of Rigid Plastics
D 696 – 08	Test Method for Coefficient of Linear Thermal Expansion of Plastics Between –30°C and 30°C with a Vitreous Silica Dilatometer
D 698 – 07 <sup>e1</sup>	Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft <sup>3</sup> (600 kN-m/m <sup>3</sup> ))
D 709 – 01(2007)	Specification for Laminated Thermosetting Materials
D 714 – 02 <sup>e1</sup>	Test Method for Evaluating Degree of Blistering of Paints
D 732 – 02	Test Method for Shear Strength of Plastics by Punch Tool
D 746 – 07	Test Method for Brittleness Temperature of Plastics and Elastomers by Impact
D 747 – 08	Test Method for Apparent Bending Modulus of Plastics by Means of a Cantilever Beam
D 751 – 06	Test Methods for Coated Fabrics
D 785 – 08	Test Method for Rockwell Hardness of Plastics and Electrical Insulating Materials
D 790 – 07 <sup>e1</sup>	Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials
D 792 – 08	Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement
D 816 – 06	Test Methods for Rubber Cements
D 822 – 01(2006)	Practice for Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings
D 832 – 07	Practice for Rubber Conditioning For Low Temperature Testing
D 854 – 06 <sup>e1</sup>	Test Methods for Specific Gravity of Soil Solids by Water Pycnometer
D 859 – 05	Test Method for Silica in Water
D 870 – 02	Practice for Testing Water Resistance of Coatings Using Water Immersion

## VOLUME 3

D 882 – 09	Test Method for Tensile Properties of Thin Plastic Sheeting
D 903 – 98(2004)	Test Method for Peel or Stripping Strength of Adhesive Bonds
D 905 – 08	Test Method for Strength Properties of Adhesive Bonds in Shear by Compression Loading
D 946 – 82(2005)	Specification for Penetration-Graded Asphalt Cement for Use in Pavement Construction
D 950 – 03	Test Method for Impact Strength of Adhesive Bonds
D 952 – 02	Test Method for Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials
D 968 – 05 <sup>e1</sup>	Test Methods for Abrasion Resistance of Organic Coatings by Falling Abrasive
D 975 – 09	Specification for Diesel Fuel Oils
D 977 – 05	Specification for Emulsified Asphalt
D 979 – 01(2006) <sup>e1</sup>	Practice for Sampling Bituminous Paving Mixtures
D 994 – 98(2003)	Specification for Pressured Expansion Joint Filler for Concrete (Bituminous Type)
D 1000 – 04 <sup>e1</sup>	Test Methods for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications
D 1002 – 05	Test Method for Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal)
D 1003 – 07 <sup>e1</sup>	Test Method for Haze and Luminous Transmittance of Transparent Plastics
D 1004 – 08	Test Method for Tear Resistance (Graves Tear) of Plastic Film and Sheeting
D 1037 – 06a	Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials
D 1044 – 08	Test Method for Resistance of Transparent Plastics to Surface Abrasion
D 1056 – 07	Specification for Flexible Cellular Materials—Sponge or Expanded Rubber
D 1066 – 06	Practice for Sampling Steam
D 1067 – 06	Test Methods for Acidity or Alkalinity of Water
D 1068 – 05 <sup>e1</sup>	Test Methods for Iron in Water
D 1073 – 07	Specification for Fine Aggregate for Bituminous Paving Mixtures
D 1079 – 08a	Terminology Relating to Roofing and Waterproofing
D 1126 – 02(2007) <sup>e1</sup>	Test Method for Hardness in Water
D 1129 – 06a <sup>e1</sup>	Terminology Relating to Water
D 1149 – 07	Test Methods for Rubber Deterioration—Cracking in an Ozone Controlled Environment
D 1171 – 99(2007)	Test Method for Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens)
D 1183 – 03	Practices for Resistance of Adhesives to Cyclic Laboratory Aging Conditions
D 1187 – 97(2002) <sup>e1</sup>	Specification for Asphalt-Base Emulsions for Use as Protective Coatings for Metal
D 1188 – 07	Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples
D 1203 – 94(2003)	Test Methods for Volatile Loss From Plastics Using Activated Carbon Methods
D 1204 – 08	Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature
D 1227 – 95(2007)	Specification for Emulsified Asphalt Used as a Protective Coating for Roofing
D 1238 – 04c	Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer
D 1248 – 05	Specification for Polyethylene Plastics Extrusion Materials for Wire and Cable
D 1308 – 02(2007)	Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes
D 1327 – 04	Specification for Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing
D 1335 – 05	Test Method for Tuft Bind of Pile Yarn Floor Coverings
D 1360 – 98(2004)	Test Method for Fire Retardancy of Paints (Cabinet Method)
D 1413 – 07 <sup>e1</sup>	Test Method for Wood Preservatives by Laboratory Soil-Block Cultures
D 1414 – 94(2008)	Test Methods for Rubber O-Rings
D 1435 – 05	Practice for Outdoor Weathering of Plastics
D 1475 – 98(2008)	Test Method For Density of Liquid Coatings, Inks, and Related Products
D 1494 – 97(2008) <sup>e1</sup>	Test Method for Diffuse Light Transmission Factor of Reinforced Plastics Panels
D 1499 – 05	Practice for Filtered Open-Flame Carbon-Arc Exposures of Plastics
D 1505 – 03	Test Method for Density of Plastics by the Density-Gradient Technique
D 1527 – 99(2005)	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80
D 1556 – 07	Test Method for Density and Unit Weight of Soil in Place by Sand-Cone Method
D 1557 – 07	Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft <sup>3</sup> (2,700 kN-m/m <sup>3</sup> ))
D 1586 – 08a	Test Method for Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils
D 1593 – 09	Specification for Nonrigid Vinyl Chloride Plastic Film and Sheeting
D 1600 – 08	Terminology for Abbreviated Terms Relating to Plastics
D 1603 – 06	Test Method for Carbon Black Content in Olefin Plastics
D 1621 – 04a	Test Method for Compressive Properties of Rigid Cellular Plastics
D 1622 – 08	Test Method for Apparent Density of Rigid Cellular Plastics
D 1623 – 03	Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics
D 1633 – 00(2007)	Test Methods for Compressive Strength of Molded Soil-Cement Cylinders

## CONTENTS

D 1644 – 01(2006)	Test Methods for Nonvolatile Content of Varnishes
D 1653 – 03(2008)	Test Methods for Water Vapor Transmission of Organic Coating Films
D 1654 – 08	Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments
D 1667 – 05	Specification for Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell)
D 1668 – 97a(2006)	Specification for Glass Fabrics (Woven and Treated) for Roofing and Waterproofing
D 1693 – 08	Test Method for Environmental Stress-Cracking of Ethylene Plastics
D 1709 – 08	Test Methods for Impact Resistance of Plastic Film by the Free-Falling Dart Method
D 1730 – 03	Practices for Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting
D 1735 – 08	Practice for Testing Water Resistance of Coatings Using Water Fog Apparatus
D 1751 – 04(2008)	Specification for Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types)
D 1752 – 04a(2008)	Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction
D 1754 – 97(2002)	Test Method for Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test)
D 1761 – 06	Test Methods for Mechanical Fasteners in Wood
D 1777 – 96(2007)	Test Method for Thickness of Textile Materials
D 1781 – 98(2004)	Test Method for Climbing Drum Peel for Adhesives
D 1784 – 08	Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds
D 1785 – 06	Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120
D 1822 – 06	Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials
D 1856 – 95a(2003)	Test Method for Recovery of Asphalt From Solution by Abson Method
D 1863 – 05	Specification for Mineral Aggregate Used on Built-Up Roofs
D 1869 – 95(2005) <sup>e1</sup>	Specification for Rubber Rings for Asbestos-Cement Pipe
D 1876 – 08	Test Method for Peel Resistance of Adhesives (T-Peel Test)
D 1929 – 96(2001) <sup>e1</sup>	Test Method for Determining Ignition Temperature of Plastics
D 1970 – 09	Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection
D 1998 – 06	Specification for Polyethylene Upright Storage Tanks
D 2000 – 08	Classification System for Rubber Products in Automotive Applications
D 2027 – 97(2004)	Specification for Cutback Asphalt (Medium-Curing Type)
D 2028 – 97(2004)	Specification for Cutback Asphalt (Rapid-Curing Type)
D 2041 – 03a	Test Method for Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures
D 2042 – 01	Test Method for Solubility of Asphalt Materials in Trichloroethylene
D 2047 – 04	Test Method for Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine
D 2103 – 08	Specification for Polyethylene Film and Sheeting
D 2104 – 03	Specification for Polyethylene (PE) Plastic Pipe, Schedule 40
D 2126 – 04	Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging
D 2136 – 02(2007)	Test Method for Coated Fabrics—Low-Temperature Bend Test
D 2137 – 05	Test Methods for Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics
D 2166 – 06	Test Method for Unconfined Compressive Strength of Cohesive Soil
D 2167 – 08	Test Method for Density and Unit Weight of Soil in Place by the Rubber Balloon Method
D 2170 – 07	Test Method for Kinematic Viscosity of Asphalts (Bitumens)
D 2171 – 07	Test Method for Viscosity of Asphalts by Vacuum Capillary Viscometer
D 2172 – 05	Test Methods for Quantitative Extraction of Bitumen From Bituminous Paving Mixtures
D 2178 – 04	Specification for Asphalt Glass Felt Used in Roofing and Waterproofing
D 2216 – 05	Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass
D 2235 – 04	Specification for Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings
D 2239 – 03	Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter
D 2240 – 05	Test Method for Rubber Property—Durometer Hardness
D 2241 – 05	Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series)
D 2244 – 07 <sup>e1</sup>	Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates
D 2247 – 02	Practice for Testing Water Resistance of Coatings in 100 % Relative Humidity
D 2248 – 01a(2007)	Practice for Detergent Resistance of Organic Finishes
D 2261 – 07a	Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine)
D 2287 – 96(2001)	Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds

D 2310 – 06	Classification for Machine-Made “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
D 2321 – 08	Practice for Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications
D 2370 – 98(2002)	Test Method for Tensile Properties of Organic Coatings
D 2394 – 05 <sup>e1</sup>	Test Methods for Simulated Service Testing of Wood and Wood-Base Finish Flooring
D 2397 – 05	Specification for Cationic Emulsified Asphalt
D 2412 – 02(2008)	Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading
D 2419 – 02	Test Method for Sand Equivalent Value of Soils and Fine Aggregate
D 2434 – 68(2006)	Test Method for Permeability of Granular Soils (Constant Head)
D 2447 – 03	Specification for Polyethylene (PE) Plastic Pipe, Schedules 40 and 80, Based on Outside Diameter
D 2464 – 06	Specification for Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80
D 2466 – 06	Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40
D 2467 – 06	Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80
D 2482 – 97(2007)	Test Method for Surface Strength of Paper (Wax Pick Method)
D 2486 – 06	Test Methods for Scrub Resistance of Wall Paints
D 2487 – 06 <sup>e1</sup>	Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)
D 2513 – 08b	Specification for Thermoplastic Gas Pressure Pipe, Tubing, and Fittings
D 2517 – 06	Specification for Reinforced Epoxy Resin Gas Pressure Pipe and Fittings
D 2559 – 04	Specification for Adhesives for Structural Laminated Wood Products for Use Under Exterior (Wet Use) Exposure Conditions
D 2564 – 04 <sup>e1</sup>	Specification for Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems
D 2565 – 99(2008)	Practice for Xenon-Arc Exposure of Plastics Intended for Outdoor Applications
D 2581 – 02	Classification System for Polybutylene (PB) Plastics Molding and Extrusion Materials
D 2582 – 08	Test Method for Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting
D 2583 – 07	Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor
D 2609 – 02(2008)	Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe
D 2626 – 04	Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing
D 2628 – 91(2005)	Specification for Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements
D 2632 – 01(2008)	Test Method for Rubber Property—Resilience by Vertical Rebound
D 2646 – 05	Test Methods for Backing Fabric Characteristics of Pile Yarn Floor Coverings
D 2657 – 07	Practice for Heat Fusion Joining of Polyolefin Pipe and Fittings
D 2661 – 08	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings
D 2665 – 09	Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings
D 2672 – 96a(2003)	Specification for Joints for IPS PVC Pipe Using Solvent Cement
D 2680 – 01(2009)	Specification for Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping
D 2683 – 04	Specification for Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing
D 2697 – 03(2008)	Test Method for Volume Nonvolatile Matter in Clear or Pigmented Coatings
D 2726 – 08	Test Method for Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures
D 2729 – 03	Specification for Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings
D 2737 – 03	Specification for Polyethylene (PE) Plastic Tubing
D 2751 – 05	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings
D 2774 – 08	Practice for Underground Installation of Thermoplastic Pressure Piping
D 2794 – 93(2004)	Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)
D 2805 – 96a(2003)	Test Method for Hiding Power of Paints by Reflectometry
D 2822 – 05	Specification for Asphalt Roof Cement, Asbestos-Containing
D 2823 – 05	Specification for Asphalt Roof Coatings, Asbestos-Containing
D 2824 – 06	Specification for Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, Asbestos Fibered, and Fibered without Asbestos
D 2837 – 08	Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products
D 2842 – 06	Test Method for Water Absorption of Rigid Cellular Plastics
D 2843 – 99(2004) <sup>e1</sup>	Test Method for Density of Smoke from the Burning or Decomposition of Plastics
D 2846 / D 2846M – 09	Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems
D 2850 – 03a(2007)	Test Method for Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils
D 2855 – 96(2002)	Practice for Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings
D 2859 – 06	Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials

## CONTENTS

D 2872 – 04	Test Method for Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test)
D 2898 – 08 <sup>e1</sup>	Practice for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing
D 2937 – 04	Test Method for Density of Soil in Place by the Drive-Cylinder Method
D 2939 – 03	Test Methods for Emulsified Bitumens Used as Protective Coatings
D 2940 – 03	Specification for Graded Aggregate Material For Bases or Subbases for Highways or Airports
D 2949 – 01a(2008)	Specification for 3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings
D 2950 – 05	Test Method for Density of Bituminous Concrete in Place by Nuclear Methods
D 2980 – 04	Test Method for Volume Mass, Moisture-Holding Capacity, and Porosity of Saturated Peat Materials
D 2996 – 01(2007) <sup>e1</sup>	Specification for Filament-Wound “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
D 2997 – 01(2007) <sup>e1</sup>	Specification for Centrifugally Cast “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
D 3018 – 03(2009)	Specification for Class A Asphalt Shingles Surfaced with Mineral Granules
D 3019 – 08	Specification for Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered
D 3034 – 08	Specification for Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings
D 3035 – 08	Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter
D 3045 – 92(2003)	Practice for Heat Aging of Plastics Without Load
D 3138 – 04	Specification for Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components
D 3139 – 98(2005)	Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals
D 3141 – 04	Specification for Asphalt for Undersealing Portland-Cement Concrete Pavements
D 3161 – 09	Test Method for Wind-Resistance of Asphalt Shingles (Fan-Induced Method)
D 3170 – 03(2007)	Test Method for Chipping Resistance of Coatings
D 3200 – 74(2005)	Specification and Test Method for Establishing Recommended Design Stresses for Round Timber Construction Poles
D 3201 – 08a	Test Method for Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products
D 3212 – 07	Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals
D 3222 – 05	Specification for Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials
D 3261 – 03	Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing
D 3262 – 06	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe
D 3273 – 00(2005)	Test Method for Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber
D 3274 – 95(2002)	Test Method for Evaluating Degree of Surface Disfigurement of Paint Films by Microbial (Fungal or Algal) Growth or Soil and Dirt Accumulation
D 3278 – 96(2004) <sup>e1</sup>	Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus
D 3299 – 08	Specification for Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks
D 3309 – 96a(2002)	Specification for Polybutylene (PB) Plastic Hot- and Cold-Water Distribution Systems
D 3311 – 08	Specification for Drain, Waste, and Vent (DWV) Plastic Fittings Patterns
D 3350 – 08	Specification for Polyethylene Plastics Pipe and Fittings Materials
D 3359 – 08	Test Methods for Measuring Adhesion by Tape Test
D 3363 – 05	Test Method for Film Hardness by Pencil Test
D 3370 – 08	Practices for Sampling Water from Closed Conduits
D 3381 – 05	Specification for Viscosity-Graded Asphalt Cement for Use in Pavement Construction
D 3389 – 05	Test Method for Coated Fabrics Abrasion Resistance (Rotary Platform Abrader)
D 3406 – 95(2006)	Specification for Joint Sealant, Hot-Applied, Elastomeric-Type, for Portland Cement Concrete Pavements
D 3462 – 09	Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules
D 3468 – 99(2006) <sup>e1</sup>	Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing
D 3487 – 08	Specification for Mineral Insulating Oil Used in Electrical Apparatus
D 3498 – 03	Specification for Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems
D 3515 – 01	Specification for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures
D 3517 – 06	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe
D 3542 – 08	Specification for Preformed Polychloroprene Elastomeric Joint Seals for Bridges
D 3549 – 03	Test Method for Thickness or Height of Compacted Bituminous Paving Mixture Specimens
D 3574 – 08	Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams
D 3575 – 08	Test Methods for Flexible Cellular Materials Made From Olefin Polymers
D 3597 – 02(2008)	Performance Specification for Woven Upholstery Fabrics—Plain, Tufted, or Flocked

D 3617 – 07	Practice for Sampling and Analysis of Built-Up Roof Systems During Application
D 3656 – 07	Specification for Insect Screening and Louver Cloth Woven from Vinyl-Coated Glass Yarns
D 3666 – 07a <sup>e1</sup>	Specification for Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials
D 3676 – 07	Specification for Rubber Cellular Cushion Used for Carpet or Rug Underlay
D 3679 – 09	Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding
D 3737 – 08	Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam)
D 3740 – 08	Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction
D 3746 – 85(2008)	Test Method for Impact Resistance of Bituminous Roofing Systems
D 3747 – 79(2007)	Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation
D 3753 – 05 <sup>e1</sup>	Specification for Glass-Fiber-Reinforced Polyester Manholes and Wetwells
D 3754 – 06	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe
D 3776 – 09	Test Methods for Mass Per Unit Area (Weight) of Fabric
D 3828 – 07a	Test Methods for Flash Point by Small Scale Closed Cup Tester
D 3839 – 08	Guide for Underground Installation of “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
D 3840 – 01(2005)	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications
D 3841 – 97(2008) <sup>e1</sup>	Specification for Glass-Fiber-Reinforced Polyester Plastic Panels
D 3909 – 97b(2004) <sup>e1</sup>	Specification for Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules
D 3910 – 07	Practices for Design, Testing, and Construction of Slurry Seal
D 3936 – 05	Test Method for Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering
D 3957 – 06	Practices for Establishing Stress Grades for Structural Members Used in Log Buildings
D 3960 – 05	Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings
D 3963 / D 3963M – 01(2007)	Specification for Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars
D 3965 – 05	Specification for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings
D 4022 – 07	Specification for Coal Tar Roof Cement, Asbestos Containing
D 4060 – 07	Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser
D 4065 – 06	Practice for Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures
D 4068 – 01	Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane
D 4078 – 02(2008)	Specification for Water Emulsion Floor Polish
D 4097 – 01	Specification for Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks
D 4101 – 08	Specification for Polypropylene Injection and Extrusion Materials
D 4145 – 83(2002)	Test Method for Coating Flexibility of Prepainted Sheet
D 4161 – 01(2005)	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals
D 4214 – 07	Test Methods for Evaluating the Degree of Chalking of Exterior Paint Films
D 4216 – 06	Specification for Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds
D 4226 – 05	Test Methods for Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products
D 4258 – 05	Practice for Surface Cleaning Concrete for Coating
D 4259 – 88(2006)	Practice for Abrading Concrete
D 4260 – 05	Practice for Liquid and Gelled Acid Etching of Concrete
D 4261 – 05	Practice for Surface Cleaning Concrete Masonry Units for Coating
D 4263 – 83(2005)	Test Method for Indicating Moisture in Concrete by the Plastic Sheet Method
D 4272 – 08a	Test Method for Total Energy Impact of Plastic Films By Dart Drop
D 4318 – 05	Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils
D 4355 – 07	Test Method for Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus
D 4397 – 08	Specification for Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications
D 4434 / D 4434M – 09	Specification for Poly(Vinyl Chloride) Sheet Roofing
D 4437 – 08	Practice for Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes
D 4442 – 07	Test Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials
D 4444 – 08	Test Method for Laboratory Standardization and Calibration of Hand-Held Moisture Meters
D 4477 – 08	Specification for Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit
D 4479 – 07	Specification for Asphalt Roof Coatings—Asbestos-Free
D 4491 – 99a(2004) <sup>e1</sup>	Test Methods for Water Permeability of Geotextiles by Permittivity

## CONTENTS

D 4533 – 04	Test Method for Trapezoid Tearing Strength of Geotextiles
D 4541 – 02	Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers
D 4551 – 96(2008) <sup>e1</sup>	Specification for Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane
D 4561 – 96(2006)	Practice for Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials
D 4585 – 07	Practice for Testing Water Resistance of Coatings Using Controlled Condensation
D 4586 – 07	Specification for Asphalt Roof Cement, Asbestos-Free
D 4595 – 09	Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method
D 4601 – 04	Specification for Asphalt-Coated Glass Fiber Base Sheet Used in Roofing
D 4632 – 08	Test Method for Grab Breaking Load and Elongation of Geotextiles
D 4637 – 08	Specification for EPDM Sheet Used In Single-Ply Roof Membrane
D 4716 – 08	Test Method for Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head
D 4726 – 02	Specification for Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors
D 4751 – 04	Test Method for Determining Apparent Opening Size of a Geotextile
D 4756 – 06	Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit
D 4759 – 02(2007)	Practice for Determining the Specification Conformance of Geosynthetics
D 4802 – 02	Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet
D 4829 – 08a	Test Method for Expansion Index of Soils
D 4833 – 07	Test Method for Index Puncture Resistance of Geomembranes and Related Products
D 4869 – 05 <sup>e1</sup>	Specification for Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing
D 4873 – 02	Guide for Identification, Storage, and Handling of Geosynthetic Rolls and Samples
D 4897 – 01	Specification for Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing
D 4945 – 08	Test Method for High-Strain Dynamic Testing of Deep Foundations
D 4976 – 06	Specification for Polyethylene Plastics Molding and Extrusion Materials
D 4977 – 03(2009)	Test Method for Granule Adhesion to Mineral Surfaced Roofing by Abrasion
D 4990 – 97a(2005) <sup>e1</sup>	Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing
D 5019 – 07a	Specification for Reinforced CSM (Chlorosulfonated Polyethylene) Sheet Used in Single-Ply Roof Membrane
D 5034 – 09	Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test)
D 5035 – 06(2008) <sup>e1</sup>	Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method)
D 5036 – 99(2005)	Practice for Application of Adhered Poly(Vinyl Chloride) Sheet Roofing
D 5055 – 08a <sup>e1</sup>	Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists
D 5082 – 99(2005)	Practice for Application of Mechanically Attached Poly(Vinyl Chloride) Sheet Roofing
D 5084 – 03	Test Methods for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter
D 5095 – 91(2007)	Test Method for Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments
D 5206 – 06a	Test Method for Windload Resistance of Rigid Plastic Siding
D 5249 – 95(2006)	Specification for Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints
D 5261 – 92(2003)	Test Method for Measuring Mass per Unit Area of Geotextiles
D 5262 – 07	Test Method for Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics
D 5268 – 07	Specification for Topsoil Used for Landscaping Purposes
D 5321 – 08	Test Method for Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method
D 5385 – 93(2006)	Test Method for Hydrostatic Pressure Resistance of Waterproofing Membranes
D 5420 – 04	Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact)
D 5421 – 05	Specification for Contact Molded “Fiberglass” (Glass-Fiber-Reinforced Thermosetting Resin) Flanges
D 5456 – 08	Specification for Evaluation of Structural Composite Lumber Products
D 5469 – 00(2005)	Guide for Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems
D 5516 – 03	Test Method for Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures
D 5572 – 95(2005)	Specification for Adhesives Used for Finger Joints in Nonstructural Lumber Products
D 5596 – 03	Test Method For Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics
D 5643 – 06	Specification for Coal Tar Roof Cement, Asbestos Free
D 5664 – 08	Test Method for Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber

## CONTENTS

D 5665 – 99a(2006)	Specification for Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing
D 5685 – 05	Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings
D 5703 – 95(2007)	Practice for Preparatory Surface Cleaning for Clay Brick Masonry
D 5726 – 98(2005)	Specification for Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing
D 5751 – 99(2005)	Specification for Adhesives Used for Laminate Joints in Nonstructural Lumber Products
D 5843 – 95(2006)	Guide for Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing
D 5893 – 04	Specification for Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements
D 5926 – 04	Specification for Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems
D 5933 – 96(2007)	Specification for 2 $\frac{3}{8}$ -in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions
D 5957 – 98(2005)	Guide for Flood Testing Horizontal Waterproofing Installations
D 6083 – 05 <sup>e1</sup>	Specification for Liquid Applied Acrylic Coating Used in Roofing
D 6098 – 97(2003)	Specification for Extruded and Compression Molded Shapes Made from Polycarbonate (PC)
D 6108 – 03	Test Method for Compressive Properties of Plastic Lumber and Shapes
D 6109 – 05	Test Methods for Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products
D 6110 – 08	Test Method for Determining the Charpy Impact Resistance of Notched Specimens of Plastics
D 6111 – 03	Test Method for Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement
D 6134 – 07	Specification for Vulcanized Rubber Sheets Used in Waterproofing Systems
D 6135 – 05	Practice for Application of Self-Adhering Modified Bituminous Waterproofing
D 6152 – 99(2005)	Specification for SEBS-Modified Mopping Asphalt Used in Roofing
D 6162 – 00a(2008)	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6163 – 00(2008)	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements
D 6164 – 05 <sup>e1</sup>	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements
D 6221 – 00(2006)	Specification for Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing
D 6222 – 08	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements
D 6223 – 02 <sup>e2</sup>	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6298 – 05 <sup>e1</sup>	Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface
D 6305 – 08	Practice for Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing
D 6380 – 03(2009)	Specification for Asphalt Roll Roofing (Organic Felt)
D 6381 – 08	Test Method for Measurement of Asphalt Shingle Mechanical Uplift Resistance
D 6637 – 01	Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method
D 6690 – 07	Specification for Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements
D 6694 – 08	Specification for Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems
D 6754 – 02	Specification for Ketone Ethylene Ester Based Sheet Roofing
D 6757 – 07	Specification for Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing
D 6841 – 08	Practice for Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber
D 6859 – 05	Test Method for Pile Thickness of Finished Level Pile Yarn Floor Coverings
D 6878 – 08 <sup>e1</sup>	Specification for Thermoplastic Polyolefin Based Sheet Roofing
E 1 – 07	Specification for ASTM Liquid-in-Glass Thermometers
E 72 – 05	Test Methods of Conducting Strength Tests of Panels for Building Construction
E 77 – 07	Test Method for Inspection and Verification of Thermometers
E 84 – 09	Test Method for Surface Burning Characteristics of Building Materials
E 90 – 04	Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements

## VOLUME 4

E 94 – 04	Guide for Radiographic Examination
E 96 / E 96M – 05	Test Methods for Water Vapor Transmission of Materials
E 108 – 07a	Test Methods for Fire Tests of Roof Coverings
E 111 – 04	Test Method for Young’s Modulus, Tangent Modulus, and Chord Modulus

## CONTENTS

E 119 – 08a	Test Methods for Fire Tests of Building Construction and Materials
E 136 – 09	Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C
E 154 – 08a	Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover
E 162 – 08b	Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source
E 164 – 08	Practice for Contact Ultrasonic Testing of Weldments
E 165 – 02	Test Method for Liquid Penetrant Examination
E 283 – 04	Test Method for Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen
E 313 – 05	Practice for Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates
E 328 – 02(2008)	Test Methods for Stress Relaxation for Materials and Structures
E 329 – 08	Specification for Agencies Engaged in Construction Inspection and/or Testing
E 330 – 02	Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference
E 331 – 00(2009)	Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference
E 336 – 08	Test Method for Measurement of Airborne Sound Attenuation between Rooms in Buildings
E 405 – 04	Test Methods for Wear Testing Rotary Operators for Windows
E 408 – 71(2008)	Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques
E 413 – 04	Classification for Rating Sound Insulation
E 477 – 06a	Test Method for Measuring Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers
E 488 – 96(2003)	Test Methods for Strength of Anchors in Concrete and Masonry Elements
E 492 – 04	Test Method for Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine
E 514 – 08	Test Method for Water Penetration and Leakage Through Masonry
E 518 – 03	Test Methods for Flexural Bond Strength of Masonry
E 519 – 07	Test Method for Diagonal Tension (Shear) in Masonry Assemblages
E 543 – 08a	Specification for Agencies Performing Nondestructive Testing
E 546 – 08	Test Method for Frost/Dew Point of Sealed Insulating Glass Units
E 547 – 00(2009)	Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference
E 557 – 00(2006)	Guide for The Installation of Operable Partitions
E 576 – 08	Test Method for Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position
E 580 / E 580M – 08a <sup>e1</sup>	Practice for Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions
E 595 – 07	Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment
E 596 – 96(2002) <sup>e1</sup>	Test Method for Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures
E 605 – 93(2006)	Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members
E 648 – 08b	Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source
E 661 – 03	Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads
E 662 – 06 <sup>e1</sup>	Test Method for Specific Optical Density of Smoke Generated by Solid Materials
E 681 – 04	Test Method for Concentration Limits of Flammability of Chemicals (Vapors and Gases)
E 695 – 03	Test Method of Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading
E 699 – 09	Practice for Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components
E 709 – 08	Guide for Magnetic Particle Testing
E 736 – 00(2006)	Test Method for Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members
E 759 – 92(2005)	Test Method for Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members
E 760 – 92(2005)	Test Method for Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members
E 761 – 92(2005)	Test Method for Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members
E 773 – 01	Test Method for Accelerated Weathering of Sealed Insulating Glass Units
E 779 – 03	Test Method for Determining Air Leakage Rate by Fan Pressurization
E 783 – 02	Test Method for Field Measurement of Air Leakage Through Installed Exterior Windows and Doors

E 795 – 05	Practices for Mounting Test Specimens During Sound Absorption Tests
E 814 – 08b	Test Method for Fire Tests of Penetration Firestop Systems
E 831 – 06	Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis
E 859 – 93(2006)	Test Method for Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members
E 894 – 88(2004)	Test Method for Anchorage of Permanent Metal Railing Systems and Rails for Buildings
E 906 – 07 <sup>e1</sup>	Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method
E 907 – 96(2004)	Test Method for Field Testing Uplift Resistance of Adhered Membrane Roofing Systems
E 935 – 00(2006)	Test Methods for Performance of Permanent Metal Railing Systems and Rails for Buildings
E 937 – 93(2005)	Test Method for Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members
E 966 – 04	Guide for Field Measurements of Airborne Sound Insulation of Building Facades and Facade Elements
E 970 – 08a	Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source
E 985 – 00(2006)	Specification for Permanent Metal Railing Systems and Rails for Buildings
E 987 – 88(2001)	Test Methods for Deglazing Force of Fenestration Products
E 1007 – 04 <sup>e1</sup>	Test Method for Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures
E 1105 – 00(2008)	Test Method for Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference
E 1111 – 07	Test Method for Measuring the Interzone Attenuation of Open Office Components
E 1130 – 08	Test Method for Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index
E 1155 – 96(2008)	Test Method for Determining $F_F$ Floor Flatness and $F_L$ Floor Levelness Numbers
E 1155M – 96(2008)	Test Method for Determining $F_F$ Floor Flatness and $F_L$ Floor Levelness Numbers (Metric)
E 1190 – 95(2007)	Test Methods for Strength of Power-Actuated Fasteners Installed in Structural Members
E 1233 – 06	Test Method for Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential
E 1264 – 08	Classification for Acoustical Ceiling Products
E 1300 – 07 <sup>e1</sup>	Practice for Determining Load Resistance of Glass in Buildings
E 1332 – 90(2003)	Classification for Determination of Outdoor-Indoor Transmission Class
E 1349 – 06	Test Method for Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry
E 1352 – 08a	Test Method for Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies
E 1354 – 08a	Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter
E 1399 – 97(2005)	Test Method for Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems
E 1414 – 06	Test Method for Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum
E 1423 – 06	Practice for Determining Steady State Thermal Transmittance of Fenestration Systems
E 1425 – 07	Practice for Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems
E 1477 – 98a(2008)	Test Method for Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers
E 1509 – 04	Specification for Room Heaters, Pellet Fuel-Burning Type
E 1512 – 01(2007)	Test Methods for Testing Bond Performance of Bonded Anchors
E 1514 – 98(2003)	Specification for Structural Standing Seam Steel Roof Panel Systems
E 1529 – 06	Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies
E 1537 – 07	Test Method for Fire Testing of Upholstered Furniture
E 1573 – 02	Test Method for Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels
E 1590 – 07	Test Method for Fire Testing of Mattresses
E 1591 – 07	Guide for Obtaining Data for Deterministic Fire Models
E 1592 – 05	Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference
E 1602 – 03	Guide for Construction of Solid Fuel Burning Masonry Heaters
E 1612 – 94(2005)	Specification for Preformed Architectural Compression Seals for Buildings and Parking Structures
E 1637 – 98(2003)	Specification for Structural Standing Seam Aluminum Roof Panel Systems
E 1643 – 09	Practice for Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs

## CONTENTS

E 1646 – 95(2003)	Test Method for Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference
E 1677 – 05	Specification for an Air Barrier (AB) Material or System for Low-Rise Framed Building Walls
E 1680 – 95(2003)	Test Method for Rate of Air Leakage Through Exterior Metal Roof Panel Systems
E 1725 – 08	Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components
E 1745 – 09	Specification for Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs
E 1783 – 96(2005)	Specification for Preformed Architectural Strip Seals for Buildings and Parking Structures
E 1886 – 05	Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials
E 1966 – 07	Test Method for Fire-Resistive Joint Systems
E 1996 – 08 <sup>e2</sup>	Specification for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes
E 2016 – 06	Specification for Industrial Woven Wire Cloth
E 2098 – 00(2006)	Test Method for Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution
E 2174 – 04	Practice for On-Site Inspection of Installed Fire Stops
E 2231 – 07a	Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics
E 2307 – 04 <sup>e1</sup>	Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus
E 2336 – 04	Test Methods for Fire Resistive Grease Duct Enclosure Systems
F 150 – 06	Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring
F 402 – 05	Practice for Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings
F 405 – 05	Specification for Corrugated Polyethylene (PE) Pipe and Fittings
F 409 – 02(2008)	Specification for Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings
F 436 – 09	Specification for Hardened Steel Washers
F 436M – 09	Specification for Hardened Steel Washers (Metric)
F 437 – 06	Specification for Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 438 – 04	Specification for Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40
F 439 – 06	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 441 / F 441M – 02(2008)	Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80
F 442 / F 442M – 99(2005) <sup>e1</sup>	Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR)
F 444 – 88(2004) <sup>e1</sup>	Consumer Safety Specification for Scald-Preventing Devices and Systems in Bathing Areas
F 445 – 88(2004) <sup>e1</sup>	Consumer Safety Specification for Thermal-Shock-Preventing Devices and Systems in Showering Areas
F 446 – 85(2004) <sup>e1</sup>	Consumer Safety Specification for Grab Bars and Accessories Installed in the Bathing Area
F 449 – 02 <sup>e1</sup>	Practice for Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control
F 462 – 79(2007)	Consumer Safety Specification for Slip-Resistant Bathing Facilities
F 476 – 84(2002)	Test Methods for Security of Swinging Door Assemblies
F 477 – 08	Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe
F 480 – 06b	Specification for Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80
F 481 – 97(2008)	Practice for Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields
F 493 – 04	Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings
F 510 – 93(2008)	Test Method for Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method
F 512 – 06	Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation
F 547 – 06	Terminology of Nails for Use with Wood and Wood-Base Materials
F 567 – 07	Practice for Installation of Chain-Link Fence
F 568M – 07	Specification for Carbon and Alloy Steel Externally Threaded Metric Fasteners (Metric)
F 588 – 07	Test Methods for Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact
F 593 – 02(2008)	Specification for Stainless Steel Bolts, Hex Cap Screws, and Studs
F 594 – 08	Specification for Stainless Steel Nuts
F 626 – 08	Specification for Fence Fittings
F 628 – 08	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core

F 645 – 04	Guide for Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems
F 654 – 07	Specification for Residential Chain Link Fence Gates
F 656 – 08	Specification for Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings
F 667 – 06	Specification for Large Diameter Corrugated Polyethylene Pipe and Fittings
F 668 – 07	Specification for Polyvinyl Chloride (PVC) and Other Organic Polymer-Coated Steel Chain-Link Fence Fabric
F 679 – 08	Specification for Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings
F 690 – 86(2003) <sup>e2</sup>	Practice for Underground Installation of Thermoplastic Pressure Piping Irrigation Systems
F 693 – 01(2007)	Practice for Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers
F 708 – 92(2008)	Practice for Design and Installation of Rigid Pipe Hangers
F 710 – 08	Practice for Preparing Concrete Floors to Receive Resilient Flooring
F 714 – 08	Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Outside Diameter
F 738M – 02(2008)	Specification for Stainless Steel Metric Bolts, Screws, and Studs
F 771 – 99(2005)	Specification for Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems
F 793 – 07	Classification of Wall Covering by Use Characteristics
F 794 – 03	Specification for Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter
F 810 – 07	Specification for Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields
F 835 – 04 <sup>e1</sup>	Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws
F 835M – 04	Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric)
F 836M – 02	Specification for Style 1 Stainless Steel Metric Nuts (Metric)
F 837 – 08	Specification for Stainless Steel Socket Head Cap Screws
F 837M – 02a	Specification for Stainless Steel Socket Head Cap Screws [Metric]
F 842 – 04	Test Methods for Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact
F 844 – 07a	Specification for Washers, Steel, Plain (Flat), Unhardened for General Use
F 851 – 87(2005)	Test Method for Self-Rising Seat Mechanisms
F 876 – 08b	Specification for Crosslinked Polyethylene (PEX) Tubing
F 877 – 07	Specification for Crosslinked Polyethylene (PEX) Plastic Hot- and Cold-Water Distribution Systems
F 879 – 02a(2008)	Specification for Stainless Steel Socket Button and Flat Countersunk Head Cap Screws
F 879M – 02a(2008)	Specification for Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric)
F 883 – 04	Performance Specification for Padlocks
F 891 – 07	Specification for Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core
F 900 – 05	Specification for Industrial and Commercial Swing Gates
F 904 – 98(2008)	Test Method for Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials
F 925 – 02(2008)	Test Method for Resistance to Chemicals of Resilient Flooring
F 934 – 96(2008)	Specification for Standard Colors for Polymer-Coated Chain Link Fence Materials
F 959 – 07a	Specification for Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners
F 959M – 07	Specification for Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric)
F 969 – 07	Practice for Construction of Chain-Link Tennis Court Fence
F 970 – 07	Test Method for Static Load Limit
F 1007 – 86(2007)	Specification for Pipeline Expansion Joints of the Packed Slip Type for Marine Application
F 1043 – 08	Specification for Strength and Protective Coatings on Steel Industrial Chain Link Fence Framework
F 1055 – 98(2006)	Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Tubing
F 1066 – 04	Specification for Vinyl Composition Floor Tile
F 1083 – 08	Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures
F 1120 – 87(2004)	Specification for Circular Metallic Bellows Type Expansion Joints for Piping Applications
F 1123 – 87(2004)	Specification for Non-Metallic Expansion Joints
F 1135 – 99(2004)	Specification for Cadmium or Zinc Chromate Organic Corrosion Protective Coating for Fasteners
F 1137 – 00(2006)	Specification for Phosphate/Oil and Phosphate/Organic Corrosion Protective Coatings for Fasteners
F 1141 – 93(2004)	Specification for Wallcovering
F 1182 – 07	Specification for Anodes, Sacrificial Zinc Alloy
F 1183 – 96(2006)	Specification for Aluminum Alloy Chain Link Fence Fabric

## CONTENTS

F 1184 – 05	Specification for Industrial and Commercial Horizontal Slide Gates
F 1233 – 08	Test Method for Security Glazing Materials And Systems
F 1249 – 06	Test Method for Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor
F 1267 – 07	Specification for Metal, Expanded, Steel
F 1281 – 07	Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe
F 1282 – 06	Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe
F 1290 – 98a(2004)	Practice for Electrofusion Joining Polyolefin Pipe and Fittings
F 1292 – 04	Specification for Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment
F 1303 – 04	Specification for Sheet Vinyl Floor Covering with Backing
F 1344 – 04	Specification for Rubber Floor Tile
F 1345 – 96(2008)	Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric
F 1346 – 91(2003)	Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs
F 1379 – 95(2008)	Terminology Relating to Barbed Tape
F 1412 – 09	Specification for Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems
F 1417 – 92(2005)	Test Method for Installation Acceptance of Plastic Gravity Sewer Lines Using Low-Pressure Air
F 1450 – 05	Test Methods for Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities
F 1476 – 07	Specification for Performance of Gasketed Mechanical Couplings for Use in Piping Applications
F 1487 – 07a <sup>e1</sup>	Consumer Safety Performance Specification for Playground Equipment for Public Use
F 1488 – 03	Specification for Coextruded Composite Pipe
F 1499 – 01(2008)	Specification for Coextruded Composite Drain, Waste, and Vent Pipe (DWV)
F 1516 – 08	Practice for Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended)
F 1554 – 07a	Specification for Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength
F 1577 – 05	Test Methods for Detention Locks for Swinging Doors
F 1592 – 05	Test Methods for Detention Hollow Metal Vision Systems
F 1642 – 04	Test Method for Glazing and Glazing Systems Subject to Airblast Loadings
F 1643 – 05	Test Methods for Detention Sliding Door Locking Device Assembly
F 1664 – 08	Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence
F 1665 – 08	Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence
F 1667 – 05	Specification for Driven Fasteners: Nails, Spikes, and Staples
F 1668 – 08	Guide for Construction Procedures for Buried Plastic Pipe
F 1673 – 04	Specification for Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems
F 1700 – 04	Specification for Solid Vinyl Floor Tile
F 1758 – 05	Test Methods for Detention Hinges Used on Detention-Grade Swinging Doors
F 1759 – 97(2004)	Practice for Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications
F 1807 – 08	Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing
F 1859 – 04	Specification for Rubber Sheet Floor Covering Without Backing
F 1861 – 08	Specification for Resilient Wall Base
F 1866 – 07	Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings
F 1869 – 04	Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride
F 1911 – 05	Practice for Installation of Barbed Tape
F 1913 – 04	Specification for Vinyl Sheet Floor Covering Without Backing
F 1915 – 05	Test Methods for Glazing for Detention Facilities
F 1951 – 09	Specification for Determination of Accessibility of Surface Systems Under and Around Playground Equipment
F 1960 – 08	Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing
F 1974 – 08	Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe
F 1986 – 01(2006)	Specification for Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems
F 2006 – 08	Safety Specification for Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows
F 2014 – 00(2006)	Specification for Non-Reinforced Extruded Tee Connections for Piping Applications

## CONTENTS

F 2075 – 04 <sup>e1</sup>	Specification for Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment
F 2080 – 08	Specification for Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe
F 2090 – 08	Specification for Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms
F 2098 – 08	Specification for Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings
F 2159 – 05	Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing
F 2170 – 02	Test Method for Determining Relative Humidity in Concrete Floor Slabs Using <i>in situ</i> Probes
F 2389 – 07 <sup>e1</sup>	Specification for Pressure-rated Polypropylene (PP) Piping Systems
G 21 – 96(2002)	Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi
G 87 – 02(2007)	Practice for Conducting Moist SO <sub>2</sub> Tests
G 90 – 05	Practice for Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight
G 152 – 06	Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
G 153 – 04	Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
G 154 – 06	Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials
G 155 – 05a	Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials

## RELATED MATERIAL

Index