

ASTM Fire Standards and Related Technical Material: 7th Edition

Volume 1: 1,514 Pages; Volume: 1,566 Pages (2007)

Soft Cover: 8.5" x 11"; Price: \$365

Print ISBN: 978-0-8031-5684-5; Stock #: FIRE07

CD-ROM: ISBN: 978-0-8031-5685-2; Stock #: FIRE07CD

Table of Contents

- C 36/C 36M Specification for Gypsum Wallboard
- C 177 Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus
- C 411 Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation
- C 509 Specification for Elastomeric Cellular Preformed Gasket and Sealing Material
- C 518 Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by means of the Heat Flow Meter Apparatus
- C 542 Specification for Lock-Strip Gaskets
- C 739 Specification for Cellulosic Fiber (Wood-Base) Loose-Fill Thermal Insulation
- C 745 Test Method for Heat Flux Through Evacuated Insulations Using a Guarded Flat Plate Boiloff Calorimeter
- C 800 Specification for Glass Fiber Blanket Insulation (Aircraft Type)
- C 864 Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers
- C 1046 Practice for In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components
- C 1055 Guide for Heated System Surface Conditions That Produce Contact Burn Injuries
- C 1057 Practice for Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer
- C 1071 Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material)
- C 1130 Practice for Calibrating Thin Heat Flux Transducers
- C 1166 Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories
- C 1485 Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source
- D 56 Test Method for Flash Point by Tag Closed Tester
- D 92 Test Method for Flash and Fire Points by Cleveland Open Cup
- D 93 Test Methods for Flash Point by Pensky-Martens Closed Tester
- D 123 Terminology Relating to Textiles
- D 149 Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies
- D 187 Test Method for Burning Quality of Kerosine
- D 229 Test Methods for Rigid Sheet and Plate Materials Used for Electrical Insulation
- D 240 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter
- D 350 Test Methods for Flexible Treated Sleeving Used for Electrical Insulation
- D 378 Test Methods for Rubber Belting, Flat Type
- D 470 Test Methods for Crosslinked Insulations and Jackets Wire and Cable
- D 635 Test Method for Rate of Burning and/or Extent and Time of Burning of Self-Supporting Plastics in a Horizontal Position
- D 777 Test Methods for Flammability of Treated Paper and Paperboard
- D 876 Test Methods for Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation

- D 1000 Test Method for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Insulations
- D 1230 Test Method for Flammability of Apparel Textiles
- D 1310 Test Method for Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus
- D 1322 Test Method for Smoke Point of Kerosine and Aviation Turbine Fuels
- D 1360 Test Method for Fire Retardancy of Paints (Cabinet Method)
- D1405 Test Method for Estimation of Net Heat of Combustion of Aviation Fuels
- D 1929 Test Method for Determining Ignition Temperature of Plastics
- D 2304 Test Method for Thermal Endurance of Rigid Electrical Insulating Materials
- D 2584 Test Method for Ignition Loss of Cured Reinforced Resins
- D 2633 Test Methods for Thermoplastic Insulations and Jackets for Wire and Cable
- D 2671 Test Methods for Heat-Shrinkable Tubing for Electrical Use
- D 2766 Test Method for Specific Heat of Liquids and Solids
- D 2843 Test Method for Density of Smoke from the Burning or Decomposition of Plastics
- D 2859 Test Method for Flammability of Finished Textile Floor Covering Materials
- D 2863 Test Method for Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index)
- D 2883 Test Method for Reaction Threshold Temperature of Liquid and Solid Materials
- D 2898 Test Methods for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing
- D 2939 Test Methods of Testing Emulsified Bitumens Used as Protective Coatings
- D 3014 Test Method for Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position
- D 3032 Test Methods for Hookup Wire Insulation
- D 3065 Test Methods for Flammability of Aerosol Products
- D 3115 Test Method for Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear
- D 3144 Specification for Crosslinked Poly (Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation
- D 3149 Specification for Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation
- D 3150 Specification for Crosslinked and Noncrosslinked Poly (Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation
- D 3278 Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus
- D 3338 Test Method for Estimation of Net Heat of Combustion of Aviation Fuels
- D 3466 Test Method for Ignition Temperature of Granular Activated Carbon
- D 3523 Test Method for Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test)
- D 3574 Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams
- D3638 Test Method for Comparative Tracking Index of Electrical Insulating Materials
- D3675 Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source
- D3679 Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding
- D 3801 Test Method for Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position
- D 3806 Test Method for Small-Scale Evaluation of Fire-Retardant Paints (2-foot Tunnel Method)
- D 3814 Guide for Locating Combustion Test Methods for Polymeric Materials
- D 3828 Test Methods for Flash Point by Small Scale Closed Tester
- D 3874 Test Method for Ignition of Materials by Hot Wire Sources
- D 3934 Test Method for Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus

- D 3941 Test Method for Flash Point by the Equilibrium Method With a Closed-Cup Apparatus
- D4151 Test Method for Flammability of Blankets
- D 4206 Test Method for Sustained Burning of Liquid Mixtures by the Small Scale Open-Cup Apparatus
- D 4391 Terminology Relating to the Burning Behavior of Textiles
- D 4529 Test Method for Estimation of Net Heat of Combustion of Aviation Fuels
- D 4723 Index of and Descriptions of Textile Heat and Flammability Test Methods and Performance Specifications
- D 4804 Test Method for Determining the Flammability Characteristics of Nonrigid Solid Plastics
- D 4809 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method)
- D 4851 Test Methods for Coated and Laminated Fabrics for Architectural Use
- D 4868 Test Method for Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels
- D 4982 Test Methods for Flammability Potential Screening Analysis of Waste
- D 4986 Test Method for Horizontal Burning Characteristics of Cellular Polymeric Materials
- D 5025 Specification for A Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials
- D 5048 Test Method for Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame
- D 5132 Test Method for Horizontal Burning Rate of Flexible Cellular and Rubber Materials Used in Occupant Compartments of Motor Vehicles
- D 5207 Practice for Confirmation of 20- and 125-mm Test Flames for Small-Scale Burning Tests on Plastic Materials
- D 5238 Test Method for Smoldering Combustion Potential of Cotton-Based Batting
- D 5288 Test Method for Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum)
- D 5306 Test Method for Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids
- D 5424 Test Method for Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration
- D 5425 Guide for Development of Fire Hazard Assessment Standards for Electrotechnical Products
- D 5485 Test Method for Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter
- D 5516 Test Method for Evaluating the Flexural Properties of Fire Retardant Treated Softwood Plywood Exposed to Elevated Temperatures
- D 5537 Test Method for Heat Release, Flame Spread and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration
- D 5865 Test Method for Gross Calorific Value of Coal and Coke
- D 5664 Test Method for Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber
- D 6113 Test Method for Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables
- D 6194 Test Method for Glow-Wire Ignition of Materials
- D 6343 Test Methods for Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications
- D 6413 Test Method for Flame Resistance of Textiles (Vertical Test)
- D6513 Practice for Calculating the Superimposed Load on Wood-frame Walls for Standard FIRE-Endurance Tests
- D 6446 Test Method for Estimation of Net Heat of Combustion (Specific Energy) of Aviation Fuels
- D 6545 Test Method for Flammability of Textiles Used in Childrens Sleepwear

- D 6662 Specification for Polyolefin-Based Plastic Lumber Decking Boards
- D 6668 Test Method for Discrimination Between Flammability Ratings of F = 0 and F = 1
- D 6801 Test Method for Measuring Maximum Spontaneous Heating Temperature of Art Materials
- D 6841 Practice for Calculating Design Value Treatment Adjustment Factors for FIRE-Retardant-Treated Lumber
- D 7016 Test Method for Evaluate Edge Binding Components Used in Mattresses After Exposure to an Open Flame
- D 7140 Test Method to Measure Heat Transfer Through Textile Thermal Barrier Materials
- D 7254 Specification for Polypropylene (PP) Siding
- E 69 Test Method for Combustible Properties of Treated Wood by the Fire-Tube Apparatus
- E 84 Test Method for Surface Burning Characteristics of Building Materials
- E 108 Test Methods for Fire Tests of Roof Coverings
- E 119 Test Methods for Fire Tests of Building Construction and Materials
- E 136 Test Method for Behavior of Materials in a Vertical Tube Furnace at 750—C
- E 144 Practice for Safe Use of Oxygen Combustion Bombs
- E 162 Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source
- E 176 Terminology of Fire Standards
- E 205 Specification for Glass and Oxygen Combustion Flask
- E 285 Test Method for Oxyacetylene Ablation Testing of Thermal Insulation Materials
- E 459 Test Method for Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter
- E 502 Test Method for Selection and Use of ASTM Standards for the Determination of Flash Point of Chemicals by Closed-Cup Methods
- E 535 Practice for Preparation of Fire-Test-Response Standards
- E 582 Test Method for Minimum Ignition Energy and Quenching Distance in Gaseous Mixtures
- E 598 Test Method for Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter
- E 603 Guide for Room Fire Experiments
- E 605 Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members
- E 639 Test Method for Measuring Total-Radiance Temperature of Heated Surfaces Using a Radiation Pyrometer
- E 648 Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source
- E 659 Test Method for Autoignition Temperature of Liquid Chemicals
- E 662 Test Method for Specific Optical Density of Smoke Generated by Solid Materials
- E 681 Test Method for Concentration Limits of Flammability of Chemicals
- E691 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method
- E 698 Test Method for Arrhenius Kinetic Constants for Thermally Unstable Materials
- E 711 Test Method for Gross Calorific Value of Refuse-Derived Fuel by the Bomb Calorimeter
- E 736 Test Method for Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members
- E 759 Test Method for Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members
- E 760 Test Method for Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members
- E 761 Test Method for Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members
- E 789 Test Method for Dust Explosions in a 1.2-Litre Closed Cylindrical Vessel
- E 800 Guide for Measurement of Gases Present or Generated During Fires

- E 814 Test Method for Fire Tests of Through-Penetration Fire Stops
- E 859 Test Method for Air Erosion of Sprayed FIRE-Resistive Materials (SFRMs) Applied to Structural Members
- E 906 Test Method for Heat and Visible Smoke Release Rates for Materials and Products
- E 918 Practice for Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure
- E 937 Test Method for Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members
- E 970 Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source
- E 1226 Test Method for Pressure and Rate of Pressure Rise for Combustible Dusts
- E 1232 Test Method for Temperature Limit of Flammability of Chemicals
- E 1317 Test Method for Flammability of Marine Surface Finishes
- E 1321 Test Method for Determining Material Ignition and Flame Spread Properties
- E 1352 Test Method for Cigarette Ignition Resistance of Mock-Upholstered Furniture Assemblies
- E 1353 Test Methods for Cigarette Ignition Resistance of Components of Upholstered Furniture
- E 1354 Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter
- E 1355 Guide for Evaluating the Predictive Capability of Deterministic Fire Models
- E 1385 Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Steam Distillation
- E 1386 Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction
- E 1387 Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography
- E 1388 Practice for Sampling of Headspace Vapors from Fire Debris Samples
- E 1412 Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration
- E 1413 Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration
- E 1445 Terminology Relating to Hazardous Potential of Chemicals
- E 1461 Test Method for Thermal Diffusivity of Solids by the Flash Method
- E 1472 Guide for Documenting Software for Fire Models
- E 1474 Test Method for Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter
- E 1491 Test Method for Minimum Autoignition Temperature of Dust Clouds
- E 1513 Practice for Application of Sprayed Fire-Resistive Materials (SFRMs)
- E 1515 Test Method for Minimum Explosible Concentration of Combustible Dusts
- E 1529 Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies
- E 1537 Test Method for Fire Testing of Upholstered Seating Furniture
- E 1546 Guide for Development of Fire Hazard Assessment Standards
- E 1590 Test Method for Fire Testing of Mattresses
- E 1591 Guide for Data for Fire Models
- E 1618 Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry
- E 1623 Test Method for Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL)

- E 1678 Test Method for Measuring Smoke Toxicity for Use in Fire Hazard Analysis
- E 1725 Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components
- E 1732 Terminology Relating to Forensic Science
- E 1740 Test Method for Determining the Heat Release Rate and Other Fire-Test-Response Characteristics of Wallcovering Composites Using a Cone Calorimeter
- E 1776 Guide for Development of Fire-Risk-Assessment Standards
- E 1822 Test Method for Fire Testing of Stacked Chairs
- E 1895 Guide for Determining Uses and Limitations of Deterministic Fire Models
- E 1966 Test Method for Fire-Resistive Joint Systems
- E 1981 Guide for Assessing the Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry
- E 1995 Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally
- E 2010 Test Method for Positive Pressure Fire Tests of Window Assemblies
- E 2019 Test Method for Minimum Ignition Energy of a Dust Cloud in Air
- E 2021 Test Method for Hot-Surface Ignition Temperature of Dust Layers
- E 2031 Guide for Extension of Data From Fire Endurance Tests
- E2032 Guide for Extension of Data From Fire Endurance Tests
- E 2058 Test Methods for Measurement of Synthetic Polymer Material Flammability Using a Fire Propagation Apparatus (FPA)
- E 2061 Guide for Fire Hazard Assessment of Rail Transportation Vehicles
- E 2067 Practice for Full-Scale Oxygen Consumption Calorimetry Fire Tests
- E 2074 Test Method for Fire Tests of Door Assemblies, Including Positive Pressure Testing of Side-Hinged and Pivoted Swinging Door Assemblies
- E 2079 Test Methods for Limiting Oxygen (Oxidant) Concentration in Gases and Vapors
- E 2102 Test Method for Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater
- E 2154 Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Steam Distillation
- E 2174 Practice for On-Site Inspection of Installed Fire Stops
- E 2187 Test Method for Measuring the Ignition Strength of Cigarettes
- E 2226 Practice for Application of Hose Stream
- E 2230 Practice for Thermal Qualification of Type B Packages for Radioactive Material
- E 2231 Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics
- E 2257 Test Method for Room Fire Test of Wall and Ceiling Materials and Assemblies
- E 2280 Guide for Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities
- E 2307 Test Method for Determining FIRE Resistance of Perimeter FIRE Barrier Systems Using Intermediate-Scale, Multi-story Test Apparatus
- E 2335 Guide for Laboratory Monitors
- E 2336 Test Methods for FIRE Resistive Grease Duct Enclosure Systems
- E 2393 Practice for On-Site Inspection of Installed FIRE Resistive Joint Systems and Perimeter Fire Barriers
- E 2404 Practice for Specimen Preparation and Mounting of Paper or Vinyl Wall or Ceiling Coverings to Assess Surface Burning Characteristics
- E 2405 Test Method for Determination of Fire and Thermal Parameters of Materials Using an Intermediate Scale Test with Vertically Oriented Specimen
- E 2536 Guide for Assessment of Measurement Uncertainty in Fire Tests

- F 400 Consumer Safety Specification for Lighters
- F 495 Test Method for Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures
- F 793 Classification of Wall Covering by Use Characteristics
- F 955 Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances
- F 963 Consumer Safety Specification for Toy Safety
- F 1002 Performance Specification for Protective Clothing for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards
- F 1060 Test Method for Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact
- F 1085 Specification for Mattress and Box Springs for Use in Berths in Marine Vessels
- F 1358 Test Method for Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance
- F 1387 Specification for Performance of Mechanically-Attached Fittings
- F 1449 Guide for Care and Maintenance of Flame, Thermally and Arc Resistant Clothing
- F 1494 Terminology Relating to Protective Clothing
- F 506 Test Method for Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards
- F 1534 Test Method for Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching
- F 1550 Test Method for Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter
- F 1731 Practice for Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing
- F 1870 Guide for Selection of Fire Test Methods for the Assessment of Upholstered Furnishings in Detention and Correctional Facilities
- F 1868 Test Method for Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate
- F 1891 Specification for Arc and Flame Resistant Rainwear
- F 1915 Test Methods for Glazing for Detention Facilities
- F 1918 Safety Performance Specification for Soft Contained Play Equipment
- F 1930 Test Method for Evaluation of Flame Resistant Clothing for Protection Against Flash Fire Simulations Using an Instrumented Manikin
- F 1939 Test Method for Radiant Protective Performance of Flame Resistant Clothing Materials
- F 1955 Test Method for Flammability of Sleeping Bags
- F 1958/F 1958 M Test Method for Determining the Ignitability of Non-flame-Resistance Materials for Clothing by Electric Arc Exposure Method Using Mannequins
- F 1972 Guide for Terminology Relating to Candles and Associated Accessory Items
- F 2133 Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Insulated Marine Bulkheads and Decks, Constructed of Steel
- F 2178 Test Method for Determining the Arc Rating and Standard Specification for Face Protective Products
- F 2302 Performance Specification for Labeling Protective Clothing as Heat and Flame Resistant
- F 2417 Standard Specification for Fire Safety for Candles
- G 72 Test Method for Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment
- G 74 Test Method for Ignition Sensitivity of Materials to Gaseous Fluid Impact
- G 94 Guide for Evaluating Materials for Oxygen Service

- G 114 Practice for Aging Oxygen-Service Materials Prior to Ignitibility or Flammability Testing
- G 124 Test Method for Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres
- G 125 Test Method for Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants
- G 145 Guide for Studying Fire Incidents in Oxygen Systems

California Technical Bulletins (freely available to the public)

- 106 Requirements, Test Procedure and Apparatus for Testing the Resistance of a Mattress or Mattress Pad to Combustion which may Result from a Smoldering Cigarette
- 116 Requirements, Test Procedure and Apparatus for Testing the Flame Retardance of Upholstered Furniture
- 117 Requirements, Test Procedure and Apparatus for Testing the Flame Retardance of Resilient Filling Materials Used in Upholstered Furniture
- 121 Flammability Test Procedure for Mattresses For Use in High Risk Occupancies
- 129 Flammability Test Procedure for Mattresses For Use in Public Buildings
- 133 Flammability Test Procedure for Seating Furniture For Use in Public Occupancies
- 603 Requirements and Test Procedure for Resistance of a Mattress/Box Spring Set to a Large Open Flame

16 CFR Test Methods (freely available to the public—issued by CPSC)

- 16 CFR 1610 Standard for the Flammability of Clothing Textiles
- 16 CFR 1611 Standard for the Flammability of Vinyl Plastic Film
- 16 CFR 1615 Standard for the Flammability of Children's Sleepwear: Sizes 0 Through 6X (FF 3-71)
- 16 CFR 1616 Standard for the Flammability of Children's Sleepwear: Sizes 7 Through 14 (FF 5-74)
- 16 CFR 1630 Standard for the Surface Flammability of Carpets and Rugs (FF 1-70)
- 16 CFR 1631 Standard for the Surface Flammability of Small Carpets and Rugs (FF 2-70)
- 16 CFR 1632 Standard for the Flammability of Mattresses and Mattress Pads (FF 4-72, Amended)
- 16 CFR 1633 Standard for the Flammability (Open Flame) of Mattress Sets

FM Global Fire Test Methods (freely available to the public)

- FM 3972 Cable Fire Propagation Specification Test Standard
- FM 4450 Class I Insulated Steel Deck Roofs
- FM 4880 Class 1 Fire Rating of Insulated Wall or Wall and Roof/Ceiling Panels, Interior Finish Materials or Coatings, and Exterior Wall Systems
- FM 4910 Cleanroom Materials Flammability Test Protocol
- FM 4995 Commodity Classification of Idle Plastic Pallets
- FM 4998 Class 1 Conveyor Belting
- FM 6921 Commodity Classification of Idle Plastic Pallets
- FM 6930 Flammability Classification of Industrial Fluids