

ASTM Glass and Glazing Standards for the Building Industry

Table of Contents

Standard Test Methods for:

- C158 Strength of Glass by Flexure (Modulus of Rupture)
- C724 Acid Resistance of Ceramic Decorations on Architectural-Type Glass
- C1279 Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass
- C1652 Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids
- C1678 Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses
- D635 Rate of Burning Plastics in Horizontal Position
- D1929 Determining Ignition Temperatures of Plastics
- E84 Surface Burning Characteristics of Building Materials
- E90 Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements
- E119 Fire Tests of Building Construction and Materials
- E283 Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen
- E330 Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference
- E331 Water Penetration of Exterior Windows, Skylight, Doors and Curtain Walls by Uniform Static Air Pressure Difference
- E336 Measurement of Airborne Sound Insulation in Buildings
- E546 Frost Point of Sealed Insulating Glass Units
- E547 Water Penetration of Exterior Windows, Skylights, Doors and Curtain Walls by Cyclic Static Air Pressure Differential
- E576 Frost Point of Sealed Insulating Glass Units in the Vertical Position
- E783 Measurement of Air Leakage Through Installed Exterior Windows and Doors
- E987 Deglazing Force of Fenestration Products
- E997 Structural Performance of Glass in Exterior Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Destructive Methods
- E998 Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method
- E1105 Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors and Curtain Walls by Uniform or Cyclic Static Air Pressure Difference
- E2025 Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies
- E2074 Door Assemblies, Including Positive Pressure Testing of Side-Hinged and Pivoted Swinging Door Assemblies
- E1233 Structural Performance of Exterior Windows, Curtain Walls, and Doors by Cyclic Static Air Pressure Differential
- E1886 Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials
- E2188 Insulating Glass Unit Performance
- E2268 Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference
- E2269 Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography

- E2323 Calculating Concentration of Fill Gas in Sealed Insulating Glass Unit Using Measurements from Oxygen Analyzer
- E2319 Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen
- E2353 Performance of Glass in Permanent Glass Railing Systems, Guards, and Balustrades
- E2189 Testing Resistance to Fogging in Insulating Glass Units
- F588 Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact
- F1233 Security Glazing Materials and Systems
- F1642 Glazing and Glazing Systems Subject to Airblast Loadings
- F1915 Glazing for Detention Facilities

Standard Terminologies of

- C162 Glass and Glass Products
- C634 Building and Environmental Acoustics
- C717 Building Seals and Sealants
- E631 Building Constructions

Standard Specifications for

- C864 Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers
- C920 Elastomeric Joint Sealants
- C1036 Flat Glass
- C1048 Heat-Treated Flat Glass—Kind HS, Kind FT Coated and Uncoated
- C1115 Dense Elastomeric Silicone Rubber Gaskets and Accessories
- C1172 Laminated Architectural Flat Glass
- C1281 Preformed Tape Sealants for Glazing Applications
- C1349 Architectural Flat Glass Clad Polycarbonate
- C1376 Pyrolytic and Vacuum Deposition Coatings on Flat Glass
- C1422 Chemically Strengthened Flat Glass
- C1464 Bent Glass
- C1503 Silvered Flat Glass Mirror
- E1996 Performance of Exterior Windows, Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes
- E2190 Insulating Glass Unit Performance and Evaluation
- E2358 the Performance of Glass in Permanent Glass Railing Systems, Guards, and Balustrades
- E2395 Security Performance of Window and Wall Assemblies with and without Glazing Impact

Standard Guide for

- C1193 Use of Joint Sealants
- C1401 Structural Silicone Glazing

C1564 Use of Silicone Sealants for Protective Glazing Systems

Standard Practices for:

C1649 Instrumental Transmittance Measurement of Color for Flat Glass, Coated and Uncoated

D1435 Outdoor Weathering of Plastics

E1186 Air Leakage Site Detection in Building Envelopes and Air Barrier Systems

E1300 Determining Load Resistance of Glass in Buildings

E1425 Determining the Acoustical Performance of Exterior Windows and Doors

E2094 Evaluating the Service Life of Chromogenic Glazings

E2099 Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems

E2112 Installation of Exterior Windows, Doors and Skylights

E2431 Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings

E2461 Determining the Thickness of Glass in Airport Traffic Control Tower Cabs

E2649 Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy

F2248 Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass

Standard Classification for:

E 413 Rating Sound Insulation

E 1332 Determination of Outdoor-Indoor Transmission Class (basic acoustic test)