

ASTM Standards Related to Trenchless Technology, Second Edition

Table of Contents

- A 377-03 Index of Specifications for Ductile-Iron Pressure Pipe or Ductile Iron Culvert Pipe
- A 746-03 Specification for Ductile Iron Gravity Sewer Pipe
- C 76-05b Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe
- C 301-04 Test Methods for Vitrified Clay Pipe
- C 361-05^{el} Specification for Reinforced Concrete Low-Head Pressure Pipe
- C 425-04 Specification for Compression Joints for Vitrified Clay Pipe and Fittings
- C 443-05a Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets
- C 581-03 Practice for Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service
- C 655-04^{el} Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe
- C 822-06 Terminology Relating to Concrete Pipe and Related Products
- C 828-03 Test Method for Low-Pressure Air Test of Vitrified Clay Pipe Lines
- C 924-02 Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method
- C 969-02 Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines
- C 1091-03a Test Method for Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines
- C 1103-03 Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines
- C 1208/C 1208M-04 Specification for Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels
- C 1214-02 Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method
- C 1433-04^{el} Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers
- C 1433M-04^{el} Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers [Metric]
- C 1577-05 Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD
- D 1784-03 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications
- D 1785-05 Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120
- D 2104-03 Specification for Polyethylene (PE) Plastic Pipe, Schedule 40

- D 2152-95 (2003) Test Method for Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion
- D 2239-03 Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter
- D 2241-05 Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series)
- D 2321-05 Practice for Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications
- D 2513-05 Specification for Thermoplastic Gas Pressure Pipe, Tubing, and Fittings
- D 2517-05 Specification for Reinforced Epoxy Resin Gas Pressure Pipe and Fittings
- D 2609-02 Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe
- D 2657-03 Practice for Heat Fusion Joining of Polyolefin Pipe and Fittings
- D 2774-04 Practice for Underground Installation of Thermoplastic Pressure Piping
- D 2996-01 Specification for Filament-Wound Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
- D 2997-01 Specification for Centrifugally Cast Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
- D 3034-04a Specification for Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings
- D 3035-03a Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter
- D 3261-03 Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing
- D 3262-04 Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe
- D 3350-05 Specification for Polyethylene Plastics Pipe and Fittings Materials
- D 3517-04 Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe
- D 3567-97 (2002) Practice for Determining Dimensions of Fiberglass (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings
- D 3681-01^{e1} Test Method for Chemical Resistance of Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe in a Deflected Condition
- D 3753-05 Specification for Glass-Fiber-Reinforced Polyester Manholes and Wetwells
- D 3754-04 Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe
- D 4161-01 (2005) Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals
- D 4396-99a^{e1} Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications
- D 4398-02 Test Method for Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure

- D 5365-01^{e1} Test Method for Long-Term Ring-Bending Strain of Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
- D 5813-04 Specification for Cured-In-Place Thermosetting Resin Sewer Piping Systems
- D 6783-05 Specification for Polymer Concrete Pipe
- F 441/F 441M-02 Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80
- F 442/F 442M-99 (2005) Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR)
- F 512-95 (2001)^{e1} Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation
- F 585-94 (2000) Practice for Insertion of Flexible Polyethylene Pipe Into Existing Sewers
- F 679-06 Specification for Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings
- F 714-05 Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Outside Diameter
- F 794-03 Specification for Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter
- F 894-05 Specification for Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe
- F 949-03 Specification for Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings
- F 1055-98^{e1} Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Tubing
- F 1216-05 Practice for Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube
- F 1504-02 Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation
- F 1533-01 Specification for Deformed Polyethylene (PE) Liner
- F 1606-05 Practice for Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner
- F 1697-02 Specification for Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduits
- F 1698-02 Practice for Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits
- F 1735-02^{e1} Specification for Poly (Vinyl Chloride) (PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits
- F 1741-05 Practice for Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits
- F 1743-96 (2003) Practice for Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP)

- F 1803-04 Specification for Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter
- F 1867-98 (2004) Practice for Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation
- F 1871-02^{e1} Specification for Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation
- F 1947-04 Practice for Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits
- F 2019-03 Practice for Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP)
- F 2207-02 Specification for Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe