

## SUBJECT INDEX

29CFR1910.134, 99  
29CFR1910.1200, 101  
29CFR1926.59, 101  
29CFR1926.1101, 93-94, 99  
29CFR1926.1101(d)(5), 37  
29CFR1926.1101(f)(2)(iii)(A), 93  
29CFR1926.1101(f)(2)(iii)(B), 93  
29CFR1926.1101(g)(1), 92  
29CFR1926.1101(k), 55  
29CFR1926.1101(k)(5), 4  
29CFR1926.1101(k)(8), 9  
3-5-7 rule, 8  
40CFR763.86, 4  
40CFR Part 84, 99

### A

Abatement, limits of, 16-17  
Abatement contractor  
  accommodations, 19-20  
  relationships and responsibilities, 36-37, 50  
Abatement projects, 35-69  
  bid solicitation, 40  
  design, 35-40  
  differing site conditions, 42  
  drawings, 36, 38-39  
  inspection during area preparation, 42-50  
  inspection during asbestos removal, 50-55  
  inspections at conclusion of project, 55-62  
  pre-bid conference, 40-42  
  responsibilities of participants, 39  
  specifications, 39-40  
  versus O&M decision chart, 31-32  
Abbreviated form of contract, 41  
AHERA protocol, 25-26, 68  
AHERA regulations, 87  
  bulk samples, 10  
  operations and maintenance, 91-92  
AHERA survey, 3  
AHERA Z-test, 68  
Airborne dust, 27  
Air currents, 27  
Air erosion, 27  
Air infiltration, 45  
Air monitoring, 50  
Air sampling  
  aggressive, 66-67  
  crawl space, 83  
  for clearance, 56, 65-68  
  final, 65-66  
  consultants, 68  
  crawl space, 83

  operations and maintenance, 91  
  specifications, 67-68  
Alternative abatement methods, 76-84  
  contaminated outdoor sites, 84  
  crawl spaces, 81-84  
  dismantling components with intact ACM, 78-79  
  encapsulation, 79-80  
  glove bags, 76-77  
  mini-enclosures, 77-78  
Analytical methodology, bulk samples, 10-11  
Asbestos-cement products, 74-76  
  operations and maintenance, 96  
Asbestos-containing building materials, versus ACM, 7  
Asbestos-containing materials (ACM), 3  
  analyzing in project design survey, 14-15  
  complete removal, 57  
  concealed, removal, 17-18  
  friable versus nonfriable, 71  
  impacted or buried in crawl spaces, 81-82  
  to intentionally remain in building, 80  
  physical condition, as project design issue, 20  
  quantification, 20-21  
  ranked by current conditions and potential for disturbance, 30  
  versus asbestos-containing building materials, 7  
Asphalt paper vapor barriers, 72  
Assessment of ACM, 23-33  
  qualitative assessment protocol, 23-28  
  quantitative assessment protocol, 28-33  
ASTM D 5755, 58  
ASTM D 6480, 58  
ASTM E 736, 1, 79  
ASTM E 1368, 1, 14, 35-37, 40-43, 45, 49-50, 52, 55-58, 60, 62-67, 76-77, 79-80, 82-83, 87-88, 91, 96, 99  
  response action, 71  
ASTM E 1494, 1, 62, 79-80  
ASTM E 2356, 1, 3-8, 10-23, 25-26, 28-29, 35, 87, 96, 99  
ASTM E 2394, 1, 96  
ASTM *Standards for Asbestos Control* courses, 36, 38-39

### B

Baseline surveys, 3-14  
  analyzing bulk samples, 10-13  
  conducting fieldwork, 6, 10  
  excluded locations, 5  
  obtaining and reviewing formation, 4, 6  
  planning, 4  
  preparing a report, 13-14  
  qualifications of personnel, 3  
  reports, pitfalls, 13-14

## ASBESTOS CONTROL 2<sup>ND</sup> EDITION

Bid package, 41  
Bid solicitation, 40  
Building owner, responsibility, 37  
Building surveys, 3-21  
    *see also* Baseline surveys; Project design surveys  
Building systems, project design surveys, 18-19  
Bulk bags, 53  
Bulk samples  
    3-5-7 rule, 8  
    AHERA regulations, 10  
    analytical methodology, 10-11  
    analyzing, 10-13  
    collection procedures, 8-9  
    positive stop approach, 11-13  
    random, 8

### C

Carpeting, contaminated, 64-65  
Ceiling plenums, 89-90  
Cement products, asbestos-containing, 74-76  
    operations and maintenance, 96  
Certificate of completion, 68-69  
Certification of Substantial Completion, 68  
Change order, 55  
Chatfield method, 12  
Chemical hazards, safety precautions, 101  
Chisel test, 72  
Clean, definition, 60  
Cleanup  
    inspection for completeness, 63-65  
    minor, during inspection, 59-60  
Clearance, failure, 67  
Code of Hammurabi, 55  
Competent person, responsibilities, 95  
Components  
    with intact ACM, dismantling, 78-79  
    sealer application, 62-63  
Concealed materials, removal, 17-18  
Conditions, not anticipated during project design, 55  
Contaminated outdoor sites, 84  
Corrosive atmosphere, 28  
Corrosive liquids, 28  
Costs, reported in baseline survey report, 13  
Crawl spaces, 81-84  
    encapsulation, 83  
    sequence of activities and inspections, 82  
Critical barriers, 43-44  
    dismantling, 65-68  
    during final cleaning, 63  
Current condition, 23-25  
    ACM ranking, 30  
    numerical ratings, 29  
    qualitative rankings, 24

### D

Debris, 45  
    clean up, operations and maintenance, 89  
    in completeness of clean up inspection, 64-65  
    crawl space, considered asbestos, 82  
    during final inspection, 68  
Decontamination facilities, 19, 48-49  
    contamination, 49  
    dismantling, 65-68  
Destructive testing, 14  
Dirt, cleanup, crawl space, 82-83  
Dirt floor, inspections, 3  
Disturbance  
    definition, 26  
    environmental, 27-28  
    physical, 26-27  
Documentation, requirements, 68-69  
Dust  
    airborne, 27  
    concentrating, 58

### E

Electrical circuits, safety precautions, 100  
Elevated working surfaces, safety precautions, 99-100  
Emergencies  
    egress, 101  
    handling, 18  
Encapsulants  
    after clearance of crawl space, 83  
    penetrating and bridging, 79-80  
Encapsulating, 62, 79-80  
Enclosures, *see* Negative pressure enclosures  
Environmental disturbance, 27-28  
EPA-600 method, 11  
EPA Model Accreditation Plan, 3  
Equipment  
    for inspections, 57  
    protecting, 46-48  
Excursion limit, 93

### F

Fall Protection Standard, 100  
Fans, air circulation in enclosure, 66  
Fiber counts, negative air exhaust, 51  
Fiber release, 23  
    nonfriable mat, 71  
    operations and maintenance, 89, 92-93  
    prevention, remaining ACM, 80  
Fieldwork, conducting, 6-10  
Fire and emergency egress, 101  
Fireproofing, testing, 79  
Fixtures, protecting, 46-48

Floor coverings, 71-73  
Floors, minimum protection, 48  
Floor tile  
    manual removal, 72  
    protection, 48  
    resilient, 71-73  
Flow chart, variance from, 56  
Friable materials  
    polarized light microscopy, 12  
    sampling, 9  
Functional space, 6  
Furniture, protecting, 46-48

## G

General contractors, 37  
Glove bags, 76-77  
    operations and maintenance, 89

## H

Hardwood floors, precautions, 48  
HEPA filter, 44  
HEPA-filtered exhaust units, 77-78  
HEPA-filtered vacuum cleaners, 90-92  
Holistic approach, 1  
Homogeneous area, 6

## I

Initial Exposure Assessment, 93-95  
Inspections, *see* Visual inspections  
Intact, definition, 23  
Invitation to bid, 41  
Isokinetic samples, 51

## L

Landfill, on-site, 84  
Layered materials, sampling, 9  
Leaf blower, 57, 66-67  
Light fixtures, protecting, 37  
Lighting, temporary, 58  
Limited Asbestos Screen, 14  
Linoleum, 73  
Load-out area, 49  
Lock-down, 62

## M

Mastic  
    incomplete removal, 73  
    residue, 72  
    sampling, 71-72  
Mini-enclosures, 77-78

    operations and maintenance, 89-90  
Miscellaneous materials, 73-76

## N

Negative air machines, 19  
    determining capacity, 44  
    turned off following final air samples, 68  
Negative exposure assessments, operations and maintenance, 93-96  
Negative pressure enclosure, 19, 44-45  
    fans for air circulation, 66  
    final cleaning inside, 63  
    Initial Exposure Assessment, 93  
    volume, 44  
Negative pressure exhaust  
    fiber counts, 51  
    monitoring, 51  
NESHAP, 71, 73  
Non-asbestos materials, obvious, 9-10  
Nonfriable, definition, 23  
Nonfriable asbestos-containing material, 71  
    definition, 71  
    disposable of large intact items, 79  
Nonfriable bound materials, polarized light microscopy, 12  
Nonfriable mat, visual inspections, 71  
Non-friable organically bound, 10-12

## O

Operations and maintenance, 87-96  
    area preparation, 89-90  
    asbestos-cement products, 96  
    catch-22, 89  
    contracts, 88  
    decision chart, versus abatement, 31-32  
    definitions, 87-88  
    fiber release, 92-93  
    HEPA-filtered vacuum cleaners, 90-91  
    in-house, roles and responsibilities, 89  
    Initial Exposure Assessment, 93-95  
    inspections at conclusion of work, 91-93  
    inspector present during preparations and work, 90-91  
    limitations, 87-88  
    negative exposure assessments, 93-96  
    Permissible Exposure Limits, 93-94  
    regulatory limitations, 87  
    setting up program, 88-89  
    time constraints, 89  
    visual inspections, 88-89  
OSHA asbestos standards, 4  
OSHA Permissible Exposure Limits, 83  
    operations and maintenance, 93-94

## ASBESTOS CONTROL 2<sup>ND</sup> EDITION

### OSHA regulations

- crawl space abatement, 82
- negative exposure assessments, 93

### P

- Paint, asbestos-containing, 74
- Pay application, approval, 68
- Penetrating encapsulant, 79-80
- Phase contrast microscopy, 67-68, 91, 94
- Phases of work, 17
- Physical disturbance, 26-27
- Plastic bags, for disposal, 53
- Plastic covers
  - attaching, 46-47
  - clear, viewing ports, 51
  - coming down, 54
  - on floors, ripping, 48
  - removal, 63-65
- Polarized light microscopy, 12
- Positive stop approach, bulk samples, 11-13
- Post-clearance approaches, 84
- Potential for disturbance, 26-28
  - ACM ranking, 30
  - numerical ratings, 29
  - qualitative rankings, 29
- Pre-bid conference, 40-42
- Pre-construction meeting, 42
- Presumed asbestos containing material, 4
- Project design surveys, 14-21
  - access to previously unavailable spaces, 15
  - ACM quantification, 20-21
  - area limitations, 15
  - building systems, 18-19
  - conditions not anticipated, 55
  - contractor accommodations, 19-20
  - decontamination facilities, 19
  - destructive testing, 14
  - emergency handling, 18
  - inspection of crawl spaces, 81
  - limits of abatement, 16-17
  - material testing and inspection, 20
  - negative pressure enclosures, 19
  - phases of work, 17
  - removal of concealed ACM, 17-18
  - safety precautions, 99-102
- Project logs, 68
- Project Manual, 41
- Project monitor, 36
  - documentation of newly-discovered ACM, 55
  - expectations of progress, 54
  - inspection for completeness of clean up, 63-65
  - negative pressure enclosures, 45
  - notice for inspections, 57
  - operations and maintenance program, 88

- removal area conditions, 52
  - reporting of work practices in violation of specifications or regulations, 55
  - respiratory protection, 99
  - responsibilities, 50
  - surveillance of contractor's work during preparation, 42-43
- Proposal for the contract, 41
  - Purple Book, 66

### Q

- Qualitative assessment protocol, 23-28
  - current condition, 23-25
  - potential for disturbance, 26-28
- Quantitative assessment protocol, 28-33

### R

- Random sampling approach, 8
- Renovation, responsibilities of participants, 39
- Respiratory protection, 99
- Response action, 71

### S

- Safety, brief exercise, 101-102
- Safety precautions, 99-102
- Sampling, floor tile, 71
- Sealer
  - application to substrate or components, 62-63
  - tinting, 62
- Settling periods, 45, 65
- Sheet vinyl flooring, 73
- Sinks, covering, 48
- Site condition, excessive deterioration, 55
- Skim coat, 74
- Specifications, 39-40
- Splash guard, 72
- Spot removal, 49, 77
- State regulatory agencies, visual inspections, 42
- Stop-work situation, 55
- Strip removal, 77
- Sub-contract arrangements, 37
- Substrates, sealer application, 62-63
- Supervisor, progress and project monitor's expectations, 54
- Surface residue, complete removal, 57
- Surfacing ACM, 74

### T

- Tape and float, 74
- Test director, 94
- Thermal system insulation, 9-10, 78-79
  - crawl spaces, 81

Thickened substances, 96  
Toilets, covering, 48  
Transmission electron microscopy, 68

## U

Unexpected situations, 55-56  
Unremoved material, 58  
Upper Confidence Limit, 94

## V

Vacuum cleaners, HEPA-filtered, 90-92  
Vibration, 27  
Viewing ports, clear plastic, 51  
Vinyl asbestos tile, polarized light microscopy, 12  
Vinyl flooring, sheet, 73  
Visible debris, generated by aggressive air sampling,  
67  
Visible residue  
degree of cleanliness, 61-62  
unremovable, 62  
Visual inspections  
areas difficult to reach or see, 60  
completeness of clean up, 63-65  
completeness of removal, 57-62  
at conclusion of project, 55-62  
operations and maintenance, 91-93  
dirt floor, 83  
during asbestos removal, 50-55  
first, time to, 54  
minor cleanup during, 59-60  
nonfriable mat, 71  
notification, 57  
operations and maintenance, 88-89  
personnel needed, 59-60  
reasons for termination, 60, 65  
requirements for, 56  
state regulatory agencies, 42  
work done in mini-enclosures, 77

## W

Wallboard joint compound, 74  
Waste, removal, 53  
Water  
carrying asbestos debris, 45-46  
damage, 27  
disposal, from negative pressure enclosures, 19  
leakage, floors from which tiles are being removed,  
72  
Water-tight container, 53  
Wet methods, operations and maintenance, 92