

Lead Hazard Evaluation and Control in Buildings

**William M. Ewing, Eva M. Ewing,
Christopher DePasquale, and
Tod A. Dawson, Authors**

ASTM Stock Number: MNL38



ASTM
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959

Printed in the U.S.A.

TABLE OF CONTENTS

CHAPTER 1: INTRODUCTION AND SUMMARY

1.1	INTENDED USERS OF THIS HANDBOOK	1-1
1.1.1	The lead hazard control manager	1-1
1.1.2	Facility owners and managers	1-1
1.1.3	Lead hazard control consultants and contractors	1-1
1.2	DETERMINING THE NEED FOR A LEAD HAZARD MANAGEMENT PROGRAM (LHMP)	1-1
1.2.1	Scope of ASTM E 2052	1-1
1.2.2	Which buildings in a facility need a LHMP?	1-1
1.2.3	Summary of the LHMP elements	1-1
1.2.4	Advantages and limitations of a LHMP	1-2
1.2.5	Integration of the LHMP into overall facility management	1-2
1.3	HOW TO USE THIS HANDBOOK	1-2
1.3.1	Application of ASTM E 2052	1-3
1.3.2	Application of other ASTM standards	1-4
1.3.3	Coordination with regulatory requirements	1-4
1.4	EXAMPLE FACILITY OWNERS AND MANAGERS	1-4

CHAPTER 2: INFORMATION AND GUIDANCE ON LEAD HAZARDS

2.1	OUTLINE OF THE HAZARD	2-1
2.2	THE ESSENTIAL BOOKSHELF	2-2
2.2.1	HUD guidance and regulations	2-2
2.2.2	U.S. Environmental Protection Agency (EPA)	2-6
2.2.3	Occupational Safety and Health Administration (OSHA)	2-7
2.2.4	National Institute of Building Sciences (NIBS)	2-8
2.2.5	ASTM standards and guides	2-9
2.3	OTHER HELPFUL REFERENCES AND INFORMATION	2-11
2.3.1	Technical Books and publications	2-11
2.3.2	Other standards and methods	2-12
2.3.3	Newsletters and conferences	2-12
2.3.4	Other sources of information	2-12

CHAPTER 3: SUMMARY OF THE LEAD HAZARD MANAGEMENT PROGRAM

3.1	PURPOSE AND SCOPE OF THE LHMP	3-1
3.2	FACILITY CLASSIFICATION	3-1
3.2.1	Class A, B and C facilities	3-1
3.2.2	Initial facility classification	3-3
3.3	MANAGEMENT OF CLASS A AND B FACILITIES	3-3
3.3.1	Routine maintenance and cleaning	3-3
3.3.2	Occupant education and protection	3-3
3.3.3	Environmental, safety and health programs	3-4
3.3.4	Real estate transaction procedures	3-4
3.3.5	Elevated blood lead child response	3-4
3.3.6	Prioritization scheme for multiple facilities	3-4

3.4	LEAD HAZARD CONTROL PROJECTS	3-4
3.4.1	Planning lead hazard control projects	3-5
3.4.2	Conducting lead hazard control projects	3-5
3.5	MONITOR AND RE-EVALUATE ON AN ONGOING BASIS	3-5
3.6	PROGRAM MANAGEMENT	3-5
3.6.1	Use of qualified persons and organizations	3-5
3.6.2	Sample and analyze as appropriate	3-5
3.6.3	Maintain documentation of activities and conditions	3-5
 CHAPTER 4: BASIC MANAGEMENT ELEMENTS OF THE PROGRAM		
4.1	OVERVIEW OF PROGRAM MANAGEMENT	4-1
4.2	SELECTION AND QUALIFICATION OF PERSONNEL	4-1
4.2.1	LHMP manager and staff	4-1
4.2.2	Consultants, contractors and laboratories	4-2
4.2.3	Training organizations and courses	4-3
4.3	OBTAINING QUALITY DATA	4-3
4.3.1	Developing sampling plans	4-4
4.3.2	Using standard methods	4-4
4.3.3	Quality system procedures	4-4
4.3.4	Review procedures	4-4
4.4	KEEPING GOOD RECORDS	4-5
4.4.1	Need for records	4-5
4.4.2	Recordkeeping systems	4-5
4.4.3	Completeness of records	4-5
4.4.4	Required and recommended records to keep	4-5
4.5	PROGRAM REVIEW AND AUDIT	4-6
 CHAPTER 5: COLLECTING INFORMATION ON FACILITIES		
5.1	PURPOSE AND ADVANTAGE OF BUILDING CLASSIFICATION	5-1
5.2	THE BUILDING CLASSIFICATIONS	5-1
5.2.1	Class A facility criteria	5-1
5.2.2	Class B facility criteria	5-1
5.2.3	Class C facility criteria	5-1
5.2.4	Application of sub-classifications	5-2
5.2.5	Consideration of applicable federal, state and local regulations	5-2
5.3	DETERMINATION OF FACILITY AGE	5-2
5.3.1	Historical document review	5-2
5.3.2	Construction, renovation, remodeling projects	5-3
5.3.3	Building history versus paint history	5-3
5.3.4	Establish best available data	5-3
5.4	CLASSIFICATION OF BUILDING/FACILITY USAGE	5-4
5.4.1	Residential, institutional, commercial, or industrial	5-4
5.4.2	Child occupied, child visitation, no children	5-4

5.4.3	Occupational lead hazard sources	5-5
5.4.4	Non-occupational lead sources	5-5
5.5	BUILDING ENVIRONMENT AND LOCATION	5-5
5.5.1	Known or suspected outdoor sources of lead	5-5
5.5.1.1	Industrial sources of lead	5-5
5.5.1.2	Proximity to painted steel structure	5-6
5.5.1.3	Naturally occurring sources	5-6
5.5.1.4	Other exterior lead sources	5-6
5.5.1.5	Playground equipment	5-7
5.5.2	Review of lead in water data	5-7
5.5.3	Review of available community lead screening data	5-7
5.6	PREVIOUS REPORTS AND EVALUATIONS	5-7
5.6.1	Previous lead-based paint inspections/assessments for specific buildings	5-7
5.6.2	Previous lead-based paint inspections/assessments for similar buildings	5-7
5.6.3	Environmental site assessment information	5-7
5.6.4	Other reports and data	5-7
5.7	BUILDING MAINTENANCE AND CONSTRUCTION INFORMATION	5-8
5.7.1	Paint history of building	5-8
5.7.2	Use of other leaded components	5-8
5.8	DOCUMENTATION OF BUILDING CLASSIFICATION INFORMATION	5-8
5.8.1	Building information checklist	5-8
5.8.2	Applying the ASTM E 2052 flow diagram to establish building classes	5-9
5.9	EXAMPLES OF THE ASTM BUILDING CLASSIFICATION SCHEME	5-9
5.9.1	Municipal housing agency with 40 buildings and 600 units	5-9
5.9.2	Private apartment complex with 4 buildings and 36 units.	5-9
CHAPTER 6: LEAD HAZARD EVALUATION		
6.1	PURPOSE OF LEAD HAZARD EVALUATION	6-1
6.1.1	Current and future sources of lead hazards	6-1
6.1.2	Methods of evaluating lead hazards	6-1
6.1.3	Purpose and role of the evaluation in the lead hazard management program	6-4
6.1.4	Requirements under regulations to conduct lead hazard evaluation	6-4
6.2	SETTING PRIORITIES FOR CONDUCTING LEAD HAZARD EVALUATIONS	6-4
6.2.1	Elevated Blood Lead Level (EBL) cases (highest priority)	6-4
6.2.2	Child-occupied facilities	6-4
6.2.3	Class A priority over class B	6-4
6.2.4	Other criteria for priority setting	6-4
6.2.4.1	Date of construction	6-5
6.2.4.2	Physical condition of facility	6-5
6.2.4.3	Environmental source of lead contamination	6-5
6.2.4.4	Children with EBLs in neighborhood	6-5
6.2.4.5	Current and future renovation or repair plans	6-5
6.2.4.6	Available resources	6-5
6.3	CHOOSING SIMILAR GROUPS OF BUILDINGS FOR MULTIPLE EVALUATION	6-5
6.3.1	Characteristics of similar facilities	6-5
6.3.2	Selecting representative facilities (or representative rooms in large buildings) from larger groups	6-5

6.4	SELECTING EVALUATION METHODS	6-6
6.4.1	Need to evaluate lead hazards	6-6
6.4.2	Regulatory requirements to evaluate lead hazards	6-6
6.4.3	Other reasons to evaluate lead hazards	6-7
6.4.4	Presumptions for facilities not (yet) evaluated	6-7
6.4.4.1	Lead-based paint presumption	6-7
6.4.4.2	Lead contamination presumption	6-7
6.4.4.3	Refused access presumptions	6-7
6.4.5	Employ standard evaluation techniques	6-7
6.4.5.1	Regulatory standards	6-7
6.4.5.2	HUD guidelines	6-7
6.4.5.3	ASTM standards	6-8
6.5	LEADED PAINT CHARACTERIZATION VERSUS LEAD-BASED PAINT INSPECTIONS	6-9
6.5.1	Leaded paint characterization	6-9
6.5.2	Lead-based paint inspection	6-9
6.5.3	Application of ASTM E 2052, Section 18 for sampling and analysis procedures	6-9
6.5.3.1	Qualitative methods	6-10
6.5.3.2	Semi-quantitative methods	6-10
6.5.3.3	Quantitative methods	6-10
6.5.4	Methods to perform lead-based paint inspections	6-10
6.5.5	Report outline and format	6-10
6.6	LEAD HAZARD RISK SCREENS VERSUS LEAD HAZARD RISK ASSESSMENTS	6-11
6.6.2	Lead hazard risk screens for class B facilities in good condition	6-11
6.6.3	Lead hazard risk assessments for class A facilities and selected class B facilities	6-12
6.6.4	Decision logic for selecting risk screen or full risk assessment	6-12
6.6.5	Facility sampling techniques	6-12
6.6.5.1	Targeted sampling for selecting units for risk assessment or screening	6-12
6.6.5.2	Worst-case sampling	6-12
6.6.5.3	Random sampling	6-12
6.6.5.4	Common use areas	6-14
6.6.6	Consideration of water testing	6-14
6.7	INTERPRETING EVALUATION REPORTS AND RESULTS	6-14
6.7.2	Standard report format for risk assessments	6-14
6.7.3	Review of evaluation results and reclassification of facilities if necessary	6-15
CHAPTER 7: INITIATING THE LEAD HAZARD MANAGEMENT PLAN		
7.1	OVERVIEW OF LEAD HAZARD MANAGEMENT PLANS AND PROGRAMS	7-1
7.1.1	Individual facility plans	7-3
7.1.2	Comprehensive management program	7-3
7.1.3	Establishing priorities for developing and implementing the plans	7-3
7.1.4	Goal of the program	7-4
7.1.5	Eliminating exposures at identified lead exposure pathways	7-4
7.2	OBTAINING NECESSARY RESOURCES	7-4
7.2.1	HUD guidelines (Chapter 3)	7-4
7.2.2	HUD Task Force Report (1995)	7-4
7.2.3	HUD regulations	7-5
7.2.4	EPA regulations	7-5
7.2.5	OSHA regulations	7-5
7.2.6	State/local regulations	7-6
7.2.7	NIBS documents	7-6

7.2.8	ASTM methods/guidance	7-6
7.2.9	Other guidance	7-6
7.3	PREPARING A WRITTEN LEAD HAZARD MANAGEMENT PLAN	7-6
7.3.1	Identification of known or presumed lead hazards and pathways of exposure	7-6
7.3.2	Preventive measures	7-7
7.3.3	Selection of control methods	7-7
7.3.4	Priority of implementing control methods	7-8
7.3.5	Regulatory requirements	7-8
7.3.6	Role of staff and contractors/consultants	7-8
7.3.7	Financial resources available, including grants and loans	7-8
7.3.8	Standard operating procedures (SOPs)	7-9
7.4	ADMINISTRATION OF PLAN	7-9
7.4.1	Selecting a lead hazard control program manager	7-9
7.4.2	Assign personnel or obtain contractors/consultants to perform required tasks/roles	7-9
7.4.3	Develop time lines to meet goals	7-9
7.4.4	Secure financial support necessary to implement the Plan	7-10
7.4.5	Conduct or obtain necessary training and expertise	7-10
7.4.6	Set-up lead hazard control program compliance assurance procedures	7-10
7.4.7	Designate qualified personnel to revise SOPs on an annual basis and as needed	7-10
CHAPTER 8: OPERATIONS AND MAINTENANCE (O&M) PROGRAM		
8.1	MINIMIZING AND CONTROLLING LEAD HAZARDS THROUGH O&M ACTIVITIES	8-1
8.1.1	Establishing an O&M program applicable to all class A and B facilities	8-1
8.1.2	Incorporate O&M program into overall lead hazard management program	8-1
8.1.3	Applicable OSHA regulations for lead O&M work	8-2
8.1.4	O&M work activities are not lead abatement projects	8-2
8.1.5	O&M work practice levels	8-2
8.2	ESSENTIAL MAINTENANCE PRACTICES	8-3
8.2.1	Reduce lead hazards through good work practices, specialized cleaning and control of work sites	8-3
8.2.2	Periodic visual inspections for deteriorated paint	8-3
8.2.3	Systematic repair of damaged paint	8-4
8.2.4	Training procedures for maintenance staff	8-5
8.2.5	Designated personnel for lead work	8-5
8.2.6	Set-up project classification system and work order procedure	8-5
8.2.7	Procedures for selection of appropriate work practices	8-6
8.2.8	Worker protection procedures and equipment	8-9
8.2.9	Prohibit further use of lead-containing paint	8-9
8.2.10	Restriction on use of plumbing fixtures and solder	8-10
8.2.11	Policy and procedures for drinking water coolers with lead-lined tanks	8-10
8.2.12	Specialized cleaning practices	8-10
8.3	SELECTION OF WORK PRACTICES	8-10
8.4	MANAGEMENT AND DOCUMENTATION OF LEAD-RELATED WORK	8-11
8.4.1	Management of in-house work	8-11
8.4.2	Management of contracted work	8-11
8.4.3	Management of occupant-conducted or occupant-contracted work	8-11
8.4.4	Recordkeeping	8-11

CHAPTER 9: OCCUPANT EDUCATION AND PROTECTION PROGRAM

9.1	EVALUATING OCCUPANCY CHARACTERISTICS	9-1
9.1.1	Lessor/lessee arrangements with building owner/manager	9-1
9.1.2	Population of facilities including ages of residents and socioeconomic status of households	9-1
9.1.3	Appraisal of occupants' attitudes about risk of lead hazards and confidence in building management	9-1
9.1.4	Estimate tenant turnover	9-1
9.1.5	Considerations of language barriers and occupants' literacy	9-1
9.2	DETERMINATION OF EDUCATION AND PROTECTION NEEDS	9-1
9.2.1	Designation of person responsible for occupant education program	9-1
9.2.2	Resources available for occupant education programs	9-1
9.2.2.1	Lead hazard management plan	9-1
9.2.2.2	Building specific information	9-2
9.2.2.3	Disclosure forms and information pamphlets	9-2
9.2.2.4	Health department assistance	9-2
9.2.2.5	Lead-in-water test results	9-2
9.2.2.6	Other available guidance and education materials	9-3
9.2.3	Determine delivery method(s) for information	9-3
9.3	PREPARATION OF WRITTEN PROGRAM	9-3
9.3.1	Disclosure procedures for new occupants (or existing occupants when implementing a new plan)	9-3
9.3.1.1	Dissemination of educational information	9-3
9.3.1.2	Establishing a point of contact for occupants	9-3
9.3.1.3	Warning to occupants about known or suspected lead hazards to children and others	9-3
9.3.1.4	Outline procedures to access occupants' space for lead hazard management activities	9-3
9.3.1.5	Provide information on lead-in-water per 40 CFR 141	9-5
9.3.2	On-going occupant notice and education	9-5
9.3.2.1	Precautions occupants should take to protect themselves	9-5
9.3.2.2	Recognition and reporting of deteriorating lead-based paint and other lead hazards	9-5
9.3.2.3	Reporting by occupant of activities likely to result in lead exposure	9-5
9.3.2.4	Reporting to occupants of lead hazard control projects	9-5
9.3.2.5	Complaint resolution procedures without reprisal	9-6
9.3.3	Occupant relocation	9-6
9.3.3.1	Occupant relocation procedures	9-6
9.3.3.2	Relocation due to existing lead hazard risks	9-6
9.3.3.3	Relocation due to lead hazard control project	9-6
9.4	PROTECTING OCCUPANTS DURING LEAD WORK	9-6
9.4.1	General procedures to limit contamination during work	9-6
9.4.2	Relocation of occupants during work	9-7
9.4.3	Protection of occupants' belongings	9-7
9.4.4	Cleaning and storing occupants' belongings	9-7
9.4.5	Control of the work site to prevent unauthorized access	9-7
9.4.6	Control of work practices	9-7

CHAPTER 10: ENVIRONMENTAL, SAFETY AND HEALTH PROGRAMS

10.1	OVERVIEW OF ENVIRONMENTAL, SAFETY, AND HEALTH PROGRAMS	10-1
10.2	OCCUPATIONAL HEALTH AND SAFETY PROGRAMS	10-1
10.2.1	Written lead compliance plans	10-1
10.2.2	Competent person(s)	10-3
10.2.2.1	Duties and responsibilities in accordance with SSPC-QP2	10-3
10.2.2.2	Qualifications needed per OSHA and ASTM E 2052, Section 17	10-3

10.2.3	Site specific training	10-4
10.2.4	Exposure assessment	10-4
10.2.5	Engineering and work practice controls	10-5
10.2.6	Respiratory protection program	10-5
10.2.7	Protective clothing and equipment	10-6
10.2.8	Housekeeping	10-7
10.2.9	Hygiene facilities and practices	10-8
10.2.10	Medical surveillance	10-8
10.2.11	Hazard communication	10-8
10.2.12	Signs	10-8
10.2.13	Other safety and health considerations	10-9
10.2.14	Records	10-9
10.3	ENVIRONMENTAL PROTECTION PROGRAM	10-10
10.3.1	Contamination control procedures	10-10
10.3.2	Containment and monitoring plans	10-11
10.3.3	Air sampling and dust sampling	10-11
10.3.3.1	Baseline sampling before work	10-12
10.3.3.2	Sampling during work activities	10-12
10.3.3.3	Sampling after accidents or other lead-related episodes	10-12
10.4	WASTE MANAGEMENT PROGRAM	10-12
10.4.1	Overview of regulatory requirements for lead waste	10-12
10.4.2	Characterization of waste	10-14
10.4.3	Site-specific waste management plans	10-14
10.4.3.1	Lead waste minimization plans	10-15
10.4.4	Selection of waste disposal firm	10-15
CHAPTER 11: PLANNING LEAD HAZARD CONTROL PROJECTS		
11.1	PLANNING AND PRIORITIZATION OF LEAD HAZARD CONTROL PROJECTS	11-1
11.1.1	Child occupied facilities	11-1
11.1.2	Class A facilities	11-2
11.1.3	Class B facilities	11-2
11.1.4	Other factors affecting priority of work	11-2
11.1.4.1	Existing facility condition	11-2
11.1.4.2	Lead contamination sources	11-2
11.1.4.3	EBL cases in neighborhood	11-3
11.1.4.4	Occupant turnover plans	11-3
11.1.4.5	Current and future renovation plans	11-3
11.1.4.6	Effect of tenant relocation on priority of scheduled work	11-3
11.1.5	Selection of control methods	11-4
11.1.5.1	Review records and gather necessary information about building components and systems	11-7
11.1.5.2	Review any plans for other repair and renovation work	11-7
11.1.5.3	Review available control methods and evaluate each for technical applicability to the facility	11-7
11.1.5.4	Cost efficiency of control methods technically achievable	11-8
11.1.5.5	Other factors affecting selection of control methods	11-8
11.1.5.6	Pilot projects	11-8
11.1.6	Planning the lead hazard control project	11-8
11.1.6.1	Site-specific occupant protection plan	11-9
11.1.6.2	Site-specific environmental, safety, and health plan	11-9
11.1.6.3	Materials handling and storage	11-9
11.1.6.4	Applicable codes, regulations, and guidance	11-9
11.1.6.5	In-house versus contracted work	11-10
11.1.7	Lead hazard control project management	11-10

	11.1.7.1	Project schedule and timeline	11-10
	11.1.7.2	Management procedures	11-10
	11.1.7.3	Trouble shooting and responding to incidents	11-11
11.2		COORDINATING LEAD HAZARD CONTROL PROJECTS	11-11
	11.2.1	Lead control projects in conjunction with other work	11-11
	11.2.2	Relocation of occupants	11-11
11.3		QUALIFICATION AND SELECTION OF CONTRACTORS	11-12
	11.3.1	Licensed or certified contractors	11-12
	11.3.2	Selection procedure based on ASTM Practice E 1864, or other recognized methods	11-12
	11.3.3	Pre-qualification procedures	11-12
	11.3.4	Qualifications and selection of consultants	11-12
	11.3.5	Qualifications and selection of a laboratory	11-13
11.4		SCOPE OF WORK	11-13
	11.4.1	Performance-based and/or prescriptive-based scopes of work	11-13
	11.4.2	Coordination meetings	11-14
	11.4.3	Methods and materials	11-14
	11.4.4	Work schedules	11-14
	11.4.5	Occupant relocation, as needed	11-14
	11.4.6	Clear definition of the work	11-14
	11.4.7	Use of drawings to define work	11-14
	11.4.8	Protection of surfaces and components	11-14
	11.4.9	Defining the performance period and hours available for work	11-14
	11.4.10	Responsibilities of various parties	11-15
	11.4.11	Notifications and permits	11-15
	11.4.12	Replacement materials	11-15
	11.4.13	Inspection of the work	11-15
	11.4.14	Clearance criteria	11-15
	11.4.15	Site security	11-15
11.5		STANDARD TREATMENTS OF HUD LEAD BASED PAINT TASK FORCE REPORT	11-15
	11.5.1	Frequency of standard treatment procedures	11-16
	11.5.2	Horizontal surfaces	11-16
	11.5.3	Enhancement of paint integrity	11-16
	11.5.4	Residential soil	11-16
	11.5.5	Specialized cleaning	11-16
11.6		SPECIFICATIONS FOR THE WORK	11-16
	11.6.1	Existing guidance documents and standards	11-16
	11.6.1.1	NIBS specifications	11-17
	11.6.1.2	NIBS Operations and Maintenance Manual	11-17
	11.6.1.3	Corps of Engineers specifications	11-17
	11.6.1.4	HUD Guidelines sample specifications	11-17
	11.6.1.5	Other guidance (e.g., SSPC)	11-17
	11.6.2	Control measures	11-17
	11.6.2.1	HUD Guidelines	11-17
	11.6.2.2	Applicable ASTM standards	11-17
	11.6.3	Encapsulation and enclosure	11-18
	11.6.3.1	ASTM standards E1795 and E1797 for selection of encapsulation products	11-18
	11.6.3.2	ASTM standard guide E1796 for application of encapsulants	11-18
	11.6.4	Plumbing fixtures and solder	11-18
	11.6.5	Replacement materials	11-19
	11.6.6	Waste disposal	11-19

CHAPTER 12: PERFORMING LEAD HAZARD CONTROL PROJECTS

12.1	LEAD HAZARD CONTROL PROJECT MANAGEMENT	12-1
12.1.1	Project schedule and time line	12-1
12.1.2	Management procedures	12-1
12.1.3	Trouble shooting and responding to incidents	12-1
12.2	PROJECT QUALITY CONTROL	12-1
12.2.1	Qualifications of project personnel	12-1
12.2.2	Review of contractor submittals	12-1
12.2.3	Quality control inspections	12-2
12.2.4	Encapsulant testing with ASTM standard guide E 1796	12-2
12.2.5	Project monitoring	12-2
	12.2.5.1 Air sampling	12-2
	12.2.5.2 Dust sampling	12-3
	12.2.5.3 Soil sampling	12-3
12.2.6	Project observations	12-3
	12.2.6.1 Using a checklist	12-3
	12.2.6.2 Elements of the checklist	12-3
12.3	WORK SITE CLEANING ACTIVITIES	12-3
12.3.1	Baseline samples for air, dust and soil	12-3
12.3.2	Pre-cleaning of work site per HUD Guidelines	12-3
12.3.3	Clean-up during the work	12-4
12.3.4	Clean-up at conclusion of work	12-5
12.3.5	Waste characterization	12-6
12.4	CLEARANCE PROCEDURES	12-6
12.4.1	Establish clearance criteria	12-6
12.4.2	Visual inspection of the work site	12-6
12.4.3	Clearance testing protocol for dust	12-6
12.4.4	Clearance testing protocol for soil	12-7
12.4.5	Clearance testing protocol for air	12-8
12.4.6	Special procedures for small projects	12-8
12.4.7	Post-clearance risk assessments	12-8
12.4.8	Clearance inspection/testing report	12-8
12.5	LEAD HAZARD CONTROL PROJECT DOCUMENTATION	12-8
12.5.1	Written clearance report	12-8
12.5.2	Statement of Lead-Based Paint Compliance	12-8
12.5.3	Project monitoring results	12-9
12.5.4	Waste manifests/statements	12-9
12.5.5	Other documentation	12-9
12.6	POST PROJECT ACTIVITIES	12-9
12.6.1	Reclassification of the facility	12-9
12.6.2	Ongoing monitoring and reevaluation	12-9
CHAPTER 13: ONGOING MONITORING AND EVALUATION		
13.1	NEED FOR ONGOING MONITORING AND EVALUATION	13-1
13.2	FREQUENCY OF REEVALUATIONS	13-1
13.2.1	Using Standard Reevaluation Schedules	13-1

13.3	CONDUCTING THE REEVALUATION	
13.3.1	Visual inspection by the certified risk assessor	13-2
13.3.2	Dust sampling	13-2
13.3.3	Soil sampling	13-2
13.3.4	Assessing previously encapsulated surfaces	13-2
13.3.5	Other reevaluation criteria	13-2
13.4	INTERPRETATION AND REPORTING OF RESULTS	13-3
CHAPTER 14: REAL ESTATE TRANSACTIONS		
14.1	DEVELOPING A STANDARD OPERATING PROCEDURE FOR REAL ESTATE TRANSACTIONS	14-1
14.2	REGULATORY REQUIREMENTS FOR REAL ESTATE TRANSACTIONS	14-1
14.3	GOOD PRACTICES REGARDING LEAD HAZARDS AND PROPERTY TRANSFERS	14-6
14.4	RECORDS AND DOCUMENTATION REVIEW	14-6
14.4.1	When buying a property	14-6
14.4.2	When selling a property	14-7
14.4.3	When leasing a property (lessor)	14-7
14.4.4	When leasing a property (tenant)	14-7
CHAPTER 15: ELEVATED BLOOD LEAD LEVEL INVESTIGATIONS		
15.1	INTRODUCTION TO ELEVATED BLOOD LEAD (EBL) LEVEL FINDINGS	15-1
15.1.1	Blood lead level screening	15-1
15.1.2	Notification of elevated blood lead level	15-1
15.2	ELEVATED BLOOD LEAD LEVEL INVESTIGATIONS	15-2
15.2.1	Conduct the investigation	15-2
15.2.2	Comprehensive interview using the HUD questionnaire	15-3
15.2.3	Review of risk assessments and other documentation	15-3
15.2.4	Targeted environmental testing	15-3
15.2.5	Report of findings	15-3
15.3	OWNER'S RESPONSE TO AN EBL INVESTIGATION	15-3
15.3.1	Relocation of affected persons	15-4
15.3.2	Temporary control measures	15-4
15.3.3	Permanent lead hazard control interventions	15-4
15.3.4	Clearance testing and re-occupancy	15-4
CHAPTER 16: RECORDS MANAGEMENT		
16.1	PURPOSE OF RECORD KEEPING	16-1
16.1.1	Record of decisions made and information decisions based upon	16-1
16.1.2	Regulatory records retention requirements	16-1
16.1.3	Legal assistance	16-1
16.1.4	Records retention and disposal practices	16-1
16.2	RECORDS MAINTENANCE	16-2
16.2.1	Tenant notifications, including oral communications	16-2
16.2.2	Maintenance records	16-2
16.2.3	Lead hazard management plan	16-2

16.2.4	Prioritizing decisions for lead hazard control projects	16-2
16.2.5	Lead hazard evaluation projects	16-2
16.2.6	Lead hazard control projects	16-2
16.2.7	Qualifications of personnel and contractors/consultants	16-3
16.2.8	Occupational safety and health records	16-3
16.2.9	Clearance reports	16-3
16.2.10	Waste management records	16-3
16.2.11	Ongoing monitoring and reassessment reports	16-3
16.2.12	Sampling and analytical records	16-3
16.2.13	Elevated blood lead investigations and corrective action records	16-3
16.2.14	Real estate transaction records	16-3

CHAPTER 17: SAMPLING AND ANALYSIS PROCEDURES

17.1	SAMPLING AND ANALYSIS PLANNING	17-1
17.1.1	Data collection objectives	17-1
	17.1.1.1 Questions to be answered	17-1
	17.1.1.2 Level of confidence needed	17-3
	17.1.1.3 Reporting requirements for data	17-3
17.1.2	Sampling and analysis plan	17-4
	17.1.2.1 Regulatory sampling requirements	17-4
	17.1.2.2 Selection of valid standard methods	17-4
	17.1.2.3 Quality control	17-4
	17.1.2.4 Documentation and chain-of-custody using ASTM Guide D 4840 and Practice E 1864	17-5
17.1.3	Selection and evaluation of laboratories using ASTM E 1583	17-5
17.1.4	Selection and evaluation of sampling/assessment organizations using ASTM E 1864	17-5
17.2	SAMPLING AND ANALYTICAL METHODS/PROCEDURES	17-5
17.2.1	Paint chip sampling and analysis (ASTM E 1729, E 1645, and E 1613)	17-5
17.2.2	In field lead analysis (ASTM E 1775)	17-6
17.2.3	Chemical spot test kit measurements (ASTM E 1753 and E 1828)	17-6
17.2.4	Dust wipe sampling (E 1728, E 1792, and E 1644)	17-6
17.2.5	Vacuum dust sampling (ASTM PS 46 and E 1741)	17-7
17.2.6	Soil sampling for lead (ASTM E 1727 and E 1726)	17-7
17.2.7	Water sampling for lead (ASTM D 3559, E 1726 and D 5463)	17-7
17.2.8	Air sampling for lead (ASTM E 1553, E 1741, OSHA, NIOSH)	17-7
17.2.9	Waste analyses for EPA 40 CFR 261 determination (ASTM PS 71, HUD Guidelines, Chapter 10)	17-8
18	INDEX	18-1