

STP 1342

*Advances in Environmental
Measurement Methods
for Asbestos*

Michael E. Beard and Harry L. Rook, editors

ASTM Stock Number: STP1342



ASTM
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959
Printed in the U.S.A.

Contents

Overview

ix

MEASUREMENT METHODS FOR ASBESTOS IN BULK BUILDING MATERIALS

Analysis of Asbestos in Bulk Materials—1980 to 1997—R. L. PERKINS 3

Comparison of Quantitative Techniques for Analysis of Bulk Asbestos Proficiency Testing Materials—J. R. VERKOUTEREN, E. B. STEEL, E. S. WINDSOR, AND R. L. PERKINS 11

A Personal Perspective on Teaching Asbestos Analysis: Lessons from the Classroom and Laboratory—P. M. COOKE 22

Bulk Asbestos Laboratory Programs in the United States—Seventeen Years in Retrospect—B. W. HARVEY, J. T. ENNIS, L. C. GREENE, AND A. A. LEINBACH 38

The Habit of Asbestiform Amphiboles: Implications for the Analysis of Bulk Samples—A. G. WYLIE 53

Asbestos Measurement in Soils and Bulk Materials: Sensitivity, Precision, and Interpretation—You *Can* Have It All—D. W. BERMAN 70

A Validated Method for Gravimetric Determination of Low Concentrations of Asbestos in Bulk Materials—E. J. CHATFIELD 90

“Internal Standard Addition” Method for Identifying Asbestos Containing Materials in Bulk Samples Containing Low Levels of Asbestos—P. FRASCA, J. H. NEWTON, AND R. J. DE MALO 111

ASTM’s Bulk Method: Where Are We, Where Are We Headed, Where Should We Be Headed?—I. M. STEWART 122

MEASUREMENT METHODS FOR ASBESTOS IN AMBIENT, INDOOR AND WORKPLACE AIR

Strategy, Development and Laboratory Calibration of a Personal Passive Sampler for Monitoring the Asbestos Exposure of Maintenance Workers—G. J. BURDETT AND G. REVELL 129

Direct-Reading Measurement of Fiber Length/Diameter Distributions— P. A. BARON, G. J. DEYE, J. E. FERNBACK, AND WILLIAM G. JONES	147
International Organization for Standardization Methods for Determination of Asbestos in Air— E. J. CHATFIELD	156
Proposed ASTM Method for the Determination of Asbestos in Air by TEM and Information on Interfering Fibers— J. R. MILLETTE, W. R. BOLTIN, P. J. CLARK, AND K. A. BRACKETT	170
Shortcomings in Airborne Asbestos Analysis Filtered from New York State's Proficiency-Testing Data— J. S. WEBBER, A. G. CZUHANICH, AND L. J. CARHART	184
Negative Exposure Assessments for Asbestos Floor Tile Work Practices— A. F. OBERTA AND K. E. FISCHER	193
The Use of Scanning Confocal Microscopy to Measure the Penetration of Asbestos into Membrane Filters— G. J. BURDETT, G. ARCHENHOLD, A. R. CLARKE, AND D. M. HUNTER	209
MEASUREMENT METHODS FOR ASBESTOS IN WATER	
Asbestos in Water Methods: EPA's 100.1 & 100.2 and AWWA's Standard Method 2570— J. R. MILLETTE, P. FEW, AND J. A. KREWER	227
A Rapid Procedure for Preparation of Transmission Electron Microscopy Specimens from Polycarbonate Filters— E. J. CHATFIELD	242
Measurements of Chrysotile Fiber Retention Efficiencies for Polycarbonate and Mixed Cellulose Ester Filters— E. J. CHATFIELD	250
Sludge, Crud and Fish Guts: Creative Approaches to the Analysis of Non-Standard Water Samples for Asbestos— R. M. BAILEY AND M. HU	266
Asbestos in Drinking Water Performance Evaluation Studies— G. B. COLLINS, P. W. BRITTON, P. J. CLARK, K. A. BRACKETT, AND E. J. CHATFIELD	273
Proficiency Testing for All Fiber Sizes in Drinking Water: The Long and the Short of It— J. S. WEBBER, L. J. CARHART, AND A. G. CZUHANICH	288
MEASUREMENT METHODS FOR ASBESTOS IN SETTLED DUST	
A Study of the Reproducibility of the Micro-Vac Technique as a Tool for the Assessment of Surface Contamination in Buildings with Asbestos-Containing Materials— R. L. HATFIELD, J. A. KREWER, AND W. E. LONGO	301

Dust and Airborne Concentrations—Is There a Correlation?—R. J. LEE, D. R. VAN ORDEN, AND I. M. STEWART	313
Further Observations of Settled Asbestos Dust in Buildings—W. M. EWING	323
Some Statistical Principles in Asbestos Measurement and Their Application to Dust Sampling and Analysis—D. P. FOWLER AND B. P. PRICE	333
An Overview of Settled Dust Analytical Methods and Their Relative Effectiveness—O. S. CRANKSHAW, R. L. PERKINS, AND M. E. BEARD	350
Applications of the ASTM Asbestos in Dust Method D5755—J. R. MILLETTE AND M. D. MOUNT	366
Correlated Measurements of Airborne Asbestos-Containing Particles and Surface Dust—E. J. CHATFIELD	378
Incorporating Dust Sampling into the Asbestos Management Program— S. M. HAYS	403
Indexes	411