

7-911

STP 1362

***Wear Processes
in Manufacturing***

Shyam Bahadur and John Magee, editors

ASTM Stock #: STP1362



ASTM
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959

Contents

Overview

vii

ABRASION IN CERAMIC GRINDING

Use of a Two-Body Belt Abrasion Test to Measure the Grindability of Advanced Ceramic Materials—PETER J. BLAU AND ELMER S. ZANORIA

3

Observations on the Grinding of Alumina with Variations in Belt Speed, Load, Sample Rotation, and Grinding Fluids—CHRISTIAN J. SCHWARTZ AND SHYAM BAHADUR

13

WEAR OF CUTTING TOOLS

Wear Mechanisms of Milling Inserts: Dry and Wet Cutting—JIE GU, SIMON C. TUNG, AND GARY C. BARBER

31

Reducing Tool Wear When Machining Austenitic Stainless Steels—JOHN H. MAGEE AND TED KOSA

48

Machining Conditions and the Wear of TiC-Coated Carbide Tools—CHRISTINA Y. H. LIM, SEH-CHUN LIM, AND KIM-SENG LEE

57

Turning of High Strength Steel Alloy with PVD and CVD-Coated Inserts—ASHRAF JAWAID AND KABIRU A. OLAJIRE

71

Evaluation of Coating and Materials for Rotating Slitter Knives—MANFRED SCHLATTER

86

Tribology in Secondary Wood Machining—PAK L. KO, HOWARD M. HAWTHORNE, AND JASMIN ANDIAPPAN

101

FRICTION IN VIBRATORY CONVEYOR

Chaotic Behavior on In-Phase Vibratory Conveyors—JERRY Z. RASKI

121

Erosion and Corrosion Mechanisms in Pneumatic Conveying of Direct Reduced Iron Pellets—ALBERTO J. PÉREZ-UNZUETA, DORA MARTÍNEZ, MARCO A. FLORES, R. ARROYAVE, A. VELASCO, AND R. VIRAMONTES

137

Characterization of the Wear Processes due to the Material Erosion Mechanisms—LUCIEN H. CHINCHOLLE

150