

STP 1383

Composite Structures: Theory and Practice

Peter Grant and Carl Q. Rousseau, editors

ASTM Stock Number: STP 1383



ASTM
100 Barr Harbor Drive
PO Box C700
West Conshohocken, PA 19428-2959

Printed in the U.S.A.

Contents

Overview	vii.
STRUCTURAL DAMAGE TOLERANCE	
USAF Experience in the Qualification of Composite Structures—J. W. LINCOLN	3
A Review of Some Key Developments in the Analysis of the Effects of Impact Upon Composite Structures—R. OLSSON, L. E. ASP, S. NILSSON, AND A. SJÖGREN	12
Certificate Cost Reduction Using Compression-After-Impact Testing—T. C. ANDERSON .	29
SKIN-STRINGER BEHAVIOR	
Mechanisms and Modeling of Delamination Growth and Failure of Carbon-Fiber-Reinforced Skin-Stringer Panels—E. GREENHALGH, S. SINGH, AND K. F. NILSSON	49
Parametric Study of Three-Stringer Panel Compression-After-Impact Strength—C. Q. ROUSSEAU, D. J. BAKER, AND J. DONN HETHCOCK	72
A Method for Calculating Strain Energy Release Rates in Preliminary Design of Composite Skin/Stringer Debonding Under Multiaxial Loading—R. KRUEGER, P. J. MINGUET, AND T. K. O'BRIEN	105
ROTORCRAFT AND PROPELLER STRUCTURAL QUALIFICATION ISSUES	
Fail-Safe Approach for the V-22 Composite Proprotor Yoke—L. K. ALTMAN, D. J. REDDY, AND H. MOORE	131
RAH-66 Comanche Building Block Structural Qualification Program—A. DOBYNS, B. BARR, AND J. ADELMANN	140
The Effects of Marcel Defects on Composite Structural Properties—A. CAIAZZO, M. ORLET, H. McSHANE, L. STRAIT, AND C. RACHAU	158
Influence of Ply Waviness on Fatigue Life of Tapered Composite Flexbeam Laminates—G. B. MURRI	188
Structural Qualification of Composite Propeller Blades Fabricated by the Resin Transfer Molding Process—S. L. SMITH, AND J. L. MATTAVI	210
BOLTED JOINT ANALYSIS	
Three-Dimensional Stress Analysis and Failure Prediction in Filled Hole Laminates—E. V. IARVE AND D. H. MOLLENHAUER	231
Damage-Tolerance-Based Design of Bolted Composite Joints—X. QING, H.-T. SUN, L. DAGBA, AND F.-K. CHANG	243
Open Hole Compression Strength and Failure Characterization in Carbon/Epoxy Tape Laminates—H. BAU, D. M. HOYT, AND C. Q. ROUSSEAU	273
The Influence of Fastener Clearance Upon the Failure of Compression-Loaded Composite Bolted Joints—A. J. SAWICKI AND P. J. MINGUET	293

TEST METHODS

Characterizing Delamination Growth in a 0°/45° Interface —R. H. MARTIN AND C. Q. ROUSSEAU	311
New Experiments Suggest That All Shear and Some Tensile Failure Processes are Inappropriate Subjects for ASTM Standards —M. R. PIGGOTT, K. LIU, AND J. WANG	324
Effect of Friction on the Perceived Mode II Delamination Toughness from Three- and Four-Point Bend End-Notched Flexure Tests —C. SCHUECKER AND B. D. DAVIDSON	334
Finite-Element Analysis of Delamination Growth in a Multidirectional Composite ENF Specimen —M. KÖNIG, R. KRÜGER, AND S. RINDERKNECHT	345
Comparison of Designs of CFRP-Sandwich T-Joints for Surface-Effect Ships Based on Acoustic Emission Analysis from Load Tests —ANDREAS J. BRUNNER AND ROLF PARADIES	366
Development of a Test Method for Closed-Cross-Section Composite Laminates Subjected to Compression Loading —R. B. BUCINELL AND B. ROY	382
Tension Pull-off and Shear Test Methods to Characterize 3-D Textile Reinforced Bonded Composite Tee-Joints —S. D. OWENS, R. P. SCHMIDT, AND J. J. DAVIS	398

STRENGTH PREDICTION

What the Textbooks Won't Teach You About Interactive Composite Failure Criteria —L. J. HART-SMITH	413
Curved Laminated Beams Subjected to Shear Loads, Moments, and Temperature Changes —S. O. PECK	437
Damage, Stiffness Loss, and Failure in Composite Structures —S. N. CHATTERJEE	452
Compressive Strength of Production Parts Without Compression Testing —E. J. BARBERO AND E. A. WEN	470

ENVIRONMENTAL EFFECTS

Environmental Effects on Bonded Graphite/Bismaleimide Structural Joints —K. A. LUBKE, L. M. BUTKUS, AND W. S. JOHNSON	493
Accelerated Tests of Environmental Degradation in Composite Materials —T. G. REYNOLDS AND H. L. McMANUS	513

PLENARY SESSION

The Effects of Initial Imperfections on the Buckling of Composite Cylindrical Shells —J. H. STARNES, JR., M. W. HILBURGER, AND M. P. NEMETH	529
Indexes	551