

STP 1445

***Crosslinked and Thermally Treated
Ultra-High Molecular Weight
Polyethylene for Joint Replacements***

Steven M. Kurtz, Ray A. Gsell, and John Martell, editors

ASTM Stock Number: STP1445



ASTM International
100 Barr Harbor Drive
PO Box C700
West Conshohocken, PA 19428-2959

Printed in the U.S.A.

Contents

FOREWORD

iii

QUANTIFYING CLINICAL RESPONSE

- Generalized Size and Shape Description of UHMWPE Wear Debris—A Comparison of Cross-Linked, Enhanced Fused, and Standard Polyethylene Particles—**
C. M. SPRECHER, E. SCHNEIDER, AND M. A. WIMMER 3

SHORT-TERM RETRIEVALS

- Microscopy of Highly Cross-Linked UHMWPE Wear Surfaces—**C. B. RIEKER,
R. KONRAD, R. SCHÖN, W. SCHNEIDER, AND N. A. ABT 19
- Retrieval Analysis of Cross-Linked Acetabular Bearings—**J. P. COLLIER, M. B. MAYOR,
B. H. CURRIER, AND M. W. WITTMAN 32
- Assessment of Surface Roughness and Waviness Using White Light Interferometry for Short-Term Implanted, Highly Crosslinked Acetabular Components—**
S. M. KURTZ, J. TURNER, M. HERR, A. A. EDIDIN, AND C. M. RIMNAC 41

CROSSLINKED PE IN KNEES: IS IT SAFE?

- Improved Resistance to Wear, Delamination and Posterior Loading Fatigue Damage of Electron Beam Irradiated, Melt-Annealed, Highly Crosslinked UHMWPE Knee Inserts—**J. Q. YAO, C. R. BLANCHARD, X. LU, M. P. LAURENT, T. S. JOHNSON,
L. N. GILBERTSON, D. F. SWARTS, AND R. D. CROWNINSHIELD 59
- The Effect of Crosslinking UHMWPE on In Vitro Wear Rates of Fixed and Mobile Bearing Knees—**D. E. McNULTY, S. W. SWOPE, D. D. AUGER, AND T. SMITH 73

The Wear of Highly Crosslinked UHMWPE in the Presence of Abrasive Particles: Hip and Knee Simulator Studies —M. P. LAURENT, C. R. BLANCHARD, J. Q. YAO, T. S. JOHNSON, L. N. GILBERTSON, D. F. SWARTS, AND R. D. CROWNINSHIELD	86
The Sensitivity of Crosslinked UHMWPE to Abrasive Wear: Hips versus Knees —V. D. GOOD, K. WIDDING, M. SCOTT, AND S. JANI	104
Multiaxial Fatigue Behavior of Oxidized and Unoxidized UHMWPE During Cyclic Small Punch Testing at Body Temperature —M. L. VILLARRAGA, A. A. EDIDIN, M. HERR, AND S. M. KURTZ	117
The Effect of Reduced Fracture Toughness on Pitting and Delamination Type Wear of Elevated Cross-Linked Polyethylene —S. A. MAHER, B. D. FURMAN, AND T. M. WRIGHT	137
Wear and Structural Fatigue Simulation of Crosslinked Ultra-High Molecular Weight Polyethylene For Hip and Knee Bearing Applications —A. WANG, M. MANLEY, AND P. SEREKIAN	151

MECHANICAL PROPERTIES

The Effect of Aging on Mechanical Properties of Melt-Annealed Highly Crosslinked UHMWPE —S. BHAMBRI, R. GSELL, L. KIRKPATRICK, D. SWARTS, C. R. BLANCHARD, AND R. D. CROWNINSHIELD	171
The Flow Ratio Effect on Oriented, Crosslinked Ultra-High Molecular Weight Polyethylene (UHMWPE) —R. S. KING, S. K. YOUNG, AND K. W. GREER	183
The Effect of Specimen Thickness on the Mechanical Behavior of UHMWPE Characterized by the Small Punch Test —S. M. KURTZ, M. HERR, AND A. A. EDIDIN	192

IN-VITRO TESTING

The Effects of Raw Material, Irradiation Dose, and Irradiation Source on Crosslinking of UHMWPE —K. W. GREER, R. S. KING, AND F. W. CHAN	209
Characterization of the Wear Performance of Crosslinked UHMWPE and Relationship to Molding Procedures —K. R. ST. JOHN AND R. A. POGGIE	221
Influence of Electron Beam Irradiation Dose on the Properties of Crosslinked UHMWPE —N. A. ABT, W. SCHNEIDER, R. SCHÖN, AND C. B. RIEKER	228
Development of a Model For Testing Third Body Wear of UHMWPE Acetabular Components —C. R. BRADGON, D. O'CONNOR, O. K. MURATOGLU, AND W. H. HARRIS	240
Elevated Crosslinking Alone Does Not Explain Polyethylene Wear Resistance —B. D. FURMAN, S. A. MAHER, T. G. MORGAN, AND T. M. WRIGHT	248
Index	263