

STP 1481

Fatigue and Fracture of Medical Metallic Materials and Devices

Table of Contents

PROCESSING, PROPERTIES and ENVIRONMENT

Martensite Transformations and Fatigue Behavior of Nitinol—*P. Adler*

Effects of Phase Transformations on Fatigue Endurance of a Superelastic NiTi Alloy—*M. Wu*

Thermoelastic Transformation Behavior of Nitinol—*K. E. Perry, P. E. Labossiere*

Functional Properties of Nanostructured Ti-50.0 at % Ni Alloys—*V. Brailovski, V. Demers, S. Prokoshkin, K. Inaekyan, I. Khmelevskaya, S. Dobatkin*

Application of Low Plasticity Burnishing (LPB) to Improve the Fatigue Performance of Ti-6Al-4V Femoral Hip Stems—*D. Hornbach, P. Prevey, E. Loftus*

Comparison of the Corrosion Fatigue Characteristics of 23Mn-21Cr-1Mo Low Nickel, 22CR-13Ni-5Mn, and 18Cr-14Ni-2.5Mo Stainless Steel—*M. Roach, R. S. Williamson, L. D. Zardiackas*

Verification of Strain Level Calculations in Nitinol Fatigue Resistance Predictions—*K. Pike*

ANALYSIS, CHARACTERIZATION AND STANDARDS

Prediction of Failure in Existing Heart Valve Designs—*J. S. Crompton, K. C. Koppenhoefer, J. R. Dydo*

Characterizing Fatigue Properties of Medical Grade Nickel-Titanium Alloys by Rotary Beam Testing and Fracture Analysis—*M. Patel*

Experimental Studies of NiTi Self-Expanding Stent Designs—*J. E. Eaton-Evans, J. M. Dulieu-Barton, E. G. Little, I. A. Brown*

FDA Recommendations for Nitinol Stent and Endovascular Graft Fatigue Characterization and Fracture Reporting—*K. J. Cavanaugh, J. L. Goode, V. M. Holt, E. Anderson*