

Journal of Composites Technology & Research

Subject Index

Volume 18, 1996

A-C

Aluminum castings

Stress-free temperature of the macro-interface in selectively reinforced aluminum castings (O'Connor, MJ, Wawner, FE, and Jones, CC), July, 209

Book review

Concise Encyclopedia of Composite Materials Revised Edition by Kelly (Johnson, WS), July, 228

Carbon-carbon

Tensile fatigue behavior of a coated two-dimensional carbon-carbon composite laminate (Roy, AK), July, 202

Ceramic-matrix composites

Experimental investigation of the failure modes in hybrid ceramic matrix composites (Goethe, JE, Dharani, LR, and Carroll, DR), July, 194

Simplified approach for modeling fatigue of unidirectional ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), July, 167

Compliance

Simplified data reduction methods for the ECT test for Mode III interlaminar fracture toughness (Li, J and O'Brien, TK), April, 96

Composite shafts

Rotordynamic experiments on composite shafts (Singh, SP and Gupta, K), Oct., 256

Compression strength

Compression strength of composite sandwich structures after barely visible impact damage (Kassapoglou, C), Oct., 274

Unidirectional composite compression strengths obtained by testing cross-ply laminates (Welsh, JS and Adams, DF), Oct., 241

Crack propagation

Fracture and fatigue crack growth behavior of SiC_w/2124A1 composite (Cernyar, J, Yang, F, and Saxena, A), Jan., 30

Critical speeds

Rotordynamic experiments on composite shafts (Singh, SP and Gupta, K), Oct., 256

Cross-ply laminates

Unidirectional composite compression strengths obtained by testing cross-ply laminates (Welsh, JS and Adams, DF), Oct., 241

Crystallinity

Effect of cooling rate and stacking sequence on the fatigue behavior of notched quasi-isotropic AS4/PEEK laminates (Vure, NRS and Kriz, RD), April, 127

D

Damage

Incorporating fiber damage in a micro-mechanical analysis of metal matrix composite laminates (Robertson, DD and Mall, S), Oct., 265

Low velocity impact damage in filament-wound composite pressure bottles (Highsmith, AL, Ledbetter, FE, Nettles, A, and Russell, SS), April, 109

Damage tolerance

Damage tolerance predictions for stiffened composite panels: Part I—Strain field predictions (Graesser, DL and Tuttle, ME), Jan., 47

Damage tolerance predictions for stiffened composite panels—Part II: Application of a failure criteria (Graesser, DL and Tuttle, ME), April, 102

Delamination

Effect of loading frequency and interleaf on the delamination characteristics of laminated composites (Subramanian, S and Chan, WS), July, 179

Dynamic analysis

Exact method for dynamic analysis of rectangular laminated orthotropic plates under heating load (Lai, Y and Wu, Y), April, 135

E

Elastic properties

Machine direction strength theory of corrugated fiberboard (Urbanik, TJ), April, 80

Epoxy

Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma (Shaker, M, Kamel, I, Ko, F, and Song, JW), Oct., 249

F

Fatigue

Effect of cooling rate and stacking sequence on the fatigue behavior of notched quasi-isotropic AS4/PEEK laminates (Vure, NRS and Kriz, RD), April, 127

Effect of loading frequency and interleaf on the delamination characteristics of laminated composites (Subramanian, S and Chan, WS), July, 179

Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes (Kujawski, D, Chiu, AS, and Ellyin, F), July, 215

Fracture and fatigue crack growth behavior of SiC_w/2124A1 composite (Cernyar, J, Yang, F, and Saxena, A), Jan., 30

Simplified approach for modeling fatigue of unidirectional ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), July, 167

Tensile fatigue behavior of a coated two-dimensional carbon-carbon composite laminate (Roy, AK), July, 202

Fiber failure

Incorporating fiber damage in a micro-mechanical analysis of metal matrix composite laminates (Robertson, DD and Mall, S), Oct., 265

Fiber-reinforced composites

Equivalent thermal conductivity of two- and three-dimensional orthogonally fiber-reinforced composites in one-dimensional heat flow (Tai, H), July, 221

Fiber-reinforced plastics

Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes (Kujawski, D, Chiu, AS, and Ellyin, F), July, 215

Fiberboard

Machine direction strength theory of corrugated fiberboard (Urbanik, TJ), April, 80

Fiberglass/epoxy pipes

Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes (Kujawski, D, Chiu, AS, and Ellyin, F), July, 215

Filament winding

Low velocity impact damage in filament-wound composite pressure bottles (Highsmith, AL, Ledbetter, FE, Nettles, A, and Russell, SS), April, 109

Fracture

Fracture and fatigue crack growth behavior of SiC_w/2124Al composite (Cernyar, J, Yang, F, and Saxena, A), Jan., 30

Frequency effects

Effect of loading frequency and interleaf on the delamination characteristics of laminated composites (Subramanian, S and Chan, WS), July, 179

G-H**Glass-epoxy composites**

Hydrodynamic machining of fiber-reinforced composites (Chelikani, S and Kalpakjian, S), April, 118

Heat flow

Equivalent thermal conductivity of two- and three-dimensional orthogonally fiber-reinforced composites in one-dimensional heat flow (Tai, H), July, 221

Hot pressing

Hot pressing of plasma-sprayed SiC fiber-reinforced Ti-6Al-4V alloy (Valente, T and Carassiti, F), April, 89

Hough transform

Surface inspection of textile composite materials using image analysis techniques (Gowayed, Y, Schreiber, DV, and Roberts, M), Jan., 3

Hybrid composites

Experimental investigation of the failure modes in hybrid ceramic matrix composites (Goethe, JE, Dharani, LR, and Carroll, DR), July, 194

Hydrodynamic machining

Hydrodynamic machining of fiber-reinforced composites (Chelikani, S and Kalpakjian, S), April, 118

I**Image analysis**

Surface inspection of textile composite materials using image analysis techniques (Gowayed, Y, Schreiber, DV, and Roberts, M), Jan., 3

Impact

Low velocity impact damage in filament-wound composite pressure bottles (Highsmith, AL, Ledbetter, FE, Nettles, A, and Russell, SS), April, 109

Impact damage

Compression strength of composite sandwich structures after barely visible impact damage (Kassapoglou, C), Oct., 274

Interleafing

Effect of loading frequency and interleaf on the delamination characteristics of laminated composites (Subramanian, S and Chan, WS), July, 179

K-L**Kevlar fibers**

Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma (Shaker, M, Kamel, I, Ko, F, and Song, JW), Oct., 249

Laminates

Exact method for dynamic analysis of rectangular laminated orthotropic plates under heating load (Lai, Y and Wu, Y), April, 135

M**Macro-interface**

Stress-free temperature of the macro-interface in selectively reinforced aluminum castings (O'Connor, MJ, Wawner, FE, and Jones, CC), July, 209

Matrix cracks

Thermal residual stresses in the analysis of fiber-bridged matrix crack growth in titanium matrix composites (Bakuckas, JG and Johnson, WS), April, 67

Metal matrix

Fracture and fatigue crack growth behavior of SiC_w/2124Al composite (Cernyar, J, Yang, F, and Saxena, A), Jan., 30

Hot pressing of plasma-sprayed SiC fiber-reinforced Ti-6Al-4V alloy (Valente, T and Carassiti, F), April, 89

Incorporating fiber damage in a micro-mechanical analysis of metal matrix composite laminates (Robertson, DD and Mall, S), Oct., 265

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part I—Experiments (Sanders, BP and Mall, S), Jan., 15

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part II—Analysis (Sanders, BP and Mall, S), Jan., 22

Microcracking

Experimental investigation of the failure modes in hybrid ceramic matrix composites (Goethe, JE, Dharani, LR, and Carroll, DR), July, 194

Mode III fracture toughness

Simplified data reduction methods for the ECT test for Mode III interlaminar fracture toughness (Li, J and O'Brien, TK), April, 96

Modeling

Simplified approach for modeling fatigue of unidirectional ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), July, 167

N-O**Notches**

Strength and damage mechanisms of notched two-dimensional triaxial braided textile composites and tape equivalents under tension (Norman, TL, Anglin, C, and Gaskin, D), Jan., 38

Orthotropic plates

Exact method for dynamic analysis of rectangular laminated orthotropic plates under heating load (Lai, Y and Wu, Y), April, 135

P-R**Panels**

Damage tolerance predictions for stiffened composite panels: Part I—Strain field predictions (Graesser, DL and Tuttle, ME), Jan., 47

Damage tolerance predictions for stiffened composite panels—Part II: Application of

a failure criteria (Graesser, DL and Tuttle, ME), April, 102

Plasma spraying

Hot pressing of plasma-sprayed SiC fiber-reinforced Ti-6Al-4V alloy (Valente, T and Carassiti, F), April, 89

Plasma treatment

Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma (Shaker, M, Kamel, I, Ko, F, and Song, JW), Oct., 249

Plate structures

Machine direction strength theory of corrugated fiberboard (Urbanik, TJ), April, 80

Rotordynamic experiments

Rotordynamic experiments on composite shafts (Singh, SP and Gupta, K), Oct., 256

S

Sandwich structures

Compression strength of composite sandwich structures after barely visible impact damage (Kassapoglou, C), Oct., 274

Shear lag

Simplified approach for modeling fatigue of unidirectional ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), July, 167

Strain-control mode

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part I—Experiments (Sanders, BP and Mall, S), Jan., 15

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part II—Analysis (Sanders, BP and Mall, S), Jan., 22

Strain energy release rate

Simplified data reduction methods for the ECT test for Mode III interlaminar fracture toughness (Li, J and O'Brien, TK), April, 96

Strain fields

Damage tolerance predictions for stiffened composite panels: Part I—Strain field predictions (Graesser, DL and Tuttle, ME), Jan., 47

Strength

Damage tolerance predictions for stiffened composite panels—Part II: Application of a failure criteria (Graesser, DL and Tuttle, ME), April, 102

Strength and damage mechanisms of notched two-dimensional triaxial braided textile composites and tape equivalents under tension (Norman, TL, Anglin, C, and Gaskin, D), Jan., 38

Strength degradation

Tensile fatigue behavior of a coated two-dimensional carbon-carbon composite laminate (Roy, AK), July, 202

Stress-free temperature

Stress-free temperature of the macro-interface in selectively reinforced aluminum castings (O'Connor, MJ, Wawner, FE, and Jones, CC), July, 209

T

Textile composites

Strength and damage mechanisms of notched two-dimensional triaxial braided textile composites and tape equivalents under tension (Norman, TL, Anglin, C, and Gaskin, D), Jan., 38

Surface inspection of textile composite materials using image analysis techniques (Gowayed, Y, Schreibman, DV, and Roberts, M), Jan., 3

Thermal conductivity

Equivalent thermal conductivity of two- and three-dimensional orthogonally fiber-

reinforced composites in one-dimensional heat flow (Tai, H), July, 221

Thermal residual stresses

Thermal residual stresses in the analysis of fiber-bridged matrix crack growth in titanium matrix composites (Bakuckas, JG and Johnson, WS), April, 67

Thermoplastic matrix composites

Effect of cooling rate and stacking sequence on the fatigue behavior of notched quasi-isotropic AS4/PEEK laminates (Vure, NRS and Kriz, RD), April, 127

Titanium matrix composites

Thermal residual stresses in the analysis of fiber-bridged matrix crack growth in titanium matrix composites (Bakuckas, JG and Johnson, WS), April, 67

Transverse behavior

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part I—Experiments (Sanders, BP and Mall, S), Jan., 15

Transverse fatigue response of a metal matrix composite under strain-controlled mode at elevated temperature: Part II—Analysis (Sanders, BP and Mall, S), Jan., 22

U–W

Unidirectional composites

Unidirectional composite compression strengths obtained by testing cross-ply laminates (Welsh, JS and Adams, DF), Oct., 241

Waterjet machining

Hydrodynamic machining of fiber-reinforced composites (Chelikani, S and Kalpakjian, S), April, 118