

Journal of Composites Technology & Research

Subject Index

Volume 19, 1997

A-B

Adhesive bonding

Composite repair of a stainless steel-GRP sonar dome (Koko, TS, Connor, MJ, and Corbett, GV), Oct., 228

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers (Taheri, F), April, 86

Alkaline conditions

Effects of environmental exposure on fiber-reinforced plastic (FRP) materials used in construction (Chin, JW, Aouadi, K, and Nguyen, T), Oct., 205

Book review

Damage Tolerance in Advanced Composites by Sierakowski and Newaz (Johnson, WS), April, 93

Braids

Strain gage selection criteria for textile composite materials (Masters, JE and Ifju, PG), July, 152

Building technology

Effects of environmental exposure on fiber-reinforced plastic (FRP) materials used in construction (Chin, JW, Aouadi, K, and Nguyen, T), Oct., 205

sure (Minnetyan, L and Chamis, CC), April, 65

Wyoming combined loading compression (CLC) test method (Adams, DF and Welsh, JS), July, 123

Compressive strength

Wyoming combined loading compression (CLC) test method (Adams, DF and Welsh, JS), July, 123

Continuous-fiber ceramic composite (CFCC)

Hoop tensile strength and fracture behavior of continuous fiber ceramic composite (CFCC) tubes from ambient to elevated temperatures (Chuck, L and Graves, GA), July, 184

Creep

Effect of time-dependent matrix behavior on the evolution of processing-induced residual stresses in metal matrix composites (Ananth, CR, Mukherjee, S, and Chandra, N), July, 134

Cross-ply laminates

Wyoming combined loading compression (CLC) test method (Adams, DF and Welsh, JS), July, 123

Progressive fracture of composite cylindrical shells subjected to external pressure (Minnetyan, L and Chamis, CC), April, 65

Delamination

Delamination characterization of woven glass/polyester composites (Martin, RH), Jan., 20

Evaluation of the edge crack torsion (ECT) test for Mode III interlaminar fracture toughness of laminated composites (Li, J, Lee, SM, Lee, EW, and O'Brien, TK), July, 174

Drapability

QUIKTEMP—a new short-cycle time manufacturing method for thermoplastic composites made from low-cost textile preforms (Stumpf, H and Schulte, K), Oct., 222

Ductility

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers (Taheri, F), April, 86

Durability

Effects of environmental exposure on fiber-reinforced plastic (FRP) materials used in construction (Chin, JW, Aouadi, K, and Nguyen, T), Oct., 205

C

Cast nylon

Machining of filled polymers using single-edge tools (Karri, V), April, 72

Ceramic-matrix composites

Modeling of matrix failure in ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), Jan., 29

Composite structures

Progressive fracture of composite cylindrical shells subjected to external pressure (Minnetyan, L and Chamis, CC), April, 65

Composite tubes

Seawater effects on strength and durability of glass/epoxy filament-wound tubes as revealed by acoustic emission analysis (Chiou, P-L and Bradley, WL), Oct., 214

Compression

Progressive fracture of composite cylindrical shells subjected to external pres-

Damage

Progressive damage model and analysis methodology for predicting the residual strength of composite laminates (Harris, CE, Coats, TW, Allen, DH, and Lo, DC), Jan., 3

Progressive fracture of composite cylindrical shells subjected to external pressure (Minnetyan, L and Chamis, CC), April, 65

Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography (Highsmith, AL and Keshav, S), Jan., 10

Seawater effects on strength and durability of glass/epoxy filament-wound tubes as revealed by acoustic emission analysis (Chiou, P-L and Bradley, WL), Oct., 214

Damage mechanisms

Modeling of matrix failure in ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), Jan., 29

Degradation

D

E

Edge crack torsion (ECT) test

Evaluation of the edge crack torsion (ECT) test for Mode III interlaminar fracture toughness of laminated composites (Li, J, Lee, SM, Lee, EW, and O'Brien, TK), July, 174

Elastic properties

Effect of voids on the elastic properties of textile reinforced composites (Gowayed, YA), July, 168

F

Failure

Modeling of matrix failure in ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), Jan., 29

Fatigue

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature (Mall, S and Boyum, EA), April, 55

Fiber fractures

Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography (Highsmith, AL and Keshav, S), Jan., 10

Using measured damage parameters to predict the residual strength of impacted composites: a neural network approach (Highsmith, A and Keshav, S), Oct., 195

Fillers

Machining of filled polymers using single-edge tools (Karri, V), April, 72

Fracture toughness

Delamination characterization of woven glass/polyester composites (Martin, RH), Jan., 20

Evaluation of the edge crack torsion (ECT) test for Mode III interlaminar fracture toughness of laminated composites (Li, J, Lee, SM, Lee, EW, and O'Brien, TK), July, 174

G**Glass-epoxy composites**

Seawater effects on strength and durability of glass/epoxy filament-wound tubes as revealed by acoustic emission analysis (Chiou, P-L and Bradley, WL), Oct., 214

Glass fiber composites

QUIKTEMP—a new short-cycle time manufacturing method for thermoplastic composites made from low-cost textile preforms (Stumpf, H and Schulte, K), Oct., 222

Glass-reinforced plastics

Composite repair of a stainless steel-GRP sonar dome (Koko, TS, Connor, MJ, and Corbett, GV), Oct., 228

Graphite/epoxy

Progressive damage model and analysis methodology for predicting the residual strength of composite laminates (Harris, CE, Coats, TW, Allen, DH, and Lo, DC), Jan., 3

H**High temperatures**

Hoop tensile strength and fracture behavior of continuous fiber ceramic composite (CFCC) tubes from ambient to elevated temperatures (Chuck, L and Graves, GA), July, 184

Hoop tensile strength

Hoop tensile strength and fracture behavior of continuous fiber ceramic composite (CFCC) tubes from ambient to elevated temperatures (Chuck, L and Graves, GA), July, 184

L**Laminates**

(+45) Degree off-axis tension test for shear characterization of plain weave fabric composites (Ganesh, VK and Naik, NK), April, 77

Matrix cracking of high-performance composite laminates with variation of laminate stacking sequence and testing temperature (Huang, X, Gillespie, JW, and Eduljee, RF), July, 142

Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography (Highsmith, AL and Keshav, S), Jan., 10

Using measured damage parameters to predict the residual strength of impacted composites: a neural network approach (Highsmith, A and Keshav, S), Oct., 195

M**Machining**

Composite repair of a stainless steel-GRP sonar dome (Koko, TS, Connor, MJ, and Corbett, GV), Oct., 228

Machining of filled polymers using single-edge tools (Karri, V), April, 72

Matrix cracks

Matrix cracking of high-performance composite laminates with variation of laminate stacking sequence and testing temperature (Huang, X, Gillespie, JW, and Eduljee, RF), July, 142

Modeling of matrix failure in ceramic matrix composites (Solti, JP, Mall, S, and Robertson, DD), Jan., 29

Progressive damage model and analysis methodology for predicting the residual strength of composite laminates (Harris, CE, Coats, TW, Allen, DH, and Lo, DC), Jan., 3

Metal matrix

Effect of time-dependent matrix behavior on the evolution of processing-induced residual stresses in metal matrix composites (Ananth, CR, Mukherjee, S, and Chandra, N), July, 134

Microstructure

Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography (Highsmith, AL and Keshav, S), Jan., 10

N**Neural networks**

Using measured damage parameters to predict the residual strength of impacted composites: a neural network approach (Highsmith, A and Keshav, S), Oct., 195

Nonaerospace applications

Introduction to symposium on non-aerospace applications for composite materials (Martin, R), Oct., 203

P-R**Polyester**

Effects of environmental exposure on fiber-reinforced plastic (FRP) materials used in construction (Chin, JW, Aouadi, K, and Nguyen, T), Oct., 205

Polypropylene matrix

QUIKTEMP—a new short-cycle time manufacturing method for thermoplastic composites made from low-cost textile preforms (Stumpf, H and Schulte, K), Oct., 222

Polymers

Machining of filled polymers using single-edge tools (Karri, V), April, 72

Pressurized cylindrical specimens

Hoop tensile strength and fracture behavior of continuous fiber ceramic composite (CFCC) tubes from ambient to elevated temperatures (Chuck, L and Graves, GA), July, 184

Residual stresses

Effect of time-dependent matrix behavior on the evolution of processing-induced residual stresses in metal matrix composites (Ananth, CR, Mukherjee, S, and Chandra, N), July, 134

S**Seawater**

Seawater effects on strength and durability of glass/epoxy filament-wound tubes as revealed by acoustic emission analysis (Chiou, P-L and Bradley, WL), Oct., 214

Shear characteristics

(+45) Degree off-axis tension test for shear characterization of plain weave fabric composites (Ganesh, VK and Naik, NK), April, 77

Signal phase alteration

Recent development of an ultrasonic non-destructive evaluation technique for metal matrix composites (Hu, S), Jan., 41

Silicon carbide whiskers

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers (Taheri, F), April, 86

Sonar dome

Composite repair of a stainless steel-GRP sonar dome (Koko, TS, Connor, MJ, and Corbett, GV), Oct., 228

Stacking sequence

Matrix cracking of high-performance composite laminates with variation of laminate stacking sequence and testing temperature (Huang, X, Gillespie, JW, and Eduljee, RF), July, 142

Strain gage

Strain gage selection criteria for textile composite materials (Masters, JE and Ifju, PG), July, 152

Stress relaxation

Effect of time-dependent matrix behavior on the evolution of processing-induced residual stresses in metal matrix composites (Ananth, CR, Mukherjee, S, and Chandra, N), July, 134

T**Tension-compression**

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero

mean load at elevated temperature (Mall, S and Boyum, EA), April, 55

Tension-tension

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature (Mall, S and Boyum, EA), April, 55

Textile composites

Effect of voids on the elastic properties of textile reinforced composites (Gowayed, YA), July, 168

Strain gage selection criteria for textile composite materials (Masters, JE and Ifju, PG), July, 152

Titanium matrix composites

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature (Mall, S and Boyum, EA), April, 55

Recent development of an ultrasonic non-destructive evaluation technique for metal matrix composites (Hu, S), Jan., 41

U-V**Ultrasonic nondestructive evaluation**

Recent development of an ultrasonic non-destructive evaluation technique for metal matrix composites (Hu, S), Jan., 41

Void

Effect of voids on the elastic properties of textile reinforced composites (Gowayed, YA), July, 168

W**Warp-knitting**

QUIKTEMP—a new short-cycle time manufacturing method for thermoplastic composites made from low-cost textile preforms (Stumpf, H and Schulte, K), Oct., 222

Weaves

Strain gage selection criteria for textile composite materials (Masters, JE and Ifju, PG), July, 152

Whisker reinforcement

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers (Taheri, F), April, 86

Woven fabric composites

(+45) Degree off-axis tension test for shear characterization of plain weave fabric composites (Ganesh, VK and Naik, NK), April, 77

Delamination characterization of woven glass/polyester composites (Martin, RH), Jan., 20