

Journal of Composites Technology & Research

Index to Volume 12

1990

Number	Issue	Pages
1	Spring	1-64
2	Summer	65-130
3	Fall	131-200
4	Winter	201-284

A

- Adhesion:** Identification of factors affecting filament pull-out test results (Penn and Chou), Fall, 164
- Adkins, D. W.:** Symposium on automotive and industrial fasteners, Winter, 222
- Analysis:** Composite bolted joints analysis programs (Snyder, Burns, and Venkayya), Spring, 41
- Artificial flaws:** Correlations between ultrasonic waveforms and artificially implanted defects in composite materials (Schuster and Steiner), Spring, 52
- Automotive and industrial composites:** Introduction to symposium on automotive and industrial composites (Adkins), Winter, 222
- Automotive fasteners:** Fatigue of bolted joints in SMC-R18 sheet molding compound composites (Little and Mallick), Fall, 155

B

- Bhatt, R. T.**
and Phillips, R. E.: Laminate behavior for SiC fiber-reinforced reaction-bonded silicon nitride matrix composites, Spring, 13
see Jablonski, D. and Bhatt, R.
- Blankenship, C. P.:** Composites in primary aircraft structures, Summer, 129
- Bolted joints**
 Fatigue of bolted joints in SMC-R18 sheet molding compound composites (Little and Mallick), Fall, 155
 Composite bolted joints analysis programs (Snyder, Burns, and Venkayya), Spring, 41
- Book review:** *Interfaces in polymer, ceramic, and metal matrix composites* (Ishida), Piggott, Fall, 184
- Buckling:** Postbuckling characteristics in delaminated Kevlar/epoxy laminates: an experimental study (Kardomateas), Summer, 85

Burns, J. G.: *see* Snyder, B. D., Burns, J. G., and Venkayya, V. B.

C

- Ceramic matrix composites:** High-temperature tensile properties of fiber reinforced reaction bonded silicon nitride (Jablonski and Bhatt), Fall, 139
- Chamis, C. C.:** *see* Saravanos, D. A. and Chamis, C. C.
- Chang, F.-K. and Kutlu, Z.:** Study on the crushing response of cylindrical composite shells subjected to transverse loading, Winter, 239
- Chin, E. S.-M. and Wang, S. S.:** Residual strength and residual fracture toughness of random short-fiber composites during cyclic fatigue, Winter, 223
- Chou, C. T.:** *see* Penn, L. S. and Chou, C. T.
- Composite fatigue:** Residual strength of composite laminates subjected to tensile-compressive fatigue loading (Rotem and Nelson), Summer, 76
- Composite shells:** Study on the crushing response of cylindrical composite shells subjected to transverse loading (Chang and Kutlu), Winter, 239
- Compression:** Cross-ply laminates with holes in compression: straight free-edge stresses determined by two- to three-dimensional global/local finite element analysis, (Thompson, Griffin, and Vidussoni), Winter, 209
- Compression tests:** A review of compression test methods for organic matrix composites (Schoeppner and Sierakowski), Spring, 3
- Cracks:** The strength prediction of composite laminates containing a circular hole (El-Zein and Reifsnider), Spring, 24
- Crossply laminates:** Damage development in composite laminates under monotonic loading (Daniel and Lee), Summer, 98
- Cyclic fatigue:** Residual strength and residual fracture toughness of random short-fiber composites during cyclic fatigue (Chim and Wang), Winter, 223
- Cylinders:** Study on the crushing response of cylindrical composite shells subjected to transverse loading (Chang and Kutlu), Winter, 239

D

- Daniel, I. M.**
and Lee, J.-W.: Damage development in composite laminates under monotonic loading, Summer, 98
- Wang, T.-M., Karalekas, D., and Gotro, J. T.:** Determination of chemical cure shrinkage in composite laminates, Fall, 172
- Delamination**
 Postbuckling characteristics in delaminated Kevlar/epoxy laminates: an experimental study (Kardomateas), Summer, 85
 Failure analysis of composite laminates with free edge (Zhou and Sun), Summer, 91
- Design:** Composite bolted joints analysis programs (Snyder, Burns, and Venkayya), Spring, 41

E-F

- El-Zein, M. S.**
and Reifsnider, K. L.: On the prediction of tensile strength after impact of composite laminates, Fall, 147
- and Reifsnider, K. L.:** The strength prediction of composite laminates containing a circular hole, Spring, 24
- Failure**
 Failure analysis of composite laminates with free edge (Zhou and Sun), Summer, 91
 Study on the crushing response of cylindrical composite shells subjected to transverse loading (Chang and Kutlu), Winter, 239
- Failure modes:** Tensile and compressive failure modes of laminated composites loaded by fatigue with different mean stress (Rotem), Winter, 201
- Fatigue**
 Fatigue of bolted joints in SMC-R18 sheet molding compound composites (Little and Mallick), Fall, 155
 Tensile and compressive failure modes of laminated composites loaded by fatigue with different mean stress (Rotem), Winter, 201
- Fiber composites:** Unified micromechanics of damping for unidirectional and off-axis fiber composites (Saravanos and Chamis), Spring, 31
- Fiber reinforcement:** High-temperature tensile properties of fiber reinforced reaction

bonded silicon nitride (Jablonski and Bhatt), Fall, 139

Fiber-reinforced composites: Evaluation of the V-notched beam shear test through an interlaboratory study (Wilson), Fall, 131

Flavenot, J.-F.: *see* Lu, J., Miega, B., Flavenot, J.-F., and Thery, S.

Fracture mechanisms: High-temperature tensile properties of fiber reinforced reaction bonded silicon nitride (Jablonski and Bhatt), Fall, 139

Free edge: Failure analysis of composite laminates with free edge (Zhou and Sun), Summer, 91

G-H

Global/local finite element analysis: Cross-ply laminates with holes in compression: straight free-edge stresses determined by two- to three-dimensional global/local finite element analysis (Thompson, Griffin, and Vidussoni), Winter, 209

Gotro, J. T.: *see* Daniel, I. M., Wang, T.-M., Karalekas, D., and Gotro, J. T.

Graphite/epoxy: Damage development in composite laminates under monotonic loading (Daniel and Lee), Summer, 98

Graphite fiber: Review of the nickel-graphite interface (Wheeler), Fall, 177

Griffin, O. H.: *see* Thompson, D. M., Griffin, O. H., Jr., and Vidussoni, M. A.

Guest commentaries

Composites in primary aircraft structures (Blankenship), Summer, 129

Material competitiveness (Lincoln), Winter, 273

Total process in the third age of aerospace materials (Halpin), Winter, 275

Halpin, J. C.: Total process control in the third age of aerospace materials, Winter, 275

High-temperature composites: Fiber-matrix interface effects in the presence of thermally induced residual stress (Nimmer), Summer, 65

I-J

Impact: On the prediction of tensile strength after impact of composite laminates (El-Zein and Reifsnider), Fall, 147

In-plane damping: Unified micromechanics of damping for unidirectional and off-axis fiber composites (Saravanas and Chamis), Spring, 31

Interface

Identification of factors affecting filament pull-out test results (Penn and Chou), Fall, 164

Review of the nickel-graphite interface (Wheeler), Fall, 177

Interlaminar stress: Failure analysis of composite laminates with free edge (Zhou and Sun), Summer, 91

Iosipescu: Evaluation of the V-notched beam shear test through an interlaboratory study (Wilson), Fall, 131

Jablonski, D. and Bhatt, R.: High-temperature tensile properties of fiber-reinforced reaction bonded silicon nitride, Fall, 139

K-L

Karalekas, D.: *see* Daniel, I. M., Wang, T.-M., Karalekas, D., and Gotro, J. T.

Kardomateas, G. A.: Postbuckling characteristics in delaminated Kevlar/epoxy laminates: an experimental study, Summer, 85

Kevlar/epoxy: Postbuckling characteristics in delaminated Kevlar/epoxy laminates: an experimental study (Kardomateas), Summer, 85

Kokta, B. V.: *see* Maldas, D. and Kokta, B. V.

Kutlu, Z.: *see* Chang, F.-K. and Kutlu, Z.

Laminates

Cross-ply laminates with holes in compression: straight free edge stresses determined by two- to three-dimensional global/local finite element analysis (Thompson, Griffin, and Vidussoni), Winter, 209

Determination of chemical cure shrinkage in composite laminates (Daniel, Wang, Karalekas, and Gotro), Fall, 172

Failure analysis of composite laminates with free edge (Zhou and Sun), Summer, 91

On the prediction of tensile strength after impact of composite laminates (El-Zein and Reifsnider), Fall, 147

Residual strength of composite laminates subjected to tensile-compressive fatigue loading (Rotem and Nelson), Summer, 76

The strength prediction of composite laminates containing a circular hole (El-Zein and Reifsnider), Spring, 24

Tensile and compressive failure modes of laminated composites loaded by fatigue with different mean stress (Rotem), Winter, 201

Lee, J.-W.: *see* Daniel, I. M. and Lee, J.-W.

Lincoln, J. W.: Material competitiveness, Winter, 273

Little, R. E. and Mallick, P. K.: Fatigue of bolted joints in SMC-R18 sheet molding compound composites, Fall, 155

Lu, J., Miega, B., Flavenot, J.-F., and Thery, S.: Study on the effect of the surface treatment on the residual stress gradient in silicon carbide (SiC) reinforced aluminum metal matrix composites, Winter, 232

Lynn, J. C.: Polymer composite characterization for automotive structural applications, Winter, 229

M-N

Maldas, D. and Kokta, B. V.: Effect of fiber treatment on the mechanical properties of hybrid fiber-reinforced polystyrene composites: I. Use of mica and wood pulp as hybrid filler, Winter, 217

Mallick, P. K.: *see* Little, R. E. and Mallick, P. K.

Matrix cracking: Damage development in composite laminates under monotonic loading (Daniel and Lee), Summer, 98

Matrix shrinkage: Determination of chemical cure shrinkage in composite laminates (Daniel, Wang, Karalekas, and Gotro), Fall, 172

Mean stress: Tensile and compressive failure modes of laminated composites loaded by fatigue with different mean stress (Rotem), Winter, 201

Metal matrix composites

Review of the nickel-graphite interface (Wheeler), Fall, 177

Study on the effect of the surface treatment on the residual stress gradient in silicon carbide (SiC) reinforced aluminum metal matrix composites (Lu, Miega, Flavenot, and Thery), Winter, 232

Miega, B.: *see* Lu, J., Miega, B., Flavenot, J.-F., and Thery, S.

Nelson, H. G.: *see* Rotem, A. and Nelson, H. G.

Nickel: Review of the nickel-graphite interface (Wheeler), Fall, 177

Nimmer, R. P.: Fiber-matrix interface effects in the presence of thermally induced residual stresses, Summer, 65

Nondestructive testing: Correlations between ultrasonic waveforms and artificially implanted defects in composite materials (Schuster and Steiner), Spring, 52

O-P

Organic matrix composites: A review of compression test methods for organic matrix composites (Schoeppner and Sierakowski), Spring, 3

Out-of-plane damping: Unified micromechanics of damping for unidirectional and off-axis fiber composites (Saravanas and Chamis), Spring, 31

Penn, L. S. and Chou, C. T.: Identification of factors affecting single filament pull-out test results, Fall, 164

Phillips, R. E.: *see* Bhatt, R. T. and Phillips, R. E.

Piggott, M. R.: Book review of *Interfaces in polymer, ceramic, and metal matrix composites* (Ishida), Fall, 184

Polymer composites: Polymer composite characterization for automotive structural applications (Lynn), Winter, 229

Polystyrene: Effect of fiber treatment on the mechanical properties of hybrid fiber-reinforced polystyrene composites: I. Use of mica and wood pulp as hybrid filler (Maldas and Kokta), Winter, 217

Postbuckling: Postbuckling characteristics in delaminated Kevlar/epoxy laminates: an experimental study (Kardomateas), Summer, 85

R

Reifsnider, K. L.: *see* El-Zein, M. S. and Reifsnider, K. L.

Reinforced ceramic matrix composites: Laminar behavior for SiC fiber-reinforced reaction-bonded silicon nitride matrix composites (Bhatt and Phillips), Spring, 13

Residual fracture toughness: Residual strength and residual fracture toughness of random short-fiber composites during cyclic fatigue (Chim and Wang), Winter, 223

Residual stress

Determination of chemical cure shrinkage in composite laminates (Daniel, Wang, Karalekas, and Gotro), Fall, 172

Fiber-matrix interface effects in the presence of thermally induced residual stress (Nimmer), Summer, 65

Identification of factors affecting filament pull-out test results (Penn and Chou), Fall, 164

Study on the effect of the surface treatment on the residual stress gradient in silicon carbide (SiC) reinforced aluminum

metal matrix composites (Lu, Miege, Flavenot, and Thery), Winter, 232

Residual strength

Residual strength and residual fracture toughness of random short-fiber composites during cyclic fatigue (Chim and Wang), Winter, 223

Residual strength of composite laminates subjected to tensile-compressive fatigue loading (Rotem and Nelson), Summer, 76

Rotem, A.:

Tensile and compressive failure modes of laminates composites loaded by fatigue with different mean stress, Winter, 201

and Nelson, H. G.: Residual strength of composite laminates subjected to tensile-compressive fatigue loading, Summer, 76

S

Saravanos, D. A. and Chamis, C. C.: Unified micromechanics of damping for unidirectional and off-axis fiber composites, Spring, 31

Schoeppner, G. A. and Sierakowski, R. L.: A review of compression test methods for organic matrix composites, Spring, 3

Schuster, J. and Steiner, K. V.: Correlations between ultrasonic waveforms and artificially implanted defects in composite materials, Spring, 52

Shear tests: Evaluation of the V-notched beam shear test through an interlaboratory study (Wilson), Fall, 131

Sheet molding compound: Fatigue of bolted joints in SMC-R18 sheet molding compound composites (Little and Mallick), Fall, 155

Sierakowski, R. L.: *see* Schoeppner, G. A. and Sierakowski, R. L.

Silicon carbon: Laminate behavior for SiC fiber-reinforced reaction-bonded silicon nitride matrix composites (Bhatt and Phillips), Spring, 13

Silicon nitride (Si₃N₄) matrix: Laminate behavior for SiC fiber-reinforced reaction-bonded silicon nitride matrix composites (Bhatt and Phillips), Spring, 13

Single filament pull-out tests: Identification of factors affecting filament pull-out test results (Penn and Chou), Fall, 164

Snyder, B. D., Burns, J. G., and Venkayya, V. B.: Composite bolted joints analysis programs, Spring, 41

Standardization

Polymer composite characterization for automotive structural application (Lynn), Winter, 229

A review of compression test methods for organic matrix composites (Schoeppner and Sierakowski), Spring, 3

Steiner, K. V.: *see* Schuster, J. and Steiner, K. V.

Stiffness: Residual strength of composite laminates subjected to tensile-compressive fatigue loading (Rotem and Nelson), Summer, 76

Strength prediction: The strength prediction of composite laminates containing a circular hole (El-Zein and Reifsnider), Spring, 24

Stress

On the prediction of tensile strength after impact of composite laminates (El-Zein and Reifsnider), Fall, 147

The strength prediction of composite laminates containing a circular hole (El-Zein and Reifsnider), Spring, 24

Sun, C. T.: *see* Zhou, S. G. and Sun, C. T.

T

Tensile strength

On the prediction of tensile strength after impact of composite laminates (El-Zein and Reifsnider), Fall, 147

The strength prediction of composite laminates containing a circular hole (El-Zein and Reifsnider), Spring, 24

Test methods: Polymer composite characterization for automotive structural applications (Lynn), Winter, 229

Tests: Postbuckling characteristics in delaminated kevlar/epoxy laminates: an experimental study (Kardomateas), Summer, 85

Thermoplastic composites: Effect of fiber treatment on the mechanical properties of hybrid fiber-reinforced polystyrene composites: I. Use of mica and wood pulp as hybrid filler (Maldas and Kokta), Winter, 217

Thery, S.: *see* Lu, J., Miege, B., Flavenot, J.-F., and Thery, S.

Thompson, D. M., Griffin, O. H., Jr., and Vidussoni, M. A.: Cross-ply laminates with holes in compression: straight free-edge stresses determined by two- to three-dimensional global/local finite element analysis, Winter, 209

Transverse loads

Fiber-matrix interface effects in the presence of thermally induced residual stress (Nimmer), Summer, 65

Study on the crushing response of cylindrical composite shells subjected to transverse loading (Chang and Kutlu), Winter, 239

U-Z

Ultrasonics: Correlations between ultrasonic waveforms and artificially implanted defects in composite materials (Schuster and Steiner), Spring, 52

Venkayya, V. B.: *see* Snyder, B. D., Burns, J. G., and Venkayya, V. B.

Vidussoni, M. A.: *see* Thompson, D. M., Griffin, O. H., Jr., and Vidussoni, M. A.

Wang, S. S.: *see* Chim, E. S.-M. and Wang, S. S.

Wang, T.-M.: *see* Daniel, I. M., Wang, T.-M., Karalekas, D., and Gotro J. T.

Warpage: Determination of chemical cure shrinkage in composite laminates (Daniel, Wang, Karalekas, and Gotro), Fall, 172

Weak interface: Fiber-matrix interface effects in the presence of thermally induced residual stress (Nimmer), Summer, 65

Wheeler, N. S.: Review of the nickel graphite interface, Fall, 177

Wilson, D. W.: Evaluation of the V-notched beam shear test through an interlaboratory study, Fall, 131

Wood pulp: Effect of fiber treatment on the mechanical properties of hybrid fiber-reinforced polystyrene composites: I. Use of mica and wood pulp as hybrid filler (Maldas and Kokta), Winter, 217

X-ray method: study on the effect of the surface treatment on the residual stress gradient in silicon carbide (SiC) reinforced aluminum metal matrix composites (Lu, Miege, Flavenot, and Thery), Winter, 232

Zhou, S. G. and Sun, C. T.: Failure analysis of composite laminates with free edge, Summer, 91