

Journal of Composites Technology & Research

Index to Volume 13

1991

Number	Issue	Pages
1	Spring	1-64
2	Summer	65-144
3	Fall	145-210
4	Winter	211-298

A

- Adams, D. F. and Odom, E. M.:** Influence of test fixture configuration on the measured compressive strength of a composite material, Spring, 36
- Aluminum matrix:** Comparison of some micromechanics models for discontinuously reinforced metal matrix composites (Johnson and Birt), Fall, 161
- Armanios, E. A.:** *see* Fortson, B. H. and Armanios, E. A.
- Arsenault, R. J.:** *see* Shi, N. and Arsenault, R. J.
- Asymmetric constitutive behavior:** Effect of thermal residual stresses on the asymmetric constitutive behavior of metal-matrix composites (Shi and Arsenault), Winter, 211

B

- Bankert, R. J.:** *see* Nimmer, R. P., Bankert, R. J., Russell, E. S., Smith, G. A., and Wright, P. K.
- Berglund, L.:** *see* Varna, J. and Berglund, L.
- Bimaterial interface:** Semi-infinite strip problem in the mechanics of composite materials (Kaw and Goree), Summer, 65
- Birt, M. J.:** *see* Johnson, W. S. and Birt, M. J.
- Bolted joints**
Effects of nonlinear intralaminar shear behavior on the modeling accuracy of $[(0/90)_3, 0]$, and $[(+45/-45)_3]$, pin-loaded laminates (Serabian), Winter, 236
Finite element analysis of mixed-mode fracture of bolted composite joints (Chiang and Rowland), Winter, 227

Book reviews

- Delaware Composites Design Encyclopedia: Volume 6/Test Methods* by Pipes et al. (Wolfe), Summer, 142
- Delamination in Advanced Composites* by Newaz (O'Brien), Fall, 191
- Manual on Experimental Methods for Mechanical Testing of Composites* by Pendleton and Tuttle (Johnson), Winter, 291

C

- Carbon/bismaleimide:** Degradation and failure modes of carbon/bismaleimide laminates subjected to a tropical environment (Underwood and Kapusta), Fall, 179
- Carbon/epoxy composites:** Influence of test fixture configuration on the measured compressive strength of a composite material (Adams and Odom), Spring, 36
- Chai, G. B. and Khong, P. W.:** Stability study of coupling responses in laminates, Fall, 187
- Chai, L.:** *see* Dharani, L. R. and Chai, L.
- Chamis, C. C.:** *see* Mital, S. K. and Chamis, C. C.
- Chan, W.:** Design approaches for edge delamination resistance in laminated composites, Summer, 91
- Chiang, Y. J. and Rowland, R. E.:** Finite element analysis of mixed-mode fracture of bolted composite joints, Winter, 227
Crack speed calculations for unidirectional laminae, Fall, 183
- Claus, R. O.:** *see* Murphy, K. A., Miller, M. S., Vengsarkar, A. M., and Claus, R. O.
- Compliance:** Multiple cracks in three-dimensional (3-D) unidirectional composites: compliance and energy release rates (Dharani and Chai), Winter, 257

- Composite structures:** Design approaches for edge delamination resistance in laminated composites (Chan), Summer, 91
- Compression testing:** Influence of test fixture configuration on the measured compressive strength of a composite material (Adams and Odom), Spring, 36
- Corrado, J. A.:** Composites for naval ship structures, Spring, 61
- Coupling responses:** Stability study of coupling responses in laminates (Chai and Khong), Fall, 187
- Crack speeds:** Crack speed calculations for unidirectional laminae (Chiang), Fall, 183
- Critical crack lengths:** Crack speed calculations for unidirectional laminae (Chiang), Fall, 183

D

- Daniel, I. M.:** *see* Gdoutos, E. E., Karalekas, D., and Daniel, I. M.
- Delamination**
Damage processes in a quasi-isotropic composite short beam under three-point

loading (Fortson and Armanios), Winter, 249

Split cantilever beam test for characterizing Mode III interlaminar fracture toughness (Donaldson, Mall, and Lingg), Spring, 41

Delamination initiation criteria: Edge delamination of $(\pm 0_m/90_{n/2})_s$ laminates subjected to tensile loading (Sandhu and Sendekyj), Summer, 78

Delamination moment coefficient: Edge delamination of $(\pm 0_m/90_{n/2})_s$ laminates subjected to tensile loading (Sandhu and Sendekyj), Summer, 78

Delamination resistance: Design approaches for edge delamination resistance in laminated composites (Chan), Summer, 91

Design approaches: Design approaches for edge delamination resistance in laminated composites (Chan), Summer, 91

Dharani, L. R. and Chai, L.: Multiple cracks in three-dimensional (3-D) unidirectional composites: compliance and energy release rates, Winter, 257

Donaldson, S. L., Mall, S., and Lingg, C.: Split cantilever beam test for characterizing Mode III interlaminar fracture toughness, Spring, 41

Drzal, L. T.: *see* Waterbury, M. C. and Drzal, L. T.

E

Edge delamination

Delamination growth in a laminate with a postbuckled edge delamination (Whitcomb), Fall, 175

Edge delamination of $(\pm 0_m/90_{n/2})_s$ laminates subjected to tensile loading (Sandhu and Sendekyj), Summer, 78

Elasticity: Semi-infinite strip problem in the mechanics of composite materials (Kaw and Goree), Summer, 65

Elastoplastic analysis: Micromechanical analysis of filamentary metal matrix composites under longitudinal loading (Gdoutos, Karalekas, and Daniel), Fall, 168

Elliptical core fibers: Elliptical-core, dual-mode, optical fiber strain and vibration sensors for composite material laminates (Murphy, Miller, Vengsarkar, and Claus), Spring, 29

Energy release rate: Multiple cracks in three-dimensional (3-D) unidirectional composites: compliance and energy release rates (Dharani and Chai), Winter, 257

F

- Failure analysis:** Damage processes in a quasi-isotropic composite short beam under three-point loading (Fortson and Armanios), Winter, 249
- Failure characteristics:** Study of failure characteristics in thermoplastic composite material at 250°F (121°C) (Fisher, Palazotto, and Sandhu), Fall, 152
- Failure mechanisms:** Degradation and failure modes of carbon/bismaleimide laminates subjected to a tropical environment (Underwood and Kapusta), Fall, 179
- Fiber optic sensors:** Elliptical-core, dual-mode, optical fiber strain and vibration sensors for composite material laminates (Murphy, Miller, Vengsarkar, and Claus), Spring, 29

Fibers

- Fiber pushout test: a three-dimensional finite element computational simulation (Mital and Chamis), Spring, 14
- On the determination of fiber strength by in-situ fiber strength testing (Waterbury and Drzal), Spring, 22

Finite element analysis

- Damage processes in a quasi-isotropic composite short beam under three-point loading (Fortson and Armanios), Winter, 249
- Delamination growth in a laminate with a postbuckled edge delamination (Whitcomb), Fall, 175
- Effects of nonlinear intralaminar shear behavior on the modeling accuracy of $[(0/90)_3,0]_s$ and $[(+45/-45)_3]_s$ pin-loaded laminates (Serabian), Winter, 236
- Finite element analysis of mixed-mode fracture of bolted composite joints (Chiang and Rowland), Winter, 227

- Finite strip:** Stability study of coupling responses in laminates (Chai and Khong), Fall, 187

- Fire exposure:** Thermal response of fire-exposed composites (Milke and Vizzini), Fall, 145

- Fisher, J. M., Palazotto, A. N., and Sandhu, R. S.:** Study of failure characteristics in thermoplastic composite material at 250°F (121°C), Fall, 152

- Fortson, B. H. and Armanios, E. A.:** Damage processes in a quasi-isotropic composite short beam under three-point loading, Winter, 249

Fractography

- Damage processes in a quasi-isotropic composite short beam under three-point loading (Fortson and Armanios), Winter, 249
- Split cantilever beam test for characterizing Mode III interlaminar fracture toughness (Donaldson, Mall, and Lingg), Spring, 41

- Fracture mechanics:** Delamination growth in a laminate with a postbuckled edge delamination (Whitcomb), Fall, 175

G-H

- Gdoutos, E. E., Karalekas, D., and Daniel, I. M.:** Micromechanical analysis of filamentary metal matrix composites under longitudinal loading, Fall, 168
- Goree, J. G.:** *see* Kaw, A. K. and Goree, J. G.

Graphite-epoxy laminates

- Edge delamination of $(\pm 0_m/90_{n,2})_s$ laminates subjected to tensile loading (Sandhu and Sendekyj), Summer, 78
- Thermal response of fire-exposed composites (Milke and Vizzini), Fall, 145
- Guest commentary:** Composites for naval ship structures (Corrado), Spring, 61
- Heat transfer:** Thermal response of fire-exposed composites (Milke and Vizzini), Fall, 145
- High-temperature testing:** Study of failure characteristics in thermoplastic composite material at 250°F (121°C) (Fisher, Palazotto, and Sandhu), Fall, 152
- Hosur, M. V.: *see* Naik, N. K., Shembekar, P. S., and Hosur, M. V.

I

- In situ:** On the determination of fiber strength by in-situ fiber strength testing (Waterbury and Drzal), Spring, 22

Interface strength

- Fiber pushout test: a three-dimensional finite element computational simulation (Mital and Chamis), Spring, 14
- Micromechanical modeling of fiber/matrix interface effects in transversely loaded SiC/Ti-6-4 metal matrix composites (Nimmer, Bankert, Russell, Smith, and Wright), Spring, 3
- Interlaminar fracture:** Split cantilever beam test for characterizing Mode III interlaminar fracture toughness (Donaldson, Mall, and Lingg), Spring, 41
- Interphase:** Fiber pushout test: a three-dimensional finite element computational simulation (Mital and Chamis), Spring, 14

J-K

- Johnson, W. S. and Birt, M. J.:** Comparison of some micromechanics models for discontinuously reinforced metal matrix composites, Fall, 161
- Review of *Manual on Experimental Methods for Mechanical Testing of Composites* by Pendleton and Tuttle, Winter, 291
- Kapusta, A. A.:** *see* Underwood, J. H. and Kapusta, A. A.
- Karalekas, D.:** *see* Gdoutos, E. E., Karalekas, D., and Daniel, I. M.
- Kaw, A. K. and Goree, J. G.:** Semi-infinite strip problem in the mechanics of composite materials, Summer, 65
- Khong, P. W.:** *see* Chai, G. B. and Khong, P. W.
- Kinetic energy:** Crack speed calculations for unidirectional laminae (Chiang), Fall, 183

L

Laminates

- Degradation and failure modes of carbon/bismaleimide laminates subjected to a tropical environment (Underwood and Kapusta), Fall, 179
- Delamination growth in a laminate with a postbuckled edge delamination (Whitcomb), Fall, 175

- Elliptical-core, dual-mode, optical fiber strain and vibration sensors for composite material laminates (Murphy, Miller, Vengsarkar, and Claus), Spring, 29
- Multiple transverse cracking and stiffness reduction in cross-ply laminates (Varna and Berglund), Summer, 97
- Stability study of coupling responses in laminates (Chai and Khong), Fall, 187
- Length strength:** On the determination of fiber strength by in-situ fiber strength testing (Waterbury and Drzal), Spring, 22
- Linear elastic fracture mechanics:** Multiple transverse cracking and stiffness reduction in cross-ply laminates (Varna and Berglund), Summer, 97
- Lingg, C.: *see* Donaldson, S. L., Mall, S., and Lingg, C.

M

- Mall, S.: *see* Donaldson, S. L., Mall, S., and Lingg, C.
- Mechanical joints:** Finite element analysis of mixed-mode fracture of bolted composite joints (Chiang and Rowland), Winter, 227
- Metal-matrix composites**
- Micromechanical analysis of filamentary metal matrix composites under longitudinal loading (Gdoutos, Karalekas, and Daniel), Fall, 168
- Micromechanical modeling of fiber/matrix interface effects in transversely loaded SiC/Ti-6-4 metal matrix composites (Nimmer, Bankert, Russell, Smith, and Wright), Spring, 3
- Micromechanics:** Micromechanical analysis of filamentary metal matrix composites under longitudinal loading (Gdoutos, Karalekas, and Daniel), Fall, 168
- Microstructure:** Comparison of some micromechanics models for discontinuously reinforced metal matrix composites (Johnson and Birt), Fall, 161
- Milke, J. A. and Vizzini, A. J.:** Thermal response of fire-exposed composites, Fall, 145
- Miller, M. S.:** *see* Murphy, K. A., Miller, M. S., Vengsarkar, A. M., and Claus, R. O.
- Mital, S. K. and Chamis, C. C.:** Fiber pushout test: a three-dimensional finite element computational simulation, Spring, 14
- Mode III:** Split cantilever beam test for characterizing Mode III interlaminar fracture toughness (Donaldson, Mall, and Lingg), Spring, 41
- Multiple cracks:** Multiple cracks in three-dimensional (3-D) unidirectional composites: compliance and energy release rates (Dharani and Chai), Winter, 257
- Murphy, K. A., Miller, M. S., Vengsarkar, A. M., and Claus, R. O.:** Elliptical-core, dual-mode, optical fiber strain and vibration sensors for composite material laminates, Spring, 29

N-O

- Naik, N. K., Shembekar, P. S., and Hosur, M. V.:** Failure behavior of woven fabric composites, Summer, 107

- Nimmer, R. P., Bankert, R. J., Russell, E. S., Smith, G. A., and Wright, P. K.:** Micromechanical modeling of fiber/matrix interface effects in transversely loaded SiC/Ti-6-4 metal matrix composites, Spring, 3
- Nonlinear materials:** Effects of nonlinear intralaminar shear behavior on the modeling accuracy of $[(0/90)_3,0]_s$ and $[(+45/-45)]_{3s}$ pin-loaded laminates (Serabian), Winter, 236
- O'Brien, T. K.:** Review of *Delamination in Advanced Composites* by Newaz, Fall, 191
- Odum, E. M.:** see Adams, D. F. and Odum, E. M.
- Off-axis:** Failure behavior of woven fabric composites (Naik, Shembekar, and Hosur), Summer, 107
- P-R**
- Palazotto, A. N.: see Fisher, J. M., Palazotto, A. N., and Sandhu, R. S.
- Pushout:** Fiber pushout test: a three-dimensional finite element computational simulation (Mital and Chamis), Spring, 14
- Pushthrough:** Fiber pushout test: a three-dimensional finite element computational simulation (Mital and Chamis), Spring, 14
- Reorientation:** Failure behavior of woven fabric composites (Naik, Shembekar, and Hosur), Summer, 107
- Residual stress**
Effect of thermal residual stresses on the asymmetric constitutive behavior of metal-matrix composites (Shi and Arsenault), Winter, 211
Micromechanical modeling of fiber/matrix interface effects in transversely loaded SiC/Ti-6-4 metal matrix composites (Nimmer, Bankert, Russell, Smith, and Wright), Spring, 3
- Rowland, R. E.: see Chiang, Y. J. and Rowland, R. E.
- Russell, E. S.: see Nimmer, R. P., Bankert, R. J., Russell, E. S., Smith, G. A., and Wright, P. K.
- S**
- Sandhu, R. S. and Sendekyj, G. P.:** Edge delamination of $(\pm 0_m/90_{n/2})_s$ laminates subjected to tensile loading, Summer, 78
see Fisher, J. M., Palazotto, A. N., and Sandhu, R. S.
- Scanning electron microscopy:** Degradation and failure modes of carbon/bismaleimide laminates subjected to a tropical environment (Underwood and Kapusta), Fall, 179
- Semi-infinite strip:** Semi-infinite strip problem in the mechanics of composite materials (Kaw and Goree), Summer, 65
- Sendekyj, G. P.: see Sandhu, R. S. and Sendekyj, G. P.
- Serabian, S. M.:** Effects of nonlinear intralaminar shear behavior on the modeling accuracy of $[(0/90)_3,0]_s$ and $[(+45/-45)]_{3s}$ pin-loaded laminates, Winter, 236
- Shembekar, P. S.: see Naik, N. K., Shembekar, P. S., and Hosur, M. V.
- Shi, N. and Arsenault, R. J.:** Effect of thermal residual stresses on the asymmetric constitutive behavior of metal-matrix composites, Winter, 221
- Silicon carbide/aluminum:** Micromechanical analysis of filamentary metal matrix composites under longitudinal loading (Gdoutos, Karalekas, and Daniel), Fall, 168
- Silicon-carbide particulate:** Comparison of some micromechanics models for discontinuously reinforced metal matrix composites (Johnson and Birt), Fall, 161
- Silicon-carbide whiskers:** Comparison of some micromechanics models for discontinuously reinforced metal matrix composites (Johnson and Birt), Fall, 161
- Smith, G. A.: see Nimmer, R. P., Bankert, R. J., Russell, E. S., Smith, G. A., and Wright, P. K.
- Stability:** Stability study of coupling responses in laminates (Chai and Khong), Fall, 187
- Stereo X-rays:** Study of failure characteristics in thermoplastic composite material at 250°F (121°C) (Fisher, Palazotto, and Sandhu), Fall, 152
- Stiffness reduction:** Multiple transverse cracking and stiffness reduction in cross-ply laminates (Varna and Berglund), Summer, 97
- Strength testing:** On the determination of fiber strength by in-situ fiber strength testing (Waterbury and Drzal), Spring, 22
- Stress intensity factors:** Finite element analysis of mixed-mode fracture of bolted composite joints (Chiang and Rowland), Winter, 227
- T**
- Test fixtures:** Influence of test fixture configuration on the measured compressive strength of a composite material (Adams and Odum), Spring, 36
- Thermal conductivity:** Thermal response of fire-exposed composites (Milke and Vizzini), Fall, 145
- Thermoplastics:** Study of failure characteristics in thermoplastic composite material at 250°F (121°C) (Fisher, Palazotto, and Sandhu), Fall, 152
- Titanium silicon carbide:** Micromechanical modeling of fiber/matrix interface effects in transversely loaded SiC/Ti-6-4 metal matrix composites (Nimmer, Bankert, Russell, Smith, and Wright), Spring, 3
- Transverse cracking:** Multiple transverse cracking and stiffness reduction in cross-ply laminates (Varna and Berglund), Summer, 97
- U-V**
- Unbalanced plain weave:** Failure behavior of woven fabric composites (Naik, Shembekar, and Hosur), Summer, 107
- Underwood, J. H. and Kapusta, A. A.:** Degradation and failure modes of carbon/bismaleimide laminates subjected to a tropical environment, Fall, 179
- Unidirectional composites**
Influence of test fixture configuration on the measured compressive strength of a composite material (Adams and Odum), Spring, 36
Multiple cracks in three-dimensional (3-D) unidirectional composites: compliance and energy release rates (Dharani and Chai), Winter, 257
- Unidirectional laminates:** Crack speed calculations for unidirectional laminae (Chiang), Fall, 183
- Varna, J. and Berglund, L.:** Multiple transverse cracking and stiffness reduction in cross-ply laminates, Summer, 97
- Vengsarkar, A. M.: see Murphy, K. A., Miller, M. S., Vengsarkar, A. M., and Claus, R. O.
- Vizzini, A. J.: see Milke, J. A. and Vizzini, A. J.
- W**
- Waterbury, M. C. and Drzal, L. T.:** On the determination of fiber strengths by in-situ fiber strength testing, Spring, 22
- Wave-propagation speeds:** Crack speed calculations for unidirectional laminae (Chiang), Fall, 183
- Whisker-reinforced metal-matrix composites:** Effect of thermal residual stresses on the asymmetric constitutive behavior of metal-matrix composites (Shi and Arsenault), Winter, 211
- Whitcomb, J. D.:** Delamination growth in a laminate with a postbuckled edge delamination, Fall, 175
- Wolfe, W. E.:** Review of *Delaware Composites Design Encyclopedia: Volume 6/ Test Methods* by Pipes et al., Summer, 142
- Woven fabrics:** Failure behavior of woven fabric composites (Naik, Shembekar, and Hosur), Summer, 107
- Wright, P. K.: see Nimmer, R. P., Bankert, R. J., Russell, E. S., Smith, G. A., and Wright, P. K.