

Journal of Composites Technology & Research

Index to Volume 10

1988

Number	Issue	Pages
1	Spring	1-32
2	Summer	33-92
3	Fall	93-132
4	Winter	133-196

A

- Abbott, R.:** *see* Kassapoglou, C., Jonas, P. J., and Abbott, R.
- Abdallah, M. G.:** *see* Gascoigne, H. E., Abdallah, M. G., Nuismer, R. J.
- Absorption:** Water absorption of resins and composites: IV. water transport in fiber reinforced plastics (Woo and Piggott), Spring, 20
- Aiello, R. A.:** *see* Chamis, C. C., Aiello, R. A., and Murthy, P. L. N.
- Alper, J. M.:** *see* Gause, L. W. and Alper, J. M.
- Anisotropic solution:** Evaluation of G_{IC} of a DCB specimen using an anisotropic solution (El-Zein and Reifsnider), Winter, 151

B

- Bakis, C. E.:** *see* Razvan, A., Bakis, C. E., Wagnez, L., and Reifsnider, K. L.
- Buckling:** Buckling of a damaged sublaminar in an impacted laminate (Marshall, Sandorff, and Lauraitis), Fall, 107

C

- Chamis, C. C., Aiello, R. A., and Murthy, P. L. N.:** Fiber composite sandwich thermostructural behavior: computational simulation, Fall, 93
- Chang, C.-C., Sandhu, R. S., Sierakowski, R. L., and Wolfe, W. E.:** Continuous strain finite-element analysis of free-edge effect in laminated composite specimens, Summer, 54
- Chang, D. J.:** *see* Kao, W. H. and Chang, D. J.
- Compliance calibration:** A one specimen Mode I delamination test for composite materials (Rosensaft and Marom), Fall, 114
- Composite strength:** The strength of laminated composite materials under repeated impact loading (Rotem), Summer, 74

Compression

- Braided to net section graphite/epoxy composite shapes (Gause and Alper), Summer, 33
- Compressive fatigue and static properties of a unidirectional graphite/epoxy composite (Lifshitz), Fall, 100

Compressive strain: A rugged optical fiber interferometer for strain measurements inside a composite material laminate (Murphy and Duke), Spring, 11

Compressive strength: Compressive strength and mode of failure of 8H Celion 3000/PMR15 woven composite material (Reifsnider and Mirzadeh), Winter, 156

Continuous strain model: Continuous strain finite-element analysis of free-edge effect in laminated composite specimens (Chang, Sandhu, Sierakowski, and Wolfe), Summer, 54

Corrugation: Development of SiC reinforced titanium corrugated structures (Kao and Chang), Summer, 47

Crane, S. T.: *see* Wolff, E. G. and Crane, S. T.

Creep: Prediction of the microyield strength of polymer matrix composites (Wolff and Crane), Winter, 165

Cutting: The effect of cutting speed and width on interlaminar tensile strength of graphite/epoxy composite material (Sadat), Winter, 173

D

Damage: Influence of cyclic load amplitude on damage accumulation and fracture of composite laminates (Razvan, Bakis, Wagnez, and Reifsnider), Spring, 3

Delamination

Buckling of a damaged sublaminar in an impacted laminate (Marshall, Sandorff, and Lauraitis), Fall, 107

Compressive strength of composite sandwich panels after impact damage: an experimental and analytical study (Kassapoglou, Jonas, and Abbott), Summer, 65

Evaluation of G_{IC} of a DCB specimen using an anisotropic solution (El-Zein and Reifsnider), Winter, 151

A one specimen Mode I delamination test for composite materials (Rosensaft and Marom), Fall, 114

Strain energy release rate analysis of the end-notched flexure specimen using the

finite-element method (Salpekar, Raju, and O'Brien), Winter, 133

Double cantilever beam specimen: Evaluation of G_{IC} of a DCB specimen using an anisotropic solution (El-Zein and Reifsnider), Winter, 151

Duke, J. C., Jr.: *see* Murphy, K. and Duke, J. C., Jr.

E

El-Zein, M. S. and Reifsnider, K. L.: Evaluation of G_{IC} of a DCB specimen using an anisotropic solution, Winter, 151

Equivalent properties: Fiber composite sandwich thermostructural behavior: computational simulation (Chamis, Aiello, and Murthy), Fall, 93

F

Fabric-reinforced composites: A one specimen Mode I delamination test for composite materials (Rosensaft and Marom), Fall, 114

Failure: Compressive strength and mode of failure of 8H Celion 3000/PMR15 woven composite material (Reifsnider and Mirzadeh), Winter, 156

Fatigue

Compressive fatigue and static properties of unidirectional graphite/epoxy composite (Lifshitz), Fall, 100

Influence of cyclic load amplitude on damage accumulation and fracture of composite laminates (Razvan, Bakis, Wagnez, and Reifsnider), Spring, 3

Fiber composites

Water absorption of resins and composites: III. water distribution as indicated by capacitance measurement (Woo and Piggott), Spring, 16

Water absorption of resins and composites: IV. Water transport in fiber reinforced plastics (Woo and Piggott), Spring, 20

Fiber optics: A rugged optical fiber interferometer for strain measurements inside a composite material laminate (Murphy and Duke), Spring, 11

Finite-element analysis

Continuous strain finite-element analysis of free-edge effect in laminated composite specimens (Chang, Sandhu, Sierakowski, and Wolfe), Summer, 54

Strain energy release rate analysis of the end-notched flexure specimen using the

Finite-element analysis (*cont.*)

finite-element method (Salpekar, Raju, and O'Brien), Winter, 133

Flexure: Strain energy release rate analysis of the end-notched flexure specimen using the finite-element method (Salpekar, Raju, and O'Brien), Winter, 133

G-H

Gascoigne, H. E., Abdallah, M. G., Nuismer, R. J.: Strain measurement in thick-walled composite rocket motor case coupons using moire interferometry, Fall, 118

Gause, L. W. and Alper, J. M.: Braided to net section graphite/epoxy composite shapes, Summer, 33

Graphite/epoxy

Braided to net section graphite/epoxy composite shapes (Gause and Alper), Spring, 33

Compressive fatigue and static properties of a unidirectional graphite/epoxy composite (Lifshitz), Fall, 100

Honeycomb core: Fiber composite sandwich thermostructural behavior: computational simulation (Chamis, Aiello, and Murthy), Fall, 93

I

Impact

Compressive strength of composite sandwich panels after impact damage: an experimental and analytical study (Kassapoglou, Jonas, and Abbott), Summer, 65

The strength of laminated composite materials under repeated impact loading (Rotem), Summer, 74

Impact damage: Compressive strength of composite sandwich panels after impact damage: an experimental and analytical study (Kassapoglou, Jonas, and Abbott), Summer, 65

Impacted laminate: Buckling of a damaged sublaminar in an impacted laminate (Marshall, Sandorff, and Lauraitis), Fall, 107

Interferometers: A rugged optical fiber interferometer for strain measurements inside a composite material laminate (Murphy and Duke), Spring, 11

Isolators: Composites in shock and vibration isolation (Ray), Fall, 125

J-L

Jonas, P. J.: *see* Kassapoglou, C., Jonas, P. J., and Abbott, R.

Kao, W. H. and Chang, D. J.: Development of SiC reinforced titanium corrugated structures, Summer, 47

Kassapoglou, C., Jonas, P. J., and Abbott, R.: Compressive strength of composite sandwich panels after impact damage: an experimental and analytical study, Summer, 65

Laminates

Continuous strain finite-element analysis of free-edge effect in laminated composite specimens (Chang, Sandhu, Sierakowski, and Wolfe), Summer, 54

Influence of cyclic load amplitude on damage accumulation and fracture of com-
posite laminates (Razvan, Bakis, Wagnez, and Reifsnider), Spring, 3

Lauraitis, K. N.: *see* Marshall, R. D., Sandorff, P. E., and Lauraitis, K. N.

Lifshitz, J. M.

Compressive fatigue and static properties of a unidirectional graphite/epoxy composite, Fall, 100

Determination of nonlinear shear modulus of a fiber-reinforced lamina from the axial behavior of (45)_s specimens, Winter, 146

Linear viscoelasticity: Prediction of the microyield strength of polymer matrix composites (Wolff and Crane), Winter, 165

M

Machining: The effect of cutting speed and width on interlaminar tensile strength of graphite/epoxy composite material (Sadat), Winter, 173

Marom, G. and Rosensaft, M.: A one specimen Mode I delamination test for composite materials, Fall, 114

Marshall, R. D., Sandorff, P. E., and Lauraitis, K. N.: Buckling of a damaged sublaminar in an impacted laminate, Fall, 107

Microyield: Prediction of the microyield strength of polymer matrix composites (Wolff and Crane), Winter, 165

Mirzadeh, F.: *see* Reifsnider, K. L. and Mirzadeh, F.

Moire interferometry: Strain measurement in thick-walled composite rocket motor case coupons using moire interferometry (Gascoigne, Abdallah, and Nuismer), Fall, 118

Murphy, K. and Duke, J. C., Jr.: A rugged optical fiber interferometer for strain measurements inside a composite material laminate, Spring, 11

Murthy, P. L. N.: *see* Chamis, C. C., Aiello, R. A., and Murthy, P. L. N.

N-P

Nonlinear shear modulus: Determination of nonlinear shear modulus of a fiber-reinforced lamina from the axial behavior of (±45)_s specimens (Lifshitz) Winter, 146

Nuismer, R. J.: *see* Gascoigne, H. E., Abdallah, M. G., and Nuismer, R. J.

O'Brien, T. K.: *see* Salpekar, S. A., Raju, I. S., and O'Brien, T. K.

Piggott, M. R.: *see* Woo, M. and Piggott, M. R.

R

Ray, H.: Composites in shock and vibration isolation, Fall, 125

Raju, I. S.: *see* Salpekar, S. A., Raju, I. S., and O'Brien, T. K.

Razvan, A., Bakis, C. E., Wagnez, L., and Reifsnider, K. L.: Influence of cyclic load amplitude on damage accumulation and fracture of composite laminates, Spring, 3

Reifsnider, K. L.

see El-Zein, M. S. and Reifsnider, K. L.

see Razvan, A., Bakis, C. E., Wagnez, L., and Reifsnider, K. L.

Reifsnider, K. L. and Mirzadeh, F.: Compressive strength and mode of failure of 8H Celion 3000/PMR15 woven composite material, Winter, 156

Repeated impact: The strength of laminated composite materials under repeated impact loading (Rotem), Summer, 74

Rosensaft, M. and Marom, G.: A one specimen Mode I delamination test for composite materials, Fall, 114

Rotem, A.: The strength of laminated composite materials under repeated impact loading, Summer, 74

S

Sadat, A. B.: The effect of cutting speed and width on interlaminar tensile strength of graphite/epoxy composite material, Winter, 173

Salpekar, S. A., Raju, I. S., and O'Brien, T. K. O.: Strain energy release rate analysis of the end-notched flexure specimen using the finite-element method, Winter, 133

Sandhu, R. S.: *see* Chang, C.-C., Sandhu, R. S., Sierakowski, R. L., and Wolfe, W. E.

Sandorff, P. E.: *see* Marshall, R. D., Sandorff, P. E., and Lauraitis, K. N.

Sawing: The effect of cutting speed and width on interlaminar tensile strength of graphite/epoxy composite material (Sadat), Winter, 173

Shear modulus: Determination of nonlinear shear modulus of a fiber-reinforced lamina from the axial behavior of (±45)_s specimens (Lifshitz), Winter, 146

Shear strain: Determination of nonlinear shear modulus of a fiber-reinforced lamina from the axial behavior of (±45)_s specimens (Lifshitz), Winter, 146

Shock: Composites in shock and vibration isolation (Ray), Fall, 125

Sierakowski, R.: *see* Chang, C.-C., Sandhu, R. S., Sierakowski, R. L., and Wolfe, W. E.

Silicon carbide: Development of SiC reinforced titanium corrugated structures (Kao and Chang), Summer, 47

Space shuttle: Strain measurement in thick-walled composite rocket motor case coupons using moire interferometry (Gascoigne, Abdallah, and Nuismer), Fall, 118

Strain measurement: Strain measurement in thick-walled composite rocket motor case coupons using moire interferometry (Gascoigne, Abdallah, and Nuismer), Fall, 118

T

Three-dimensionless element: Fiber composite sandwich thermostructural behavior: computational simulation (Chamis, Aiello, and Murthy), Fall, 93

Three-dimensionless fabrics: Braided to net section graphite/epoxy composite shapes (Gause and Alper), Spring, 33

Titanium: Development of SiC reinforced titanium corrugated structures (Kao and Chang), Summer, 47

U-Z

Vibration: Composites in shock and vibration isolation (Ray), 125

Wagnez, L.: *see* Razvan, A., Bakis, C. E., Wagnez, L., and Reifsnider, K. L.

Water absorption: Water absorption of resins and composites: III. water distribution as

- indicated by capacitance measurement (Woo and Piggott), Spring, 16
- Water diffusion**
- Water absorption of resins and composites:
- III. water distribution as indicated by capacitance measurement (Woo and Piggott), Spring, 16
 - IV. water transport in fiber reinforced plastics (Woo and Piggott), Spring, 20
- Wolfe, W. E.:** *see* Chang, C.-C., Sandhu, R. S., Sierakowski, R. L., and Wolfe, W. E.
- Wolff, E. G. and Crane, S. T.:** Prediction of the microyield strength of polymer matrix composites, Winter, 165
- Woo, M. and Piggott, M. R.**
- Water absorption of resins and composites:
- III. water distribution as indicated by capacitance measurement, Spring, 16
- Water absorption of resins and composites:
- IV. water transport in fiber reinforced plastics, Spring, 20
- Woven composite panels:** Compressive strength and mode of failure of 8H Celion 2000/PMR15 woven composite material (Reifsnider and Mirzadeh), Winter, 156