

Journal of Composites Technology & Research

Author Index

Volume 17, 1995

| Number | Issue | Pages |
|--------|---------|---------|
| 1 | January | 1-76 |
| 2 | April | 77-182 |
| 3 | July | 183-282 |
| 4 | October | 283-394 |

A-B

Abdel-Jawad, YA: *see* Abu-Farsakh, G and Abdel-Jawad, YA

Abu-Farsakh, G and Abdel-Jawad, YA: Modes of failure of fibrous composite materials as affected by the orientation-angle of fiber, April, 90

Adams, DF and Lewis, EQ: Experimental study of three- and four-point shear test specimens, Oct., 341
see Xie, M and Adams, DF

Amateau, MF: *see* Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP

Bakis, CE: *see* Walsh, TF and Bakis, CE

C

Cappelletti, C, Rivolta, A, and Zaffaroni, G: Environmental effects on mechanical properties of thick composite structural elements, April, 107

Carman, GP and Sendeckyj, GP: Review of the mechanics of embedded optical sensors, July, 183

Ceretti, M: *see* Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A

Chapman, D: *see* Gowayed, Y, Hwang, J-C, and Chapman, D

Chou, JC: *see* Kassapoglou, C, Fantle, SC, and Chou, JC

Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR: Failure criterion for thick multifastener graphite-epoxy composite joints, July, 237

Toombes, YT, Johnson, AK, and Hansen, MF: Pressurized ring test for composite pressure vessel hoop strength and stiffness evaluation, Oct., 331

Conant, NR and Odom, EM: Improved Iosipescu shear test fixture, Jan., 50

Curtis, PT: *see* Fleck, NA, Jelf, PM, and Curtis, PT

E-F

Eckel, DA, II: *see* Karbhari, VM and Eckel, DA, II

Fantle, SC: *see* Kassapoglou, C, Fantle, SC, and Chou, JC

Feldman, M: *see* Gates, TS and Feldman, M

Fernlund, G, Lanting, H, and Spelt, JK: Mixed Mode II-Mode III fracture of adhesive joints, Oct., 317

Fleck, NA, Jelf, PM, and Curtis, PT: Compressive failure of laminated and woven composites, July, 212

G

Gates, TS and Feldman, M: Time-dependent behavior of a graphite/thermoplastic composite and the effects of stress and physical aging, Jan., 33

Gowayed, Y

Hwang, J-C, and Chapman, D: Thermal conductivity of textile composites with arbitrary preform structures, Jan., 56
see Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D

Griffin, OH: *see* Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR

Guess, TR, Reedy, ED, Jr., and Slavin, AM: Testing composite-to-metal tubular lap joints, April, 117

H

Hamada, H, Haruna, K, and Maekawa, Z-I: Effects of stacking sequences on mechanically fastened joint strength in quasi-isotropic carbon-epoxy laminates, July, 249

Hansen, MF: *see* Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF

Haruna, K: *see* Hamada, H, Haruna, K, and Maekawa, Z-I

Henneke, EG, II: *see* Tiwari, A, Henneke, EG, II, and Reifsnider, KL

Herrmann, DJ: *see* Ward GT, Herrmann, DJ, and Hillberry, BM

Hietala, HJ: *see* Schulz, KC, Hietala, HJ, and Packman, PE

Hillberry, BM: *see* Ward GT, Herrmann, DJ, and Hillberry, BM

Hinkley, JA: *see* Wilkinson, S and Hinkley, JA

Hoa, SV: Biaxial bearing/bypass testing of graphite/epoxy plates, April, 125

Hyer, MW: *see* Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR

I-J

Ifju, PG: Shear testing of textile composite materials, July, 199

Jayaraman, N: *see* Rangaswamy, P and Jayaraman, N

Jelf, PM: *see* Fleck, NA, Jelf, PM, and Curtis, PT

Johnson, AK: *see* Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF

K

Karasek, ML

see Koudela, KI, Sabo, J, Strait, LH, and Karasek, ML

Strait, LH, Amateau, MF, and Runt, JP: Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part I—impact energy absorption, Jan., 3

Strait, LH, Amateau, MF, and Runt, JP: Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part II—impact damage, Jan., 11

Karbhari, VM and Eckel, DA, II: Effects of short-term environmental exposure on axial strengthening capacity of composite jacketed concrete, April, 99

Kassapoglou, C, Fantle, SC, and Chou, JC: Wrinkling of composite sandwich structures under compression, Oct., 308

Kong, X: *see* Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D

Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML: Novel joining method for smooth-bore composite pressure hulls, April, 134

L

Lanting, H: *see* Fernlund, G, Lanting, H, and Spelt, JK

Lashmore, DS: *see* Wheeler, NS and Lashmore, DS

Lewis, EQ: *see* Adams, DF and Lewis, EQ

Li, J

Lu, J, Perrin, M, Ceretti, M, and Lodini, A: Study of the residual stress in cold-rolled 7075 Al-SiC whisker-reinforced composites by X-ray and neutron diffraction, July, 194
see Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D

Lodini, A: *see* Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A

Lu, J: *see* Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A

M

Maekawa, Z-I: *see* Hamada, H, Haruna, K, and Maekawa, Z-I

Masters, JE:

Introduction to symposium on bolted and bonded joints in composite materials, April, 115

Introduction to symposium on bolted and bonded joints in composite materials, July, 235

Moidu, AK, Sinclair, AN, and Spelt, JK: Analysis of the peel test: prediction of adherend plastic dissipation and extraction of fracture energy in metal-to-metal adhesive joints, Oct., 241

O-P

Odom, EM: *see* Conant, NR and Odom, EM

Packman, PF: *see* Schulz, KC, Hietala, HJ, and Packman, PE

Perrin, M: *see* Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A

Prasad, C: *see* Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR

R

Rangaswamy, P and Jayaraman, N: Residual stresses in SCS-6/beta-21S composites, Jan., 43

Reedy, ED, Jr.: *see* Guess, TR, Reedy, ED, Jr., and Slavin, AM

Reifsnider, KL:

see Subramanian, S, Reifsnider, KL, and Stinchcomb, WW

see Tiwari, A, Henneke, EG, II, and Reifsnider, KL

Rivolta, A: *see* Cappelletti, C, Rivolta, A, and Zaffaroni, G

Rufin, AC: Fastener hole reinforcement in composite using cold-expanded inserts, April, 145

Runt, JP: *see* Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP

S

Sabo, J: *see* Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML

Saidha, L: *see* Jeknavorian, AA, Chin, D, and Saidha, L

Schulz, KC, Hietala, HJ, and Packman, PF: Statistical analysis of bushing, sleeve, and oversize hole effects on the bolted joint strength of graphite/epoxy laminates, Jan., 17

Sendeckyj, GP: *see* Carman, GP and Sendeckyj, GP

Shuart, MJ: *see* Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR

Shyprykevich, P: Characterization of bolted joint behavior: MIL-HDBK-17 accomplishments at standardization, July, 260

Sinclair, AN: *see* Moidu, AK, Sinclair, AN, and Spelt, JK

Slavin, AM: *see* Guess, TR, Reedy, ED, Jr., and Slavin, AM

Spelt, JK: *see* Fernlund, G, Lanting, H, and Spelt, JK

Stinchcomb, WW: *see* Subramanian, S, Reifsnider, KL, and Stinchcomb, WW

Strait, LH:

see Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP

see Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML

Subramanian, S, Reifsnider, KL, and Stinchcomb, WW: Tensile strength of unidirectional composites: the role of efficiency and strength of fiber-matrix interface, Oct., 289

T-W

Tiwari, A, Henneke, EG, II, and Reifsnider, KL: Damage characterization of a cross-ply SiC/CAS-II ceramic composite under fatigue loading using a real-time acousto-ultrasonic NDE technique, July, 221

Toombes, YT: *see* Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF

Walsh, TF and Bakis, CE: Effect of high-temperature degradation on the Mode I critical strain energy release rate of a graphite/epoxy composite, July, 228

Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao: Properties and analysis of composites reinforced with E-glass weft-knitted fabrics, Oct., 283

Ward, GT, Herrmann, DJ, and Hillberry, BM: Fatigue-life behavior and matrix fatigue crack spacing in unnotched SCS-6/Timetal® 21S metal matrix composites, July, 205

Wheeler, NS and Lashmore, DS: Electrodeposited cobalt-tungsten as a diffusion barrier between graphite fibers and nickel, Oct., 301

Wilkinson, S and Hinkley, JA: Size and geometry effects in transverse flexural testing of unidirectional graphite/thermoplastic, April, 84

X-Z

Xie, M and Adams, DF: Effect of specimen tab configuration on compression testing of composite materials, April, 77

Yalamanchili, SR: *see* Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR

Zaffaroni, G: *see* Cappelletti, C, Rivolta, A, and Zaffaroni, G

Zhao, D: *see* Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D