

Journal of Composites Technology & Research

Subject Index

Volume 17, 1995

A

Acousto-ultrasonic

Damage characterization of a cross-ply SiC/CAS-II ceramic composite under fatigue loading using a real-time acousto-ultrasonic NDE technique (Tiwari, A, Henneke, EG, II, and Reifsnider, KL), July, 221

Adhesion

Size and geometry effects in transverse flexural testing of unidirectional graphite/thermoplastic (Wilkinson, S and Hinkley, JA), April, 84

Adhesive joints

Mixed mode II-Mode III fracture of adhesive joints (Fernlund, G, Lanting, H, and Spelt, JK), Oct., 317

Average stress criterion

Failure criterion for thick multifastener graphite-epoxy composite joints (Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR), July, 237

B

Bearing/bypass

Biaxial bearing/bypass testing of graphite/epoxy plates (Hoa, SV), April, 125
Characterization of bolted joint behavior: MIL-HDBK-17 accomplishments at standardization (Shyprykevich, P), July, 260

Biaxial loading

Biaxial bearing/bypass testing of graphite/epoxy plates (Hoa, SV), April, 125

Bolted joints

Characterization of bolted joint behavior: MIL-HDBK-17 accomplishments at standardization (Shyprykevich, P), July, 260

Effects of stacking sequences on mechanically fastened joint strength in quasi-isotropic carbon-epoxy laminates (Hamada,

H, Haruna, K, and Maekawa, Z), July, 249

Introduction to symposium on bolted and bonded joints in composite materials (Masters, JE), April, 115

Introduction to symposium on bolted and bonded joints in composite materials (Masters, JE), July, 235

Statistical analysis of bushing, sleeve, and oversize hole effects on the bolted joint strength of graphite/epoxy laminates (Schulz, KC, Hietala, HJ, and Packman, PF), Jan., 17

Bonded joints

Introduction to symposium on bolted and bonded joints in composite materials (Masters, JE), April, 115

Introduction to symposium on bolted and bonded joints in composite materials (Masters, JE), July, 235

Novel joining method for smooth-bore composite pressure hulls (Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML), April, 134

C

Carbon fiber-reinforced plastics

Effects of stacking sequences on mechanically fastened joint strength in quasi-isotropic carbon-epoxy laminates (Hamada, H, Haruna, K, and Maekawa, Z), July, 249

Ceramics

Damage characterization of a cross-ply SiC/CAS-II ceramic composite under fatigue loading using a real-time acousto-ultrasonic NDE technique (Tiwari, A, Henneke, EG, II, and Reifsnider, KL), July, 221

Cobalt

Electrodeposited cobalt-tungsten as a diffusion barrier between graphite fibers and nickel (Wheeler, NS and Lashmore, DS), Oct., 301

Cold expansion

Fastener hole reinforcement in composite using cold-expanded inserts (Rufin, AC), April, 145

Compression testing

Effect of specimen tab configuration on compression testing of composite materials (Xie, M and Adams, DF), April, 77
Wrinkling of composite sandwich structures under compression (Kassapoglou, C, Fantle, SC, and Chou, JC), Oct., 308

Compressive failure

Compressive failure of laminated and woven composites (Fleck, NA, Jelf, PM, and Curtis, PT), July, 212

Compressive strength

Effect of specimen tab configuration on compression testing of composite materials (Xie, M and Adams, DF), April, 77

Conductivity

Thermal conductivity of textile composites with arbitrary preform structures (Gowayed, Y, Hwang, J-C, and Chapman, D), Jan., 56

Creep

Time-dependent behavior of a graphite/thermoplastic composite and the effects of stress and physical aging (Gates, TS and Feldman, M), Jan., 33

D

Debonding

Tensile strength of unidirectional composites: the role of efficiency and strength of fiber-matrix interface (Subramanian, S, Reifsnider, KL, and Stinchcomb, WW), Oct., 289

Delamination

Effect of high-temperature degradation on the Mode I critical strain energy release rate of a graphite/epoxy composite (Walsh, TF and Bakis, CE), July, 228

Design guidelines

Novel joining method for smooth-bore composite pressure hulls (Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML), April, 134

Diffusion

Electrodeposited cobalt-tungsten as a diffusion barrier between graphite fibers and nickel (Wheeler, NS and Lashmore, DS), Oct., 301

Distortion

Review of the mechanics of embedded optical sensors (Carman, GP and Sen-deckyj, GP), July, 183

Dropped weight impact

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part I—impact energy absorption (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 3

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part II—impact damage (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 11

E**Embedded optical fibers**

Review of the mechanics of embedded optical sensors (Carman, GP and Sen-deckyj, GP), July, 183

Environmental effects

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part I—impact energy absorption (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 3

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part II—impact damage (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 11

Epoxy

Environmental effects on mechanical properties of thick composite structural elements (Cappelletti, C, Rivolta, A, and Zaffaroni, G), April, 107

F**Fabrication**

Novel joining method for smooth-bore composite pressure hulls (Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML), April, 134

Fasteners

Fastener hole reinforcement in composite using cold-expanded inserts (Rufin, AC), April, 145

Statistical analysis of bushing, sleeve, and oversize hole effects on the bolted joint strength of graphite/epoxy laminates (Schulz, KC, Hietala, HJ, and Packman, PF), Jan., 17

Fatigue

Fatigue-life behavior and matrix fatigue crack spacing in unnotched SCS-6/Timet-al®21S metal matrix composites (Ward, GT, Herrmann, DJ, and Hillberry, BM), July, 205

Fiber composites

Compressive failure of laminated and woven composites (Fleck, NA, Jelf, PM, and Curtis, PT), July, 212

Fiber fractures

Tensile strength of unidirectional composites: the role of efficiency and strength of fiber-matrix interface (Subramanian, S, Reifsnider, KL, and Stinchcomb, WW), Oct., 289

Fiber-reinforced plastics

Effect of high-temperature degradation on the Mode I critical strain energy release rate of a graphite/epoxy composite (Walsh, TF and Bakis, CE), July, 228

Fibrous

Modes of failure of fibrous composite materials as affected by the orientation-angle of fiber (Abu-Farsakh, G and Abdel-Jawad, YA), April, 90

Finite-element analysis

Thermal conductivity of textile composites with arbitrary preform structures (Gowayed, Y, Hwang, J-C, and Chapman, D), Jan., 56

Finite element method

Residual stresses in SCS-6/beta-21S composites (Rangaswamy, P and Jayaraman, N), Jan., 43

Flexural testing

Testing composite-to-metal tubular lap joints (Guess, TR, Reedy, ED, Jr., and Slavin, AM), April, 117

Fracture mechanics

Compressive failure of laminated and woven composites (Fleck, NA, Jelf, PM, and Curtis, PT), July, 212

G**Graphite/epoxy**

Biaxial bearing/bypass testing of graphite/epoxy plates (Hoa, SV), April, 125

Improved Iosipescu shear test fixture (Conant, NR and Odom, EM), Jan., 50

Graphite/epoxy laminates

Statistical analysis of bushing, sleeve, and oversize hole effects on the bolted joint strength of graphite/epoxy laminates (Schulz, KC, Hietala, HJ, and Packman, PF), Jan., 17

H**Hole reinforcement**

Fastener hole reinforcement in composite using cold-expanded inserts (Rufin, AC), April, 145

Hoop fiber strength

Pressurized ring test for composite pressure vessel hoop strength and stiffness evaluation (Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF), Oct., 331

Hygrothermal effects

Environmental effects on mechanical properties of thick composite structural elements (Cappelletti, C, Rivolta, A, and Zaffaroni, G), April, 107

I-J**Infrastructure**

Effects of short-term environmental exposure on axial strengthening capacity of composite jacketed concrete (Karbhari, VM and Eckel, DA, II), April, 99

Interface

Tensile strength of unidirectional composites: the role of efficiency and strength of fiber-matrix interface (Subramanian, S, Reifsnider, KL, and Stinchcomb, WW), Oct., 289

Interference fit

Fastener hole reinforcement in composite using cold-expanded inserts (Rufin, AC), April, 145

Interlaminar shear tests

Experimental study of three- and four-point shear test specimens (Adams, DF and Lewis, EQ), Oct., 341

Iosipescu fixtures

Improved Iosipescu shear test fixture (Conant, NR and Odom, EM), Jan., 50

Jackets

Effects of short-term environmental exposure on axial strengthening capacity of composite jacketed concrete (Karbhari, VM and Eckel, DA, II), April, 99

Joint strength

Biaxial bearing/bypass testing of graphite/epoxy plates (Hoa, SV), April, 125

M**Mechanical properties**

Properties and analysis of composites reinforced with E-glass weft-knitted fabrics (Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D), Oct., 283

Metal matrix

Study of the residual stress in cold-rolled 7075 Al-SiC whisker-reinforced composites by X-ray and neutron diffraction (Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A), July, 194

Mixed-mode fracture

Mixed Mode II-Mode III fracture of adhesive joints (Fernlund, G, Lanting, H, and Spelt, JK), Oct., 317

Modes of failure

Modes of failure of fibrous composite materials as affected by the orientation-angle of fiber (Abu-Farsakh, G and Abdel-Jawad, YA), April, 90

Moisture absorption

Environmental effects on mechanical properties of thick composite structural elements (Cappelletti, C, Rivolta, A, and Zaffaroni, G), April, 107

Multifastener joints

Failure criterion for thick multifastener graphite-epoxy composite joints (Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR), July, 237

N**Neutron diffraction method**

Study of the residual stress in cold-rolled 7075 Al-SiC whisker-reinforced composites by X-ray and neutron diffraction (Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A), July, 194

Nickel

Electrodeposited cobalt-tungsten as a diffusion barrier between graphite fibers and nickel (Wheeler, NS and Lashmore, DS), Oct., 301

Nondestructive evaluations (NDE)

Damage characterization of a cross-ply SiC/CAS-II ceramic composite under fatigue loading using a real-time acousto-

ultrasonic NDE technique (Tiwari, A, Henneke, EG, II, and Reifsnider, KL), July, 221

Nonlinear

Modes of failure of fibrous composite materials as affected by the orientation-angle of fiber (Abu-Farsakh, G and Abdel-Jawad, YA), April, 90

Notch tension and compression

Characterization of bolted joint behavior: MIL-HDBK-17 accomplishments at standardization (Shyprykevich, P), July, 260

P-Q**Physical aging**

Time-dependent behavior of a graphite/thermoplastic composite and the effects of stress and physical aging (Gates, TS and Feldman, M), Jan., 33

Polymers

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part I—impact energy absorption (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 3

Effect of temperature and moisture on the impact behavior of graphite/epoxy composites: Part II—impact damage (Karasek, ML, Strait, LH, Amateau, MF, and Runt, JP), Jan., 11

Pressure hull

Novel joining method for smooth-bore composite pressure hulls (Koudela, KL, Sabo, J, Strait, LH, and Karasek, ML), April, 134

Pressure vessels

Pressurized ring test for composite pressure vessel hoop strength and stiffness evaluation (Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF), Oct., 331

Pressurized ring test

Pressurized ring test for composite pressure vessel hoop strength and stiffness evaluation (Cohen, D, Toombes, YT, Johnson, AK, and Hansen, MF), Oct., 331

Quasi-isotropic pattern

Effects of stacking sequences on mechanically fastened joint strength in quasi-isotropic carbon-epoxy laminates (Hamada, H, Haruna, K, and Maekawa, Z), July, 249

R**Real time**

Damage characterization of a cross-ply SiC/CAS-II ceramic composite under fatigue loading using a real-time acousto-ultrasonic NDE technique (Tiwari, A, Henneke, EG, II, and Reifsnider, KL), July, 221

Rehabilitation

Effects of short-term environmental exposure on axial strengthening capacity of composite jacketed concrete (Karbhari, VM and Eckel, DA, II), April, 99

Residual stresses

Residual stresses in SCS-6/beta-21S composites (Rangaswamy, P and Jayaraman, N), Jan., 43

Study of the residual stress in cold-rolled 7075 Al-SiC whisker-reinforced composites by X-ray and neutron diffraction (Li, J, Lu, J, Perrin, M, Ceretti, M, and Lodini, A), July, 194

S**Sandwich construction**

Wrinkling of composite sandwich structures under compression (Kassapoglou, C, Fantle, SC, and Chou, JC), Oct., 308

Shear gage

Shear testing of textile composite materials (Ifju, PG), July, 199

Shear testing

Experimental study of three- and four-point shear test specimens (Adams, DF and Lewis, EQ), Oct., 341

Shear testing of textile composite materials (Ifju, PG), July, 199

Short beam

Experimental study of three- and four-point shear test specimens (Adams, DF and Lewis, EQ), Oct., 341

Silicon carbide

Fatigue-life behavior and matrix fatigue crack spacing in unnotched SCS-6/Timetal®21S metal matrix composites (Ward, GT, Herrmann, DJ, and Hillberry, BM), July, 205

Single-fastener joints

Failure criterion for thick multifastener graphite-epoxy composite joints (Cohen, D, Hyer, MW, Shuart, MJ, Griffin, OH, Prasad, C, and Yalamanchili, SR), July, 237

Split cantilever beam

Mixed Mode II-Mode III fracture of adhesive joints (Fernlund, G, Lanting, H, and Spelt, JK), Oct., 317

Stacking sequence

Effects of stacking sequences on mechanically fastened joint strength in quasi-isotropic carbon-epoxy laminates (Hamada, H, Haruna, K, and Maekawa, Z), July, 249

Static testing

Testing composite-to-metal tubular lap joints (Guess, TR, Reedy, ED, Jr., and Slavin, AM), April, 117

Strain energy release rate

Effect of high-temperature degradation on the Mode I critical strain energy release rate of a graphite/epoxy composite (Walsh, TF and Bakis, CE), July, 228

Strength degradation

Review of the mechanics of embedded optical sensors (Carman, GP and Sen-deckyj, GP), July, 183

T**Tab configuration**

Effect of specimen tab configuration on compression testing of composite materials (Xie, M and Adams, DF), April, 77

Tensile strengths

Tensile strength of unidirectional composites: the role of efficiency and strength

of fiber-matrix interface (Subramanian, S, Reifsnider, KL, and Stinchcomb, WW), Oct., 289

Textile composites

Properties and analysis of composites reinforced with E-glass weft-knitted fabrics (Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D), Oct., 283

Shear testing of textile composite materials (Ifju, PG), July, 199

Thermal conductivity of textile composites with arbitrary preform structures (Gowayed, Y, Hwang, J-C, and Chapman, D), Jan., 56

Thermoplastic matrix composites

Size and geometry effects in transverse flexural testing of unidirectional graphite/thermoplastic (Wilkinson, S and Hinkley, JA), April, 84

Titanium matrix composites

Fatigue-life behavior and matrix fatigue crack spacing in unnotched SCS-6/Timet-al®21S metal matrix composites (Ward, GT, Herrmann, DJ, and Hillberry, BM), July, 205

Residual stresses in SCS-6/beta-21S composites (Rangaswamy, P and Jayaraman, N), Jan., 43

Transverse flex test

Size and geometry effects in transverse flexural testing of unidirectional graphite/thermoplastic (Wilkinson, S and Hinkley, JA), April, 84

Tubular joints

Testing composite-to-metal tubular lap joints (Guess, TR, Reedy, ED, Jr., and Slavin, AM), April, 117

Tungsten

Electrodeposited cobalt-tungsten as a diffusion barrier between graphite fibers and nickel (Wheeler, NS and Lashmore, DS), Oct., 301

Twisting

Improved Iosipescu shear test fixture (Conant, NR and Odom, EM), Jan., 50

U-W**Unidirectional composites**

Effect of specimen tab configuration on compression testing of composite materials (Xie, M and Adams, DF), April, 77

Viscoelasticity

Time-dependent behavior of a graphite/thermoplastic composite and the effects of stress and physical aging (Gates, TS and Feldman, M), Jan., 33

Weft knit

Properties and analysis of composites reinforced with E-glass weft-knitted fabrics (Wang, Y, Gowayed, Y, Kong, X, Li, J, and Zhao, D), Oct., 283

Wrinkles

Wrinkling of composite sandwich structures under compression (Kassapoglou, C, Fantle, SC, and Chou, JC), Oct., 308