

Composites Technology Review

Index to Volume 6

1984

Number	Issue	Pages
1	Spring	1-44
2	Summer	45-108
3	Fall	109-144
4	Winter	145-196

A

- Acoustic emission:** Fracture mode identification of composite materials by acoustic emission analysis (Rotem), Winter, 145
- Adams, D. F.:** *see* Mahishi, J. M. and Adams, D. F.
- Adamson, M.:** *see* Kong, E. S.-W., Adamson, M., and Mueller, L.
- Aerospace environment:** Influence of simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 2 (Hartung and Bergmann), Fall, 126
- Agarwal, B. D., Patro, B. S., and Kumar P.:** Prediction of instability point during fracture of composite materials, Winter, 173
- Al-Qureshi, H. A. and Corrêa, R.:** Nomograph for thicknesses calculation in a filament-wound pressure vessel, Spring, 24

B

- Bergmann, H. W.:** *see* Hartung, W. and Bergmann, H. W.
- Blake, R. A. and Hartmann, H. S.:** Computer-aided ultrasonic evaluation of Fiber FP metal matrix composites, Fall, 118
- Butler, R. J.:** Composites at Cranfield's College of Aeronautics, Fall, 137

C

- Chiao, T. T.**
see Glaser, R. E., Christensen, R. M., and Chiao, T. T.
see Glaser, R. E., Moore, R. L., and Chiao, T. T.
- Christensen, R. M.:** *see* Glaser, R. E., Christensen, R. M. and Chiao, T. T.

Clements, L. L.: Fractography used to identify defective 0° graphite/epoxy specimens, Winter, 167

Composite materials

- Composite interlaminar fracture: effect of matrix fracture energy (Hunston), Winter, 176
- Damage development near the edges of a composite specimen during quasi-static and fatigue loading (Schulte and Stinchcomb), Spring, 3
- Fracture mode identification of composite materials by acoustic emission analysis (Rotem), Winter, 145
- Prediction of instability point during fracture of composite materials (Agarwal, Patro, and Kumar), Winter, 173
- Spherical Kevlar 49/epoxy vessels with 430-MPa (62-ksi) burst pressures (Guess), Spring, 10
- Composites:** Analysis of neat resin cracking induced by rapid moisture loss (Mahishi and Adams), Winter, 159

Composites review

- Engineering life prediction of composite materials: elements of a mechanistic model (Reifsnider), Fall, 124
- Fractography used to identify defective 0° graphite/epoxy specimens (Clements), Winter, 167
- General and specific quadratic yield functions (Feng and Yang), Spring, 19
- Influence of a simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ orientations—Part 1 (Hartung and Bergmann), Summer, 82
- Influence of simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 2 (Hartung and Bergmann), Fall, 126
- Life estimation of aramid/epoxy composites under sustained tension (Glaser, Moore, and Chiao), Spring, 26
- Moisture diffusion and solid-state NMR investigations on the physical aging processes in network epoxy glasses (Kong, Adamson, and Mueller), Winter, 170
- NMR characterization of boron trifluoride-amine catalysts used in the cure of carbon fiber/epoxy prepregs (Happe, Morgan, and Walkup), Summer, 77
- Nomograph for thicknesses calculation in a filament-wound pressure vessel (Al-Qureshi and Corrêa), Spring, 24

Prediction of instability point during fracture of composite materials (Agarwal, Patro, and Kumar), Winter, 173

Studies on bonding at the aramid-epoxy interface (Penn and Liao), Fall, 133

Survey of bolted-joint technology in composite laminates (Tsiang), Summer, 74

Theoretical relations between static strength and lifetime distributions for composites: an evaluation (Glaser, Christensen, and Chiao), Winter, 164

The use of proper shear moduli in the analysis of laminated composites (Griffin), Spring, 22

Computers: Computer-aided ultrasonic evaluation of Fiber FP metal matrix composites (Blake and Hartmann), Fall, 118

Conference reports

- Annual review of VPI's center for composites materials and structures (Reifsnider), Fall, 142
- Failure processes in fibre composites (Reifsnider), Fall, 142
- Fiber Society (Penn), Spring, 40
- Mechanics of composites review (Reifsnider), Spring, 37
- Symposium on delamination and debonding of materials (Reifsnider), Summer, 99
- Symposium on high-modulus fiber composites in ground transportation and high-volume applications (Reifsnider), Summer, 97

Corrêa, R.: *see* Al-Qureshi, H. A. and Corrêa, R.

Crack propagation: Analysis of neat resin cracking induced by rapid moisture loss (Mahishi and Adams), Winter, 159

Cracks: Fracture mechanics of sublaminate cracks in composite materials (Wang), Summer, 45

D

Delamination

Composite interlaminar fracture: effect of matrix fracture energy (Hunston), Winter, 176

Fracture mechanics of sublaminate cracks in composite materials (Wang), Summer, 45

Digital computers

Computer-aided ultrasonic evaluation of Fiber FP metal matrix composites (Blake and Hartmann), Fall, 118

E

Epoxy laminates

Damage development near the edges of a composite specimen during quasi-static and fatigue loading (Schulte and Stinchcomb), Spring, 3

NMR characterization of boron trifluoride-amine catalysts used in the cure of carbon fiber/epoxy prepregs (Happe, Morgan, and Walkup), Summer, 77

Relationship between phase difference and coefficient of restitution during low velocity foreign object transverse damage of composite plates (Lal), Fall, 109

Epoxy resins: Analysis of neat resin cracking induced by rapid moisture loss (Mahishi and Adams), Winter, 159

F

Feng, W. W. and Yang, W. H.: General and specific quadratic yield functions, Spring, 19

Fiber composites: Studies on bonding at the aramid-epoxy interface (Penn and Liao), Fall, 133

Fibers: Life estimation of aramid/epoxy composites under sustained tension (Glaser, Moore, and Chiao), Spring, 26

Filament winding: Spherical Kevlar 49/epoxy vessels with 430-MPa (62-ksi) burst pressures (Guess), Spring, 10

Fractography: Fractography used to identify defective 0° graphite/epoxy specimens (Clements), Winter, 167

Fracture mechanics

Composite interlaminar fracture: effect of matrix fracture energy (Hunston), Winter, 176

Prediction of instability point during fracture of composite materials (Agarwal, Patro, and Kumar), Winter, 170

Fractures (materials): Fracture mode identification of composite materials by acoustic emission analysis (Rotem), Winter, 145

G

Gibson, R. F.: Composite materials education and research at the University of Idaho, Summer, 91

Glaser, R. E., Christensen, R. M., and Chiao, T. T.: Theoretical relations between static strength and lifetime distributions for composites: an evaluation, Winter, 164

Glaser, R. E., Moore, R. L., and Chiao, T. T.: Life estimation of aramid/epoxy composites under sustained tension, Spring, 26

Graphite composites: Damage development near the edges of a composite specimen during quasi-static and fatigue loading (Schulte and Stinchcomb), Spring, 3

Griffin, O. H., Jr.: The use of proper shear moduli in the analysis of laminated composites, Spring, 22

Guess, T. R.: Spherical Kevlar 49/epoxy vessels with 430-MPa (62-ksi) burst pressures, Spring, 10

H

Happe, J. A., Morgan, R. J., and Walkup, C. M.: NMR characterization of boron trifluoride-amine catalysts used in the cure of carbon fiber/epoxy prepregs, Summer, 77

Hartmann, H. S.: *see* Blake, R. A. and Hartmann, H. S.

Hartung, W. and Bergmann, H. W.: Influence of a simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 1, Summer, 82

Hartung, W. and Bergmann, H. W.: Influence of simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 2, Fall, 126

Hunston, D. L.: Composite interlaminar fracture: effect of matrix fracture energy, Winter, 176

Hygrothermal effects: Hygrothermal effects on stresses and deformations in a bonded fiber-reinforced plastic/aluminum system (Yaniv and Ishai), Summer, 63

I-K

Impact: Relationship between phase difference and coefficient of restitution during low velocity foreign object transverse damage of composite plates (Lal), Fall, 109

Impact strength testing: Coefficient of restitution for low velocity transverse impact of thin graphite-epoxy laminates (Lal), Fall, 112

Ishai, O.: *see* Yaniv, G. and Ishai, O.

Isotropy: General and specific quadratic yield functions (Feng and Yang), Spring, 19

Joints (junctions): Survey of bolted-joint technology in composite laminates (Tsiang), Summer, 74

Kong, E. S.-W., Adamson, M., and Mueller, L.: Moisture diffusion and solid-state NMR investigations on the physical aging processes in network epoxy glasses, Winter, 170

Kumar, P.: *see* Agarwal, B. D., Patro, B. S., and Kumar, P.

L

Lal, K. M.

Coefficient of restitution for low velocity transverse impact of thin graphite-epoxy laminates, Fall, 112

Relationship between phase difference and coefficient of restitution during low velocity foreign object transverse damage of composite plates, Fall, 109

Laminates

Coefficient of restitution for low velocity transverse impact of thin graphite-epoxy laminates (Lal), Fall, 112

Engineering life prediction of composite materials: elements of a mechanistic model (Reifsnider), Fall, 124

Liao, T. K.: *see* Penn, L. S. and Liao, T. K.

Literature reviews

Ceramic Coatings for Heat Engine Materials—Status and Future Needs by Stinton et al (Reifsnider), Fall, 140

Determination of the Effect of Strain Rate on the Mechanical Properties of Graphite Epoxy Laminates by Alper (Reifsnider), Summer, 95

Failure Criteria for Composite Structures by Beaubien et al (Reifsnider), Fall, 139

The Mechanics of Delamination in Fiber-Reinforced Composite Materials by Alper (Reifsnider), Summer, 93

M-N

Mahishi, J. M. and Adams, D. F.: Analysis of neat resin cracking induced by rapid moisture loss, Winter, 159

Mueller, L.: *see* Kong, E. S.-W., Adamson, M., and Mueller, L.

Moisture: Moisture diffusion and solid-state NMR investigations on the physical aging processes in network epoxy glasses (Kong, Adamson, and Mueller), Winter, 170

Moore, R. L.: *see* Glaser, R. E., Moore, R. L., and Chiao, T. T.

Morgan, R. J.: *see* Happe, J. A., Morgan, R. J., and Walkup, C. M.

Nomographs: Nomograph for thicknesses calculation in a filament-wound pressure vessel (Al-Qureshi and Corrêa), Spring, 24

P

Patro, B. S.: *see* Agarwal, B. D., Patro, B. S., and Kumar, P.

Penn, L.: Fiber Society, Spring, 40

Penn, L. S. and Liao, T. K.: Studies on bonding at the aramid-epoxy interface, Fall, 133

Plastics

Influence of a simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 1 (Hartung and Bergmann), Summer, 82

Influence of simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ ply orientations—Part 2 (Hartung and Bergmann), Fall, 126

Plates: Relationship between phase difference and coefficient of restitution during low velocity foreign object transverse damage of composite plates (Lal), Fall, 109

Polymers: Moisture diffusion and solid-state NMR investigations on the physical aging processes in network epoxy glasses (Kong, Adamson, and Mueller), Winter, 170

Pressure vessels

Nomograph for thicknesses calculation in a filament-wound pressure vessel (Al-Qureshi and Corrêa), Spring, 24

Spherical Kevlar 49/epoxy vessels with 430-MPa (62-ksi) burst pressures (Guess), Spring, 10

Q-R

Quadratic equations: General and specific quadratic yield functions (Feng and Yang), Spring, 19

Reifsnider, K. L.

Annual review of VPI's center for composites materials and structures, Fall, 142

Engineering life prediction of composite materials: elements of a mechanistic model, Fall, 124

Failure processes in fiber composites, Fall, 142

Mechanics of composites review, Spring, 37

Review of Ceramic Coatings for Heat Engine Materials—Status and Future Needs by Stinton et al, Fall, 140

Review of Determination of the Effect of Strain Rate on the Mechanical Properties of Graphite Epoxy Laminates by Alper, Summer, 95

Review of Failure Criteria for Composite Structures by Beaubien et al, Fall, 139

Review of *The Mechanics of Delamination in Fiber-Reinforced Composite Materials* by Alper, Summer, 93

Symposium on delamination and debonding of materials, Summer, 99

Symposium on high-modulus fiber composites in ground transportation and high-volume applications, Summer, 97

Rotem, A.: Fracture mode identification of composite materials by acoustic emission analysis, Winter, 145

S

Schulte, K. and Stinchcomb, W. W.: Damage development near the edges of a composite specimen during quasi-static and fatigue loading, Spring, 3

Shear modulus: The use of proper shear moduli in the analysis of laminated composites (Griffin), Spring, 22

Shear strength: Coefficient of restitution for low velocity transverse impact of thin graphite-epoxy laminates (Lal), Fall, 112

Space environment simulation: Influence of a simulated space environment on the behavior of carbon-fiber-reinforced plastics with $\pm 45^\circ$ orientations—Part 1 (Hartung and Bergmann), Summer, 82

Stinchcomb, W. W.: *see* Schulte, K. and Stinchcomb, W. W.

Stochastic processes: Fracture mechanics of sublaminar cracks in composite materials (Wang), Summer, 45

Strength: Theoretical relations between static strength and lifetime distributions for composites: an evaluation (Glaser, Christensen, and Chiao), Winter, 164

Stress: Survey of bolted-joint technology in composite laminates (Tsiang), Summer, 74

Stresses: The use of proper shear moduli in the analysis of laminated composites (Griffin), Spring, 22

T-V

Tensile impact strength: Engineering life prediction of composite materials: elements of a mechanistic model (Reifsnider), Fall, 124

Tension: Life estimation of aramid/epoxy composites under sustained tension (Glaser, Moore, and Chiao), Spring, 26

Thermoelasticity: Hygrothermal effects on stresses and deformations in a bonded fiber-reinforced plastic/aluminum system (Yaniv and Ishai), Summer, 63

Tsiang, T-H.: Survey of bolted-joint technology in composite laminates, Summer, 74

Ultrasonic tests: Computer-aided ultrasonic evaluation of Fiber FP metal matrix composites (Blake and Hartmann), Fall, 118

Viscoelasticity: Hygrothermal effects on stresses and deformations in a bonded fiber-reinforced plastic/aluminum system (Yaniv and Ishai), Summer, 63

W-Z

Walkup, C. M.: *see* Happe, J. A., Morgan, R. J., and Walkup, C. M.

Wang, A. S. D.: Fracture mechanics of sublaminar cracks in composite materials, Summer, 45

World of Composites

Composites at Cranfield's College of Aeronautics (Butler), Fall, 137

Composite materials education and research at the University of Idaho (Gibson), Summer, 91

Determining mechanical properties in severe thermal environments (Zelnick), Spring, 36

PLASTEC Can Help, Spring, 36

Powerboat races relies on composites, Winter, 103

SPI RP/C 40th annual conference, Winter, 107

Yang, W. H.: *see* Feng, W. W. and Yang, W. H.

Yaniv, G. and Ishai, O.: Hygrothermal effects on stresses and deformations in a bonded fiber-reinforced plastic/aluminum system, Summer, 63

Zelnick, P. J.: Determining mechanical properties in severe thermal environments, Spring, 36