

Geotechnical Testing Journal

Author Index

Volume 18, 1995

Number	Issue	Pages
1	March	1-136
2	June	137-306
3	September	307-404
4	December	405-420

A

Airey, DW: *see* Tabucanon, JT, Airey, DW, and Poulos, HG

Akram, MH

and **Gabr, MA**: Discussion on "a critical evaluation of the gradient ratio test" by R. Jonathan Fannin, Yoginder P. Vaid, and Yucheng Shi, Sept., 389

see Gabr, MA, Akram, M, and Taylor, HM

Alfaro, MC, Miura, N, and Bergado, DT: Soil-geogrid reinforcement interaction by pullout and direct shear tests, June, 157

Asha, SR: *see* Sridharan, A, Prakash, K, and Asha, SR

Aversa, S and Vinale, F: Improvements to a stress-path triaxial cell, March, 116

B

Benson, CH, Chamberlain, EJ, Erickson, AE, and Wang, X: Assessing frost damage in compacted clay liners, Sept., 324

Bergado, DT: *see* Alfaro, MC, Miura, N, and Bergado, DT

Bhatia, SK and Smith, JL: Application of the bubblepoint method to the characterization of the pore-size distribution of geotextiles, March, 94

Blight, GE: *see* Fourie, AB, Papageorgiou, G, and Blight, GE

Bray, JD: *see* Merry, SM and Bray, JD

Bressani, LA: External measurement of axial strain in the triaxial test, June, 226

Brown, D: Closure, Dec., 495

Brown, PT: Screw plate insertion in sand, June, 259

C

Chamberlain, EJ: *see* Benson, CH, Chamberlain, EJ, Erickson, AE, and Wang, X

Chong, MK: *see* Singh, G, Das, BM, Chong, MK

Connors, PJ: *see* Paikowsky, SG, Player, CM, and Connors, PJ

Cyre, GP: *see* Skopek, P and Cyre, GP

D

Das, BM:

see Sinha, N, Rodeck, SA, Omar, MT, DeVantier, BA, and Das, BM

see Singh, G, Das, BM, and Chong, MK

Dastich, I and Dawson, A: Techniques for assessing the nonlinear resilient response of unbound granular-layered structures, March, 50

Dawson, A: *see* Dastich, I and Dawson, A

Degoshi, T: *see* Shibuya, S, Mitachi, T, Fukuda, F, and Degoshi, T

DeVantier, BA: *see* Sinha, N, Rodeck, SA, Omar, MT, DeVantier, BA, and Das, BM

Doroudian, M and Vucetic, M: Direct simple shear device for measuring small-strain behavior, March, 69

Drabkin, S:

see Kim, DS and Drabkin, S

see Kim, D-S, Juran, I, Nasimov, R, and Drabkin, S

E

Erickson, AE: *see* Benson, CH, Chamberlain, EJ, Erickson, AE, and Wang, X

Evans, MD and Fennick, TJ: Geosynthetic/soil interface friction angles using a rotation shear device, June, 271

F

Fahmy, Y: *see* Silvestri, V and Fahmy, Y

Fam, M and Santamarina, C: Study of geoprocesses with complementary mechanical and electromagnetic wave measurements in an oedometer, Sept., 307

Fannin, RJ, Vaid, YP, and Shi, Y: Closure, Sept., 389

Fennick, TJ: *see* Evans MD and Fennick, TJ

Finno, RJ: *see* Harris, WW, Viggiani, G, Mooney, MA, and Finno, RJ

Fourie, AB, Papageorgiou, G, and Blight, GE: Rapid determination of the moisture-retention characteristics of soil, June, 276

Fretti, C, Lo Presti, DCF, and Pedroni, S: Pluvial deposition method to reconstitute well-graded sand specimens, June, 292

Frost, JD: *see* Scholey, GK, Frost, JD, Lo Presti, DCF, and Jamiolkowski, M

Fukuda, F: *see* Shibuya, S, Mitachi, T, Fukuda, F, and Degoshi, T

G

Gabr MA

Akram, M, and Taylor, HM: Effect of simulated roots on the permeability of silty soil, March, 112

and **Valero, SN**: Geotechnical properties of municipal solid waste, June, 241
see Akram, MH and Gabr, MA

Germaine, JT: *see* Zreik, DA, Ladd, CC, and Germaine, JT

Goble, GG, Rausche, F, and Likins, G: Discussion on "evaluation of static capac-

ity of deep foundations from statnamic testing" by Dan Brown, Dec., 493

H

Hajj, AR: *see* Hird, CC and Hajj, AR

Harris, WW, Viggiani, G, Mooney, MA, and Finno, RJ: Use of stereophotogrammetry to analyze the development of shear bands in sand, Dec., 405

Hird, CC and Hajj, AR: Simulation of tube sampling effects on the stiffness of clays, March, 3

Housner, GW: *Review of Dynamic Vibration Absorbers: Theory and Technical Applications* by Korenev and Reznikov, June, 299

Houston, S: *see* Mahmoud, HHH, Houston, WN, and Houston, S

Houston, SL, Houston, WN, and Wagner, A-M: Closure, Sept., 394

Houston, WN:

see Houston, SL, Houston, WN, and Wagner, A-M

see Mahmoud, HHH, Houston, WN, and Houston, S

J-K

Jamiolkowski, M: *see* Scholey, GK, Frost, JD, Lo Presti, DCF, and Jamiolkowski, M

Juran, H: *see* Kim, D-S, Juran, I, Nasimov, R, and Drabkin, S

Kaliakin, VN: *see* Min, Y, Leshchinsky, D, Ling, HI, and Kaliakin, VN

Karunaratne, G-P: *see* Tan, S-A, Muhammad, N, and Karunaratne, G-P

Kim, D-S

and Drabkin, S: Investigation of vibration-induced settlement using multifactorial experimental design, Dec., 463

Juran, I, Nasimov, R, and Drabkin, S: Model study on the failure mechanism of soil-nailed structure under surcharge loading, Dec., 421

L

Ladd, CC: *see* Zreik, DA, Ladd, CC, and Germaine, JT

Leshchinsky, D: *see* Min, Y, Leshchinsky, D, Ling, HI, and Kaliakin, VN

Likins, G: *see* Goble, GG, Rausche, F, and Likins, G

Ling, HI: *see* Min, Y, Leshchinsky, D, Ling, HI, and Kaliakin, VN

Lo Presti, DCF,

Pallara, O, and Puci, I: Modified commercial triaxial testing system for small strain measurements: preliminary results on Pisa clay, March, 15

see Fretti, C, Lo Presti, DCF, and Pedroni, S

see Scholey, GK, Frost, JD, Lo Presti, DCF, and Jamiolkowski, M

Lord, AE, Jr.: Empirical theory of vacuum-assisted steam stripping of organic pollutants from contaminated soils, March, 32

M

Mahmoud, HHH, Houston, WN, and Houston, S: Apparatus and procedure for an in situ collapse test, Dec., 431

Meegoda, NJ and Ratnaweera, P: Treatment of oil-contaminated soils for identification and classification, March, 41

Merry, SM and Bray, JD: Size effects for multi-axial tension testing of HDPE and PCV geomembranes, Dec., 441

Min, Y, Leshchinsky, D, Ling, HI, and Kaliakin, VN: Effects of sustained and repeated tensile loads on geogrid embedded in sand, June, 204

Mitachi, T: *see* Shibuya, S, Mitachi, T, Fukuda, F, and Degoshi, T

Miura, N: *see* Alfaro, MC, Miura, N, and Bergado, DTI

Mooney, MA: *see* Harris, WW, Viggiani, G, Mooney, MA, and Finno, RJ

Muhammad, N: *see* Tan, S-A, Muhammad, N, and Karunaratne, G-P

Murthy, BRS: *see* Vatsala, A, Nagaraj, TS, Murthy, BRS

N-O

Nagaraj, TS:

see Narasimha Raju, PSR, Pandian, NS, and Nagaraj, TS

see Pandian, NS, Nagaraj, TS, and Raju, SRN

see Vatsala, A, Nagaraj, TS, Murthy, BRS

Narasimha Raju, PSR, Pandian, NS, and Nagaraj, TS: Analysis and estimation of the coefficient of consolidation, June, 252

Nasimov, R: *see* Kim, D-S, Juran, I, Nasimov, R, and Drabkin, S

Omar, MT: *see* Sinha, N, Rodeck, SA, Omar, MT, DeVantier, BA, and Das, BM

P

Paikowsky, SG, Player, CM, and Connors, PJ: Dual interface apparatus for testing unrestricted friction of soil along solid surfaces, June, 168

Pallara, O: *see* Lo Presti, DCF, Pallara, O, and Puci, I

Pandian, NS

Nagaraj, TS, and Raju, SRN: Permeability and compressibility behavior of bentonite-sand/soil mixes, March, 86

see Narasimha Raju, PSR, Pandian, NS, and Nagaraj, TS

Papageorgiou, G: *see* Fourie, AB, Papageorgiou, G, and Blight, GE

Pedroni, S: *see* Fretti, C, Lo Presti, DCF, and Pedroni, S

Perkins, SW: Bearing capacity of highly frictional material, Dec., 450

Player, CM: *see* Paikowsky, SG, Player, CM, and Connors, PJ

Poulos, HG: *see* Tabucanon, JT, Airey, DW, and Poulos, HG

Prakash, K: *see* Sridharan, A, Prakash, K, and Asha, SR

Puci, I: *see* Lo Presti, DCF, Pallara, O, and Puci, I

R

Raju, SRN: *see* Pandian, NS, Nagaraj, TS, and Raju, SRN

Ramanath, KP: *see* Rao, SM, Sridharan, A, and Ramanath, KP

Rao, SM, Sridharan, A, and Ramanath, KP: Collapse behavior of an artificially cemented clayey silt, Sept., 334

Ratnaweera, P: *see* Meegoda, NJ and Ratnaweera, P

Rausche, F: *see* Goble, GG, Rausche, F, and Likins, G

Reznik, YM: Rigid plate settlements on soils with varying deformation properties, June, 194

Ridley, AM: Discussion on "laboratory filter paper suction measurements" by Sandra L. Houston, William N. Houston, and Anne-Marie Wagner, Sept., 391

Rodeck, SA: *see* Sinha, N, Rodeck, SA, Omar, MT, DeVantier, BA, and Das, BM

S

Santamarina, C: *see* Fam, M and Santamarina, C

Scholey, GK, Frost, JD, Lo Presti, DCF, and Jamiolkowski, M: Review of instrumentation for measuring small strains during triaxial testing of soil specimens, June, 137

Shi, Y: *see* Fannin, RJ, Vaid, YP, and Shi, Y

Shibuya, S, Mitachi, T, Fukuda, F, and Degoshi, T: Strain rate effects on shear modulus and damping of normally consolidated clay, Sept., 365

Silvestri, V and Fahmy, Y: Influence of apex angle on cone penetration factors in clay, Sept., 315

Singh, G, Das, BM, and Chong, MK: Measurement of in situ density of sand in a chamber by using a thermal conductivity penetrometer, Sept., 376

Sinha, N, Rodeck, SA, Omar, MT, DeVantier, BA, and Das, BM: Soil air permeability: threshold gradient and anisotropy, Dec., 483

Skopek, P and Cyre, GP: Resistance wire transducer for circumferential strain measurement in triaxial tests, March, 106
Smith, JL: *see* Bhatia, SK and Smith, JL

Sridharan, A,

Prakashh, K, and Asha, SR: Consolidation behavior of soils, March, 58

see Rao, SM, Sridharan, A, and Ramnath, KP

T

Tabucanon, JT, Airey, DW, and Poulos, HG: Pile skin friction in sands from constant normal stiffness tests, Sept., 350

Tam, S-A, Muhammad, N, and Karunaratne, G-P: Role of jute geotextile/slurry interface friction on the bearing capacity of clay slurry, Sept., 342

Taylor, HM: *see* Gabr, MA, Akram, M, and Taylor, HM

Tumay, MT: *see* Zhang, Z and Tumay, MT

V

Vaid, YP: *see* Fannin, RJ, Vaid, YP, and Shi, Y

Valero, SN: *see* Gabr, MA and Valero, SN

Vatsala, A, Nagaraj, TS, and Murthy, BRS: Discussion on "an approximate

method for estimating the consolidation behavior of soft sensitive clays" by R. C. Joshi, Gopal Achari, and Fred J. Griffiths, Sept., 384

Viggiani, G: *see* Harris, WW, Viggiani, G, Mooney, MA, and Finno, RJ

Vinale, F: *see* Aversa, S and Vinale, F

Vucetic, M: *see* Doroudian, M and Vucetic, M

W-Z

Wagner, A-M: *see* Houston, SL, Houston, WN, and Wagner, A-M

Wang, X: *see* Benson, CH, Chamberlain, EJ, Erickson, AE, and Wang, X

Zhang, Z and Tumay, MT: Granulometric evaluation of particle size using suspension pressure during sedimentation, March, 121

Zreik, DA, Ladd, CC, and Germaine, JT: New fall cone device for measuring the undrained strength of very weak cohesive soils, Dec., 472