

# Journal of Testing and Evaluation

## Author Index

### Volume 24, 1996

Number	Month of Issue	Pages
1	January	1-62
2	March	63-142
3	May	143-204
4	July	205-274
5	September	275-352
6	November	353-446

#### A

**Aktaa, J and Schinke, B:** Creep lifetime under constant load and constant stress: theory and experiment, July, 212

**Al-Smadi, ZA:** *see* Obaidat, MT and Al-Smadi, ZA

**Amrutharaj, G:** *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

**Annino, R and Villalobos, R:** Eliminating wasteful "cut and try" procedures in gas chromatography method development using computer modeling, May, 143

**Antrim, JD:** *see* Pao, C, Clark, MA, and Antrim, JD

**Arsene, S and Bai, J:** New approach to measuring transverse properties of structural tubing by a ring test, Nov., 386

#### B

**Bai, J:** *see* Arsene, S and Bai, J

**Banker, JG:** Commercial applications of zirconium explosion clad, March, 91

**Banks, SA:** *see* Buczek, FL, Jr. and Banks, SA

**Bernard, M:** *see* Zouani, A, Bui-Quoc, T, and Bernard, M

**Bhaduri, AK:** *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

**Bian, S, Maj, S, and Borland, DW:** Unlubricated sliding wear of steels: the contact conditions in the sliding zone, Jan., 12

**Borland, DW:** *see* Bian, S, Maj, S, and Borland, DW

**Bortz, S:** *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

**Bothe, K:** *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

**Brady, RP:** *see* Kulkarni, MR and Brady, RP

**Brooks, MW, Roy, S, Uden, PC, and Vittum, P:** Extraction and determination of Azadirachtin from soil and insects by supercritical fluid extraction, May, 149

**Buczek, FL, Jr. and Banks, SA:** High-resolution force plate analysis of utilized slip resistance in human walking, Nov., 353

**Bui-Quoc, T:** *see* Zouani, A, Bui-Quoc, T, and Bernard, M

**Burgess, G:** Effects of fatigue on fragility testing and the damage boundary curve, Nov., 419

#### C

**Carll, C and TenWolde, A:** Accuracy of wood resistance sensors for measurement of humidity, May, 154

**Carr, DD, Strickland, J, McDonald, WH, and Bortz, S:** Review of durability testing of building stone with annotated bibliography, Sept., 324

**Carron, MJ:** *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

**Chawla, KK:** *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

**Cheema A:** *see* Singh, SP and Cheema, A

**Chen, ET, Hughes-Dillon, K, and Schroeder, LW:** Development of analytical methods for quantification of residual powder on 'powderless' latex gloves, July, 229

**Cheon, JS and Kim, IS:** Initial deformation during small punch testing, July, 255

**Chiang, YJ:** Robust design of the Iosipescu shear test specimen for composites, Jan., 1

**Clark, MA:** *see* Pao, C, Clark, MA, and Antrim, JD

**Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH:** Fracture test method for Mode I fracture of thin metal materials, Sept., 316

**Cyr, WH:** *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

#### E

**Epps, HH and Leonas, KK:** Color change as a predictor of strength loss in PFD cover fabrics, Nov., 392  
Prediction of single-layer fabric air permeability by statistical modeling, Jan., 26

**Ezhov, YV:** Improved indentation-depth method of hardness measurement, Sept., 320

#### F

**Faccini, EC and Woodbury, HA:** Empirical determination of the manufacturing processes which affect EFP liner performance, March, 123

**Fee, AR:** *see* Heberling, TG, Fee, AR, and Tobolski, EL

**Fendley, AE and Marpet, MI:** Required coefficient of friction versus walking speed: potential influences of footwear and walkway surfaces, Nov., 359

#### G

**Galitz, CL:** *see* Poston, RW, Galitz, CL, and Yates, JS

**Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K:** Determination of the geometric profile and stress/strain state in the

necked region during inelastic deformation at elevated temperatures using a non-contact measurement technique, May, 161

**Gong, Y and Norton, MP:** Fatigue under stress cycling with nonzero means, July, 263

**Gould, G:** Bias testing: myths, misconceptions, and mistakes, Sept., 333

**Grauman, JS and Webster, RT:** Introduction to Journal section on industrial applications of titanium and zirconium, March, 84

**Gupta, DC:** Review of *Integrating Reliability into Microelectronics Manufacturing* (Christou), Jan., 56

Gupta, R: *see* Vatovec, M, Gupta, R, and Miller, T

## H

**Heberling, TG, Fee, AR, and Tobolski, EL:** Minimum thickness requirements for Rockwell hardness testing, March, 131

Henderson, PJ: *see* Lindblom, J, Seitisleam, F, and Henderson, PJ

**Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ:** Titanium cerebral aneurysm clips: characterization and performance in magnetic resonance imaging and computed tomography, March, 85

Hughes-Dillon, K: *see* Chen, ET, Hughes-Dillon, K, and Schroeder, LW

Hwang, WL: *see* Mo, YL and Hwang, WL

## J

Jones, C: *see* Rowland, FJ, Jones, C, and Manning, DP

**Ju, S-H, Sandor, B, and Plesha, ME:** Creep rupture investigation of 63Sn-37Pb solder by experiments and damage mechanics, Nov., 411

## K

**Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA:** Precision of Marshall stability and flow test using 6-in. (152.4-mm) diameter specimens, Jan., 12

**Kay, A:** Third-party inspection agency response to changing needs, Jan., 32

Kelly, CJ: *see* Terjimanian, A and Kelly, CJ

Kim, IS: *see* Cheon, JS and Kim, IS

**Kim, JO and Slaten, BL:** Objective assessment of fabric handle in fabrics treated with flame retardants, July, 223

**Kliger, IR and Pellicane, PJ:** Time-dependent bending properties of lumber, May, 187

**Kulkarni, MR and Brady, RP:** Preliminary characterization of thermal diffusivity for carbon-carbon composites through pulsed video thermal imaging, Sept., 275

## L

Leonas, KK: *see* Epps, HH and Leonas, KK

**Lindblom, J, Seitisleam, F, and Henderson, PJ:** Creep testing of steels at very high temperatures, Sept., 329

**Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH:** Two parameters limiting the sensitivity of laboratory tests of condoms as viral barriers, Sept., 279

## M

Maile, K: *see* Gaudig, W, Bothe, K, Bhaduri, AK, and Maile, K

Maj, S: *see* Bian, S, Maj, S, and Borland, DW

Manning, DP: *see* Rowland, FJ, Jones, C, and Manning, DP

**Marpet, MI:** Comparison of walkway-safety tribometers, July, 245  
*see* Fendley, AE and Marpet, MI

Maughan, KP: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

McDonald, WH: *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

Miller, T: *see* Vatovec, M, Gupta, R, and Miller, T

Minikawa, K: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

**Mo, YL and Hwang, WL:** Cyclic tests on high-strength prestressed concrete frames, May, 168

**Moran, AL and Rebis, RE:** Structure and property evaluation of large-diameter spray-formed superalloy piping, Sept., 302

Moukwa, M: *see* Vickers, T and Moukwa, M

## N

Niikura, M: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Norton, MP: *see* Gong, Y and Norton, MP

## O

**O'Connor, TF:** Review of *Building Design and Construction Handbook (Fifth Edition)* (Merritt and Ricketts), July, 272

Review of *Simplified Building Design for Wind and Earthquake Forces, Third Edition*, (Ambrose and Vergun), March, 142  
Review of *The Contractor's Dictionary of Equipment, Tools, and Techniques* (Webster), May, 203

**Obaidat, MT and Al-Smadi, ZA:** Modified theodolite instrument: conceptual work, May, 194

**Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M:** Development and applications of titanium alloy SP-700 with high formability, March, 100

Ouchi, C: *see* Ogawa, A, Niikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Owens, JM: *see* Sacher, A and Owens, JM

## P

**Pandian, NS, Rajasekhar, C, and Sridharan, A:** Fly ash as a pre-filter material for the retention of lead ions, May, 181

**Pao, C, Clark, MA, and Antrim, JD:** National Institute for Certification in Engineering Technologies Certification: addressing the technician component of laboratory quality, Jan., 45

Parker, F, Jr.: *see* Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

Pellicane, PJ: *see* Kliger, IR and Pellicane, PJ

**Petersen, DR:** Review of *The Macmillan Dictionary of Measurement* (Darton and Clark), Nov., 428  
Review of *The Physics Quick Reference Guide* (Cohen), July, 273

**Phelps, AW:** Review of *Scanning Tunnel Microscopy and Spectroscopy: Theory, Techniques, and Applications* (Bonnell), Sept., 347

**Pielert, JH:** *see* Spellerberg, PA, Trimm, WL, and Pielert, JH

**Plesha, ME:** *see* Ju, S-H, Sandor, B, and Plesha, ME

**Poston, RW, Galitz, CL, and Yates, JS:** Corrosiveness of chromate exposure to steel embedded in soil or concrete, Nov., 397

## R

**Rajasekhar, C:** *see* Pandian, NS, Rajasekhar, C, and Sridharan, A

**Ranganath, VR:** *see* Tarafder, S, Tarafder, M, and Ranganath, VR

**Rebis, RE:** *see* Moran, AL and Rebis, RE

**Regnault, WF:** *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

**Reynolds, AP:** Comparison of *R*-curve methodologies for ranking the toughness of aluminum alloys, Nov., 406

### Riga, AT

**and Scott, CG:** Review of *Introduction to Engineering Materials: Behavior, Properties, and Selection, Engineered Materials Series 2* (Murray), March, 140

**and Scott, CG:** Review of *Successful Management of the Analytical Laboratory* (Milner), March, 141

**and Scott, CG:** Review of *Thermal Analysis of Materials (Materials Engineering Series 5)* (Speyer), Sept., 348  
*see* Scott, CG and Riga, AT

**Routson, LB:** *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

**Rowland, FJ, Jones, C, and Manning, DP:** Surface roughness of footwear soling materials: relevance to slip resistance, Nov., 368

**Roy, S:** *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

## S

**Sacher, A and Owens, JM:** International symposium on slip resistance: The interface of man, footwear, and walking surfaces, Nov., 351

**Sandor, B:** *see* Ju, S-H, Sandor, B, and Plesha, ME

**Schinke, B:** *see* Aktaa, J and Schinke, B

**Schmidt, FJ:** *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

**Schroeder, LW:** *see* Chen, ET, Hughes-Dillon, K, and Schroeder, LW

**Schutz, RW and Xiao, M:** Expanded windows for titanium use in the pulp/paper peroxide bleach plant, March, 119

Ti roll-clad plate: more cost-effective plate products for utilizing titanium and zirconium alloys in chemical processes, March, 96

### Scott, CG

**and Riga, AT:** Review of *Engineering Materials 3: Materials Failure Analysis (Case Studies and Design Implications)* (Jones), Jan., 57

**and Riga, AT:** Review of *International Advances in Nondestructive Testing* (McGonagle), Jan., 57  
*see* Riga, AT and Scott, CG

**Segal, L:** Diagnosis of machinery by analysis of running temperature data, July, 268

**Seitisleam, F:** *see* Lindblom, J, Seitisleam, F, and Henderson, PJ

**Shukla, A:** *see* Singh, RP and Shukla, A

**Sim, MC:** *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

**Singh, RP and Shukla, A:** Critical evaluation of the performance of optical fiber sensors for monitoring dynamic strains, Sept., 295

### Singh, SP

**and Cheema A:** Measurement and analysis of the overnight small package shipping environment for Federal Express and United Parcel Service, July, 205

**and Syal, VP:** Leakers as a function of closure type in gallon-size plastic bottles in simulated small parcel test environment, July, 241

**Slaten, BL:** *see* Kim, JO and Slaten, BL

### Spellerberg, PA

*see* Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

**Trimm, WL, and Pielert, JH:** Development and application of a quality system standard for construction materials testing laboratories, Jan., 49

**Sridharan, A:** *see* Pandian, NS, Rajasekhar, C, and Sridharan, A

**Strickland, J:** *see* Carr, DD, Strickland, J, McDonald, WH, and Bortz, S

**Syal, VP:** *see* Singh, SP and Syal, VP

## T

**Tarafder, M:** *see* Tarafder, S, Tarafder, M, and Ranganath, VR

**Tarafder, S, Tarafder, M, and Ranganath, VR:** Fracture mechanics expressions for the standard chord-supported arc bend specimen, March, 73

**TenWolde, A:** *see* Carll, C and TenWolde, A

**Teoh, SH:** *see* Cotterell, B, Sim, MC, Amrutharaj, G, and Teoh, SH

**Terjimanian, A and Kelly, CJ:** Evolution of the internal quality audit at Ford Motor Company's Central Laboratory, Jan., 37

**Thomas, DP:** *see* Lytle, CD, Routson, LB, Thomas, DP, Regnault, WF, and Cyr, WH

**Thomas, HM:** *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

**Thomas, V:** *see* Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK

**Tobolski, EL:** *see* Heberling, TG, Fee, AR, and Tobolski, EL

**Trimm, WL:** *see* Spellerberg, PA, Trimm, WL, and Pielert, JH

## U-V

**Uden, PC:** *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

**Vahradian, HM:** Review of *Superconducting Levitation: Applications to Bearings and Magnetic Transportation* (Moon and Chang), May, 204

**Vatovec, M, Gupta, R, and Miller, T:** Testing and evaluation of metal-plate-connected wood truss joints, March, 63

**Vickers, T and Moukwa, M:** Evaluation of test methods and environmental conditions to promote efflorescence formation under laboratory conditions, March, 80

Villalobos, R: *see* Annino, R and Villalobos, R

Vittum, P: *see* Brooks, MW, Roy, S, Uden, PC, and Vittum, P

## W

Webster, RT: *see* Grauman, JS and Webster, RT

**Wilson, M:** Slip resistance characteristics of footwear solings assessed using the SATRA friction tester, Nov., 377

**Wolfenden, A, Thomas, HM, Thomas, V, and Chawla, KK:** Effect of fiber coating on the temperature dependence of the elastic and anelastic properties of a fiber-reinforced borosilicate glass matrix composite, July, 237

Woodbury, HA: *see* Faccini, EC and Woodbury, HA

Wu, CY: *see* Ho, JC, Wu, CY, Carron, MJ, Maughan, KP, and Schmidt, FJ

Wu, Y: *see* Kandhal, PS, Wu, Y, Parker, F, Jr., and Spellerberg, PA

## X-Z

Xiao, M: *see* Schutz, RW and Xiao, M

Yamada, M: *see* Ogawa, A, Niiikura, M, Ouchi, C, Minikawa, K, and Yamada, M

Yates, JS: *see* Poston, RW, Galitz, CL, and Yates, JS

**Yau, T-L:** Performance of zirconium and zirconium alloys in organics, March, 110

**Zouani, A, Bui-Quoc, T, and Bernard, M:** Optimal design of a disk-shaped specimen for biaxial-tensile fatigue testing, Sept., 287