

Subject Index

A

Air-drying, 13, 20, 22-23
Air-dry loss moisture, 21, 23, 25
American National Standards Institute, 16
American Society for Testing and Materials, 2, 16
ASTM International, 2, 16, 20, 93-94
Committee D05 on Coal and Coke, 16-17, 67, 70, 94
Analysis sample, 12-13, 22-23
Annual Book of ASTM Standards, 12, 19
Anthracite, 2, 4, 9, 32, 38
As-determined basis, 48
formulas, 49-51
As-determined moisture, 11, 25
Ash, 10-11, 16, 20, 27-30, 33-34, 46, 48, 58, 60-64, 66-70, 72, 74, 76-78, 80, 83, 95
composition, 27, 65, 68, 74
determination, 28
fusibility, 16, 61, 62, 64
fusion temperatures, 63-64
determination, 61-63
As-received basis, 3, 48, 61
formulas, 49-51
Audibert-Arnou dilatometer, 5, 91

B

Bed moisture, 3, 20, 26
Bituminous coal, 3, 9-10, 20, 25-27, 32-33, 65, 84-85, 90
British Standards Institute, 16
Brown coal, 3, 5, 43

C

Calcite, 1, 11, 28, 34, 67

Calorific values, 2-3, 37, 59-60, 86
determination, 58
gross calorific value, 7, 37, 50, 60
net calorific value, 37, 60
Calorimeter, 40, 52, 58-60, 93
Carbon, 1, 8-9, 18, 33, 35, 46-47, 50, 58, 69-70, 72, 76, 93
determination, 35
Carbon forms, 16, 52
determination, 67, 70-71
Carbonates, 11, 27, 30, 34-36, 43-44, 57, 65, 76-77, 80
Catalyst, 34, 38, 44, 71, 77
Chlorine, 40, 46, 50, 52-54, 76, 80, 93, 95
determination, 52
Clay, 1, 11, 27, 65, 76
Clarain, 25
Coal classification, 2-7, 26, 33, 60
Coal matrix, 11
Coke, 10, 16, 26, 29-30, 33-34, 36, 38-40, 43-44, 48, 51-52, 61, 64, 66-67, 74, 77, 95
yield, 34
Cold vapor atomic absorption spectrometry (CVAAS), 66, 71-72
Combustion residues
carbon in, 69-70
sulfur in, 69-70

D

Decomposition moisture, 20-21
Density, 1, 78
Dilatometer, 5, 84, 90-91, 93
Dolomite, 11
Durain, 25

E

Elements in coal, 52, 72, 74, 77

Emission spectroscopic methods, 73
Equilibrium moisture, 20, 24-26, 48
determination, 24
Equilibrium moisture basis, 48
Eschka mixture, 40, 42, 52-53, 69
Exinite, 8-9
Extraneous mineral matter, 27, 76

F

Fieldner furnace, 32-33
Fixed carbon, 1-4, 11, 20, 33, 50
calculation, 33
Fly ash, 54, 72, 76
Fourier transform infrared spectroscopy, 79
Free-swelling index, 84-86
determination, 85
standard profiles for, 86
Fusain, 25

G

Gieseler plastometer, 83, 87
Gray-King coke-type, 5
Gross sample, 12-13, 22-23, 42
Gypsum, 11, 27, 39, 79

H

Hard coal, 3, 6
Hardgrove grindability, 81-84
determination, 81
Hydrogen, 1, 8-9, 16, 30, 34-37, 44, 46-47, 49-50, 58, 62, 76, 93, 95
determination, 34-36

- I**
- Inertinite, 8-9
 Inherent mineral matter, 27, 76
 Inherent moisture, 3-4, 20-21, 24-26
 International classification of coal, 3, 6-7
 ISO (International Organization for Standardization), 3, 44, 81
- K**
- King, Maries, Crossley formula, 80
 Kjeldahl-Gunning method, 38
- L**
- Laboratory sample, 13, 23, 35, 89
 Lot, 12, 42
- M**
- Macerals, 8-9
 Marcasite, 1, 11, 27, 34, 39
 Magnesium oxide, 40, 52, 65, 69
 Major and minor element analysis, 67-68, 72-74
 atomic absorption spectrometric (AAS), 55, 65-67, 74
 inductively coupled plasma-atomic emission spectrometric (ICP-AES), 66, 70, 72, 74, 93-94
 x-ray fluorescence spectrometric (XRF), 66-67, 72-74
 Maximum fluidity, 89
 Mercury, 38, 54, 70-72
 determination, 70-72
- Mineral matter, 1, 8, 10, 13, 20, 27, 30, 32, 34, 44, 46, 56-57, 61, 76-81
 acid demineralization, 79, 81
 determination, 79-80
 Minerals, 1, 8, 10-11, 27, 29-30, 56, 64-65, 78-82
 Miscellaneous analysis, 16, 52
 Moist, mineral-matter-free basis (mmmf), 3-4
 Moisture
 air-dry loss, 21, 23, 25-26
 as-determined, 11, 25
 as-received, 11, 21
 bed moisture, 3, 20, 26
 decomposition, 20-21
 equilibrium, 20, 24-26, 48
 forms in coal, 21
 inherent moisture, 3-4, 20-21, 24-26
 surface (free), 3, 20-21, 26
 Moisture analysis
 ASTM International standard methods, 22
 chemical methods, 21-22
 dessorator methods, 21-22
 distillation methods, 21-22
 electrical methods, 21-22
 extraction methods, 21
 thermal drying, 21-22
 residual, 21-23, 25-26, 30, 32, 46
 surface, 3, 20-21, 26-27
 total, 3, 5, 21-26, 50
- N**
- Neutron activation analysis, 72
 Nickel, 63
 Nitrogen, 1, 9, 16, 23, 29, 34-39, 44, 50, 60, 70, 76, 93, 95
 determination, 35-39
 Nonsparking coals, 31
- O**
- Optical microscopy, 79
 Organic sulfur, 34, 43, 54, 56-57, 78
 determination, 54-56
 Oxidation of coal, 13
 Oxygen, 1, 8-9, 16, 29, 34-37, 39, 42-47, 49-50, 52-54, 57, 65
 calculation formulas, 46-50
 determination, 43-45
 Oxygen plasma ashing, 78
- P**
- Parr formulas, 2
 Plastic properties, 16, 33, 52, 84, 87, 89
 Plasticity, 84, 87, 92
 determination, 87-89, 91
 Proximate analysis, 2, 16, 20, 29, 95
 Pyrite, 1, 11, 27-29, 34, 39, 42-43, 46, 54-56, 65, 67, 77-80
 Pyritic sulfur, 43, 46-47, 54-57, 80
 determination, 54-57
 Pyrrhotite, 11
- R**
- Rank, 1-5, 7-11, 20, 25-26, 30, 32, 56, 60, 68, 74, 78, 84-85
 Residual moisture, 21-23, 25-26, 30, 32, 46
 determination, 23-24
 Roga index, 5
- S**
- Sample handling, 24
 Sample preparation, 12-15
 Sampling, 3, 12-13, 15, 24, 29, 71
 Scanning electron microscopy, 56, 79

Schutze-Unterzaucher
 method for oxygen, 44
 Short prox, 20
 Silica, 1, 11
 Size consist, 10, 13, 81, 86,
 89
 Sparking coals, 30-31
 Surface moisture, 3, 20, 26
 Standard methods
 (ASTM International
 number)
 ash (D 3174), 28-29
 ash (D 5142), 28-29
 ash fusion temperatures
 (D 1857), 61
 calculating to different
 bases (D 3180), 50
 carbon and hydrogen
 (D 3178), 34
 carbon, hydrogen and
 nitrogen (D 5373), 35, 70
 carbon dioxide in coal
 (D 1756), 57, 69
 carbon in combustion
 residues (D 6316), 69
 chlorine (D 2361), 52-53
 chlorine (D 4208), 52-53
 chlorine (D 6721), 53
 coal classification (D 388),
 2
 dilatometer (D 5515),
 90-91
 equilibrium moisture
 (D 1412), 24, 26
 forms of sulfur (D 2492),
 56
 free swelling index
 (D 720), 85
 Gieseler plasticity
 (D 2639), 84, 87
 gross calorific value of coal
 (D 5865), 58
 Hardgrove grindability
 (D 409), 81
 major and minor elements,
 AAS (D 3682), 67
 major and minor elements,
 ICP-AES (D 6349),
 67-68

major and minor elements,
 XRF (D 4326), 67
 mercury (D 3684), 71
 mercury (D 6414), 71
 mercury (D 6722), 71
 moisture (D 3173), 22-23
 moisture (D 5142),
 22-23
 nitrogen (D 3179), 37-38
 sample collection (D 2234),
 12, 81
 sample collection (D 7256/
 7256M), 12, 81
 sample preparation
 (D 2013), 12-13, 22, 81
 sample preparation (D 7256/
 7256M), 12, 81
 sulfur (D 3177), 40
 sulfur (D 4239), 40-42
 sulfur in combustion
 residues (D 5016), 69
 trace elements, AAS
 (D 3683), 65-66
 trace elements, multiple
 methods (D 6357), 66, 94
 total moisture
 (D 3302), 21-23
 total moisture (D 2961),
 21-23
 volatile matter (D 3175),
 30, 32-33
 volatile matter (D 5142),
 30, 32-33
 Standard reference materials
 (SRMs), 67, 94
 Sulfur, 1, 7, 9-11, 16, 20,
 27-30, 34-35, 39-43,
 46-47, 50, 52, 54, 58,
 67-69, 77, 80, 95
 determination, 39-43
 in ash, 66, 69
 determination, 69
 Sulfur forms, 39, 50, 52,
 55-56
 determination, 55-56

T

Temperatures
 ash fusion
 initial deformation, 61,
 62, 64
 softening, 61, 63-64
 hemispherical, 61
 fluid, 61, 64
 plasticity
 initial softening, 89
 maximum fluid, 87, 91
 solidification, 89
 dilatometer
 maximum contraction
 temperature, 90
 maximum dilation
 temperature, 90
 softening temperature, 91
 Thermoconductivity
 detector, 35-36
 Thermogravimetric analysis,
 23, 29, 32-33, 93, 95
 Trace elements, 11, 52, 65-66,
 70, 72-73, 76, 94
 determination, 66, 70,
 72-73
 Total moisture, 3, 5, 21-26,
 50
 determination, 21-23

U

Ultimate analysis, 16, 23, 34,
 43, 50, 54, 80, 95

V

Vitrain, 25
 Vitrinite, 7-9
 Volatile matter, 1-9, 11, 16,
 18, 20, 29-33, 35, 50,
 58
 determination, 30-33

W

Water of hydration of
 mineral matter, 20-21, 27,
 30, 32, 36-37, 44, 46,
 80