

Subject Index

A

Abrasive blast cleaning, 79
 Access control, 89
 Acid cleaning, 80
 Aluminum and aluminum alloys, 48
 American National Standards Institute (ANSI), 117
 American Petroleum Institute (API), 117
 American Society for Testing and Materials (ASTM), 117
 American Society of Mechanical Engineers (ASME), 117
 Ancillary equipment, in oxygen-enriched environment, 5
 Aqueous and semiaqueous cleaning, 80
 ASME B31.3, 66–67, 70, 108, 110, 115
 ASME Boiler Pressure Vessel Code, 95, 97, 114
 Assembly, clean, 84–86
 Association of American Railroads (AAR), emergency procedures, 7
 ASTM D-2863, 28
 ASTM D-4809, 27–28
 ASTM G-63, 16, 53, 56, 59
 ASTM G-72, 28, 35
 ASTM G-74, 36
 ASTM G-86, 38, 40
 ASTM G-88, 57, 60
 ASTM G-93, 60
 ASTM G-94, 16, 49, 53, 59
 ASTM G-120, 81
 ASTM G-124, 16–17
 ASTM G-136, 83
 ASTM G-144, 83
 Authority having jurisdiction (AHJ), 124
 cleaning, 76–77
 design, 57
 designation/assignment of, 124
 electrical wiring, 70
 in emergencies, 6
 facility maintenance, 99
 facility planning and implementation, 90
 hazard reviews, 132
 inspection, 115
 operating procedures, 81
 oxygen detection, 97
 personal protective equipment, 77
 personnel, 87
 piping systems, 66
 pressure testing, 113
 pressurization and purging of gases, 74

safety inspection, 99
 transportation, 99–100
 weld testing, 114
 Autogenous ignition (autoignition)
 temperature of nonmetals
 data, 28–36*t*, 37
 test method, 28, 37, 38*f*

B

Barricades, oxygen propellant test areas, 98–99
 Blasts, 122–123
 Breathing applications, 4
 Building explosions, 121
 Bulk GOX and LOX storage
 nonpropellant use, 90, 91*t*
 propellant use, 90–91
 Burrs, 85

C

Cadmium, 48
 Caustic cleaning, 80
 Central nervous system oxygen toxicity, 4
 14CFR, 70
 14CFR-171-180, 73
 29CFR-1910.104, 67, 74, 90, 93, 96, 111
 49CFR-171.8, 99
 49CFR-172.101, 101-102
 49CFR-172.700, 101
 49CFR-173.31, 102
 49CFR-173.115, 101
 49CFR-173.302, 76
 49CFR-173.318, 102, 113
 49CFR-173.329, 102
 49CFR-173.338, 102, 113
 49CFR-177.840, 102, 113
 49CFR-178.345, 101
 CGA 341, 73, 114
 CGA G-4.0, 66, 96
 CGA G-4.1, 81
 CGA G-4.3, 4
 CGA G-4.4, 57, 59
 CGA G-4.5, 4
 CGA P-1, 96
 CGA S-1.1, 70
 CGA S-1.2, 70
 CGA S-1.3, 70
 CGA V-6, 73
 Chemical cleaning, 79
 Chemical properties, 103–104, 103*t*
 Chemical reaction, 14–15
 Chemical Transportation Emergency Center (CHEMTREC), 7, 104

Chlorofluorocarbon (CFC), 81
 Cleaning, 76–86
 methods and aids, 77–81
 procedures, 81–84
 safety, 77
 specific materials, 84
 Cleanliness
 design for, 60–61, 60*f*
 inspection and verification, 82–84
 levels, 76, 77–78*t*
 maintaining in oxygen systems, 86
 maintaining through assembly, 85–87
 Clothing, in oxygen-enriched environment, 5
 Codes, regulations, and guidelines, 116–120
 Cold flow, seals, 59
 Combustion tests, 16–46
 Compatibility assessment, 132
 Component reassembly and functional testing, 84
 Composites, 49–50
 Compressed Gas Association (CGA), 117–118
 Compressed gas cylinders, storage and handling, 95–96
 Concept design review (CDR), 129
 Confined space, 87
 Contaminant-entrapping configurations, 60, 60*f*
 Cooldown and loading procedures, 87–88
 Copper and copper alloys, 47–48
 Copper oxidation, 59
 Cryogenic cold-shock, 88
 Cryogenic injuries, 7–8
 Cryogenic oxygen systems, design, 70–74

D

Deformable parts, 85
 Deionized water, 81
 Design
 approach, 57–58
 cleanliness, 60–61, 60*f*
 component and system testing, 57–58
 components, 66–70
 fire management, 74–75
 guidelines for oxygen systems, 58–59, 59*f*
 materials guidelines, 59–60
 minimizing ignition mechanisms, 61–66
 oxygen compatibility assessment, 57
 reviews, 57, 129
 risk training, 57
 specifications, 57
 Design certification review (DCR), 129

NOTE: This index cites entries from pages where substantive information is given about topics. Peripheral mentions of topics are not indexed. Entries marked with *f* indicate figures; *t* indicates tables.

Diluents, effects of, 50
 Disassembly and examination, cleaning, 82
 Document assessment results, 55
 DoD 6055.9, 90–92
DOT Emergency Response Guidebook, 7
 Drying, 83–84

E

EIGA IGC 33/0/E, 76, 81
 Elastomers, 49
 Electrical arc, 14, 65, 66*f*
 data, 45–46, 46*t*
 test method, 36, 45, 45*f*
 Electrical design, LOX systems, 74
 Electrical wiring and equipment, design, 70
 Emergencies, 6–8
 Emergency plans, 125
 Emergency procedures review (OPR), 131
 Emergency response, transportation, 101, 103
 Engineering materials, physical properties, 107–110*t*, 107–112, 111–112*f*
 European Industrial Gases Association (EIGA), 118
 Examinations, operating procedures, 88
 Explosions, 121–122
 Explosives, definition, 92
 External heat, 15

F

Facility maintenance, 99
 Facility planning, 89–100
 general guidelines, 89–90
 inspection, 99
 testing, certification, and recertification, 99, 104–105
 Facility repairs, modifications, and decommissioning, 99–100
 Failure modes and effects analysis (FMEA), 130
 Federal regulations
 government organizations, 119
 hazardous material, 116*t*, 118
 Final cleaning, 82
 Final design review (FDR), 129
 Fire
 design for management, 74–75
 hazards inherent in oxygen systems, 16
 ignition hazards in oxygen systems, 3–4
 techniques for fighting, 8
 Fire-extinguishing systems/agents, 98
 Fire protection systems, oxygen-enriched environments, 97–99
 First-aid procedures, 7–8
 Flow friction, 9–11, 12*t*
 design, 64
 Footwear, in oxygen-enriched environment, 5
 Fragments, 121
 Friction, 13, 14*f*, 14*t*
 data, 22–23, 23–24*t*
 design, 65
 test method, 17, 22–23, 22*f*

G

Gaseous oxygen (GOX)
 bulk storage, 90–92, 91–93*t*
 handling hazards, 3–4

 system failures, 89
 transportation, 101–102
 venting, 96–97
 Glossary, 132–134
 Gloves, in oxygen-enriched environment, 5
 Good practices, operating procedures, 88
 Ground-handling system explosions, 121

H

Hastelloy, 47
 Hazards
 assessment, 89
 fire, 16
 reviews, 131–132
 Head and face protection, in oxygen-enriched environment, 5
 Health, hazards in LOX, 4
 Heat of combustion
 data, 28–35*t*
 test method, 27–28, 27*f*
 Heat of compression, 9, 11–12*f*
 design, 63–64, 64*f*
 Heat of vaporization, 105, 105*f*
 High-pressure oxygen poisoning, 4
 Hot-water cleaning, 80
 Hydrochlorofluorocarbons (HFC), 81
 Hydrofluoroethers (HFE), 81
 Hydrostatic testing, 88

I

Ignition mechanisms, 3, 9–15
 assessment, 54–55, 55*t*
 definition, 9
 effects of physical and thermal properties, 50
 guidelines for minimizing, 61–66
 Ignition-resistant materials, 59
 Ignition temperature
 metals, 17, 21–22*t*
 nonmetallic materials, 59
 Ignition tests, 16–46
 Inconel, 47
 Inspections, 83
 Insuring associations, 118
 Intermediate cleaning, 82
 International Organization for Standardization (ISO), 118–119
 Iron alloys, 48
 Isopropyl alcohol (IPA), 81

J

Joule-Thomson effect, 106–107, 106*f*, 106*t*

K

Kindling chain assessment, 55

L

Leaks and spills, 6
 Liquid air, 89
 Liquid oxygen (LOX)
 bulk storage, 90–92, 91–93*t*
 component and systems design, 73–74
 description, 3
 disposal, 96
 electrical design guidelines, 74
 handling hazards, 3–4
 piping system design considerations, 73
 pressurization and purge gases, 74

safety, 3–4
 space applications and considerations, 74
 storage and handling of cylinders, 96
 system failures, 89
 thermal insulation, 74
 transportation, 101–102
 venting, 96–97
 vessel considerations, 73–74
 Low-pressure oxygen systems, design, 70
 Lubricants, 50
 fluorinated, 60
 thread tape and, 85–86

M

Magnesium, 48
 Material compatibility assessment, 130
 Materials
 certification, 59
 control, 50
 design guidelines, 59–60
 flammability, ignition, and combustion, 16
 metallic, 46–49
 nonmetallic, 49–50
 selection using oxygen compatibility assessment, 55–56, 56*f*
 types, 49–50
 weight and strength, 59–60
 Mechanical cleaning, 79
 Mechanical impact, 11–13, 13*f*, 13*t*
 data, 34, 36, 41–44*t*
 design, 64, 64*f*
 test method, 38, 40
 Medical oxygen, 4
 Metallic materials, 46–49
 Metal oxides, 49
 MIL-PRF-25508G, 4
 MIL-PRF-27210G, 4
 Monel, 47

N

National Fire Protection Association (NFPA), 119
 NFPA-50, 66, 74, 90, 92–94, 96, 111
 NFPA-51, 90, 96
 NFPA-53, 16, 69, 96
 NFPA-55, 65, 96
 NFPA-68, 97
 NFPA-70, 65
 NFPA-220, 93
 Nickel and nickel alloys, 28*t*, 46–47
 Nickel-copper alloys, 28*t*, 46–47
 Nickel-iron alloys, 47
 Noncommercial transport equipment, 102
 Nonmetallic materials, 49–50
 Nonpropellant, bulk GOX and LOX storage, 90, 91*t*, 93

O

Operating conditions, worst case, 54
 Operating procedures, 87–88
 Operational readiness inspection (ORI), 131
 Operational readiness review (ORR), 131
 Operational reviews, 131–132
 Operator certification, 87
 training review, 131

Organizational policies and procedures
 oxygen use, 6
 project management, 123–132
 Overpressurization, 7, 89
 Oxygen compatibility assessment, 53–56
 design, 57
 document assessment results, 55
 flammability assessment, 54, 54*f*
 kindling chain assessment, 55–56
 material selection, 55–56, 56*f*
 reaction effect assessment, 55, 56*t*
 worst-case operating conditions, 54
 Oxygen-deficient environment
 injury within, 8
 OSHA definition, 5
 Oxygen detection, 97
 Oxygen-enriched environment
 fire protection systems for, 97–98
 injury within, 8
 OSHA definition, 5
 Oxygen-enrichment, 89
 Oxygen index
 data, 27–35*t*, 28
 test method, 28, 37*f*
 Oxygen systems
 basic safety, 3–4
 clean assembly, 84–86
 design considerations for installations,
 70–74, 71–72*f*
 emergencies, 6–8
 fire hazards inherent in, 16
 handling hazards, 3–4
 hazard considerations, 72
 importance of cleaning, 4
 LOX piping system design
 considerations, 73
 LOX vessel considerations, 72–73
 maintaining cleanliness, 86
 organizational policies and procedures, 6
 personnel protective equipment, 5
 personnel training, 4–5
 principles for safe use, 3
 purity requirements, 4
 safety reviews, 5–6
 safety standards, 117–121
 warning systems and controls, 5

P

Packaging, 84
 Paramagnetism, 104
 Particle impact, 9, 10*t*, 11*f*
 data, 25, 26–27*t*
 design, 61–62, 62*f*
 test data, 25, 25*f*
 Personal protective equipment, 77
 Personnel
 operating procedures, 87
 protective equipment, 5, 76
 training, 4–5, 123

Physical properties, 103–104, 103*t*
 Pickling, acid cleaning, 80
 Pig cleaning, 79
 Plastics, 49
 Pneumatic impact of nonmetals
 data, 38, 39–40*t*
 test method, 38, 38*f*
 Policies and procedures, 124–125
 Precleaning, 82
 Preliminary design review (PDR), 129
 Press fits, 85
 Pressure, storage of GOX and LOX, 4
 Pressure relief devices, design, 69–70
 Pressure vessels, 112–116
 Pressurization and purge gases, LOX, 74
 Professional societies, codes, regulations,
 and guidelines, 119
 Project management, 126–129
 Promoted-ignition combustion transition
 (PICT), 16–17, 17*f*, 18–21*t*, 21*f*
 Promoted ignition of metals in GOX, 16–17
 Propellant, 4
 barricades in test areas, 98
 bulk LOX storage for, 90–92
 definition of explosives, 92
 storage tanks and impounding areas, 95
 Protection policies, 125

Q

Quality control, 125–126
 Quantity-distance guidelines, 90–92

R

Reaction effect assessment, 55, 56*t*
 Resonance, 15, 15*f*, 46, 66–66
 Restricted alloys, 48–49
 Rinsing, 82
 Risk management, fire, 53, 54*f*
 Risk training, 57
 Rollover, 95

S

SAE ARP 1176, 76, 81
 Safety analysis report (SAR), 130
 Safety assessment review (SAsR), 130
 Safety guidelines, 3–8
 Safety reviews, 5–6, 131
 Scaling laws, 120–121
 Seal assembly, 85
 Seal configurations, 69*f*
 Seal extrusion, 59
 Sealing interfaces, 59
 Silicone, 59–60
 Society of Automotive Engineers, 119–120
 Soft goods
 assembling seals, 85
 cleaning solvents and, 81
 design principles, 59–73
 friction, 13
 Solubility, 104–105

Solvents, 81
 extraction, 83
 Stainless steels, 48
 Standard operating procedures (SOPs),
 125
 Static discharge, 13–14, 46, 65
 Steam cleaning, 80
 Stem configurations, 68*f*
 Storage vessels, 95
 Subsonic particle impact tests, 27*t*
 Supersonic particle impact tests, 26*t*
 Surface preparations, 59
 Surface tension, 105, 106*f*
 Swab, spray, and dip cleaning, 79
 System safety program plan (SSPP), 130

T

Tank ruptures, 121
 Technical and trade groups, codes,
 regulations, and guidelines, 119
 Temperature, storage of GOX and LOX, 4
 Testing standards and safety groups, codes,
 regulations, and guidelines, 119
 Test readiness review (TRR), 131
 Thermal insulation, LOX system, 74
 Thermal runaway, 15
 Threaded assembly, 85
 Toxicity
 in breathing gas systems, 49
 cadmium, 48
 fire-extinguishing agents, 98
 hazard reviews, 133
 magnesium, 48
 materials, 50
 oxygen, 3, 104
 Transportation, 101–103
 emergency, 6, 103
 general operating procedures, 102
 public thoroughfares, 101–102
 site-controlled thoroughfares, 102
 Tumbling, 79

U

Ultrasonic cleaning, 79
 US Coast Guard, National Response
 Center, 7

V

Vacuuming and blowing, 79
 Valves, 67–68, 68*f*
 Vapor pressure, 104–106*f*
 Ventilation, cleaning, 77
 Venting and disposal systems, 96

W

Warning systems and controls, 5
 Water break test, 83
 Welded soldered and brazed joints, 85
 Wipe test, 83
 Wire brush or grinder cleaning, 79