

# Subject Index

## A

- Absorption current effect, 37
- a-c breakdown (*see also* Breakdown, electrical characterization), 304–305  
 under constant a-c potentials, 306  
 model of, 304–306  
 under slowly rising a-c potentials, 305–306
- Acetonitrile, conduction in, 241
- a-c loss  
 test methods, 368  
 voltage breakdown determination, 275–276, 283
- Acoustic detection devices, for breakdown phenomena, 281–282
- a-c potentials  
 constant, 306  
 slowly rising, 305–306
- a-c stresses, 267–268
- Activation energy, 47–54
- a-c Wheatstone bridge, 155, 157
- Additives  
 flow-improving, 333  
 metal deactivator, 344
- Aerosols, fuel, 252
- Aging  
 effects on conduction, 230–233  
 oxidation-related, test methods, specifications, and values, 314–315  
 thermal breakdown, 271  
 thermal decomposition, 348–358
- Aliphatic hydrocarbons, halogenated, structure and properties, 420–422
- n-Alkanes, electron mobility, Arrhenius plot, 195
- Alkenes, molecular structure, 384–385
- Alkylbenzene, molecular structure, 28–29
- Alkyl-substituted aromatic compounds, structure and properties, 419–420
- Alkynes, molecular structure, 385–386
- Alphabet, Greek, 435
- Amphiprotic liquids, 173
- Amyl oleate, structure and properties, 412
- Aniline point, 324
- Antioxidants  
 actions, 166  
 groups, 167  
 metal passivator, 345  
 test methods, 362
- API gravity scale, defined, 400
- Aprotic liquids  
 conductivity, 236–241  
 defined, 172–173  
 physical properties, 238  
 structure, 238
- Aqueous solutions  
 characterization and classification, 173  
 conductivity of, 233–235  
 electrical breakdown/prebreakdown, 250–251  
 used in dielectric engineering, 176
- Area, units and equivalents, 431
- Aromatic compounds  
 alkyl-substituted, structure and properties, 419–420  
 aromatic ring structure, 317  
 mineral oil content, measurement, 329  
 molecular structure, 386–389
- Aromatic hydrocarbons  
 history of, 407–408  
 structure, 174
- ASA 3, effect on breakdown, 266, 284
- Askarels  
 molecular structure and composition, 407–409  
 properties and uses, 409
- ASTM Committee D27 (recommended standards for electrical insulating oils), 375–379
- ASTM standards  
 D 86, 339  
 D 88, 336  
 D 92, 339  
 D 93, 339  
 D 97, 333, 337  
 D 117, 312, 337–338, 362, 366  
 D 129, 329  
 D 240, 341  
 D 445, 336  
 D 446, 336  
 D 611, 324  
 D 659, 339  
 D 664, 362

ASTM standards—*continued*

D 831, 364  
 D 877, 367, 393  
 D 924, 109, 368  
 D 971, 368  
 D 974, 362  
 D 1169, 368  
 D 1218, 322  
 D 1250, 335  
 D 1275, 329  
 D 1298, 335, 400  
 D 1500, 362  
 D 1524, 362  
 D 1533, 366  
 D 1563, 362  
 D 1698, 362  
 D 1807, 322  
 D 1816, 358, 367  
 D 1818, 312  
 D 1819, 312  
 D 1827, 364  
 D 1903, 335, 399  
 D 2112, 360  
 D 2140, 29, 322  
 D 2144, 362  
 D 2159, 329  
 D 2161, 336  
 D 2162, 336  
 D 2224, 323  
 D 2285, 368  
 D 2298, 366  
 D 2300  
   method a, 366  
   method b, 365  
 D 2382, 341  
 D 2440, 360  
 D 2500, 337  
 D 2502, 323  
 D 2503, 323  
 D 2551, 339  
 D 2608, 362  
 D 2622, 329  
 D 2668, 362  
 D 2699, 337  
 D 2717, 335, 397  
 D 2766, 335, 397  
 D 2780, 365  
 D 2878, 323, 339  
 D 2887, 339  
 D 2945, 364  
 D 3120, 329  
 D 3228, 329  
 D 3238, 322  
 D 3300, 283  
 D 3339, 362

D 3431, 329  
 D 3455, 367  
 D 3487, 312, 316, 331  
 D 3612, 356, 362, 364  
 D 3635, 362  
 D 4055, 362  
 D 4059, 341  
 D 4310, 362  
 D 4768, 362  
 F 661–80, 366

## ASTM test methods and specifications

composition, 376  
 contaminants, 379  
 cooling, 376–377  
 dissolved gasses, 378–379  
 environmental effects, 377  
 flammability, 377  
 gassing, 378  
 general, 375  
 oxidation, 378

## Atmosphere

pressure effects on prebreakdown events,  
 291–293  
 role in electrical breakdown, 271

## Atomic orbitals, 151

Atomic polarization  
 estimation, 23–24  
 polarizability, 6  
 relaxation time, 164

## Atomic structure

carbon atom, 380–381  
 liquid insulating materials, 380–381

Atomization, liquids in an electric field,  
 252–253

Attachment, electron, 203

Attraction, molecular, 160

Auto-ignition temperature, evaluation  
 methods, 339

**B**

Balsbaugh test cell, 110–111

2TN50 two terminal concentric  
 electrode, 112–113  
 3HV35 three terminal concentric  
 electrode, 110–111

LD-3 three terminal parallel-plane  
 electrode, 113–114

Barrier model, of dipole orientation, 54–56

Bauer complex compensation bridge,  
 122–124

## Benzene

composition, 408  
 molecular structure, 386–388, 408  
 polarity, 27–30

- Benzene—*continued*  
 properties, 420  
 short range order, 160
- Benzyl benzoate, structure and properties, 412
- Benzyl neocaprato, structure and properties, 426–427
- Berberich test cell, 108–109
- Bifringence, in Kerr effect measurements, 186
- Biphenyl, molecular structure and composition, 408
- Bjerrum distance, 217
- Boiling point, 170, 264–265
- Bond angle, 390
- Bond length, 389–390
- Born's formula, 161
- Branch structures, characterization, 273
- Breakdown, electrical (*see also* a-c breakdown; d-c breakdown; Prebreakdown, electrical)  
 a-c model, 304–306  
 aqueous solutions, 250–251  
 atmosphere role, 271  
 breakdown voltage determination, 283  
 bubble/low density formation, 246–248  
 classification, 267–271  
 conductivity role in, 266  
 corona discharges, 281  
 d-c model  
   basic, 296–302  
   practical, 303–304  
 defined, 262  
 dielectric strength, 275  
 environmental effects, 269–271  
 historical overview, 272–273  
 implications, 306–307  
 intrinsic, defined, 271  
 laser-induced, 251  
 measurement  
   breakdown voltage determination, 275–276  
   current determination, 276–278  
   electro-optical techniques, 278–281  
   light/acoustic techniques, 281–282  
   time lag to, 248–249  
 in nonpolar liquids, 241–249  
 partial discharges, 281  
 prevention, 307  
 published experimental results, 282  
 radiation effects, 271  
 role of electronic properties, 244–246  
 stages, 241  
 temperature effects, 271  
 thermal, 271  
 time lag to breakdown measurements, 248–249  
 water, 250–251
- British (NPL) test cell, 108–109
- Brookfield viscometer method, 337
- Bubble formation, 246–248, 272, 354
- Bush structure, characterization, 284
- Butyl benzoate, structure and properties, 413
- Butyl borate, structure and properties, 414
- Butyl carbonate, structure and properties, 414
- Butyl citrate, structure and properties, 414
- Butyl laurate, structure and properties, 414
- Butyl naphthenate, structure and properties, 414
- Butyl oleate, structure and properties, 412
- Butyl ricinoleate, structure and properties, 413

## C

- Calcium naphthanate, contamination with, 70–71
- Cameras  
 image converter, 278–281  
 ultra-high-speed, 278–281
- Capacitance, units and equivalents, 432
- Capacitance and dissipation factor bridge, computer-controlled, 120–121
- Capacitors, liquids for, 425–427
- Carbon  
 atomic structure, 382  
 carbon-type determination, 325
- Carbon-carbon double bonds, 384–385
- Carbon-carbon triple bonds, 385–386
- Carbon-hydrogen bonds, 383
- Carbonyl, infrared absorption, 345–346
- Castor oil, 94–98
- Charge  
 movement, losses due to, 164–165  
 transfer effect on positive charge carrier, 203  
 units and equivalents, 432
- Charge carriers  
 generation  
   collisional ionization, 188  
   field emission, 186–187  
   field ionization, 186–187  
   high energy radiation, 179–181  
   injection at electrodes  
   electric double layers, 182–184  
   electro-optical measurements, 185–186  
   process of, 184–185, 221, 296–298

- Charge carriers, generation—*continued*
  - liquid classification based on, 172–173
  - by microscopic particles, 187–188
  - photoeffect, 178–179
  - photoionization, 178–179
  - solution of ionizing compounds, 181–182
  - thermal excitation, 117–118
- transport properties
  - attachment, 203
  - charge transfer, 203
  - electron mobility, 192–197
  - hole mobility, 203–204
  - injection effects on conduction, 221
  - ion mobility, 197–201
  - measurement methods, 188–192
  - models, 204–206
  - particle motion, 197–201
  - recombination, 201–203
- Chemical bonds, 150–152
- Chemical composition
  - effects on physical properties of insulating oils, 318
  - test methods, specifications, and values, 313
- Chemical transformations, conductivity, 230–233
- Chlorides
  - contamination with, 359
  - inorganic, test methods, 367
- Chlorinated diphenyl oxides, molecular structure and composition, 409–410
- Chromatographic techniques
  - gel permeation
    - molecular weight distribution
      - determination, 323–324
      - naphthenic oils, 319–320
    - for oil characterization, 322
- Classifications
  - aqueous solutions, 173
  - dielectric fluids, 263
  - electrical breakdown, 267–271
  - liquids
    - based on charge carrier generation, 172–173, 172–173
    - physico-chemical, 172–173
    - mineral oils, 400–401
    - water, 173
- Clausius–Mosotti equation, 11, 153–154
- Clausius–Mosotti field, 8–10
- Cleveland open-cup method, for flash/fire points, 339
- Cloud point
  - defined, 332
  - measurement methods, 337–338
  - undewaxed paraffinic transformer oils, 332
- Coaxial line-waveguide methods, 130, 132–134, 157–158
- Coefficient of thermal expansion
  - insulating oils, determination, 330, 399
  - test methods, 335
- Cole-Cole plots, 42
- Collisional ionization, charge carrier generation by, 188
- Color
  - oxidized oil, 347
  - test methods, 362
- Compatibility, test methods, 367–368
- Composition, test methods and specifications, 376
- Computer-controlled transformer ratio arm bridge, 120–122
- Concentric electrode 50/60 Hz oil test cell, 108
- Condensation, heat transfer during, 172
- Conduction, electrical
  - acetonitrile, 241
  - aging, 230–233
  - aqueous solutions, 233–235
  - chemical transformations, 230–233
  - electrohydrodynamic, 229–230
  - electronic, losses due to, 77–80
  - extrinsic, 207
    - charge injection, 221, 296–298
    - current decay in time, 219–221
    - electrolytic conduction, 214–219
    - fluid motion, 221
    - particle-induced, 221–222
    - space charge relaxation, 220–221
  - high field conductivity, 227–228
  - high pressure, 222–225
  - impurity, 208
  - intrinsic, 209–214
  - ionic
    - frequency effects, 59–61
    - losses due to, 56–77
  - mechanisms, schematics, 148–149
  - nitrobenzene, 240
  - nonpolar liquids, 207–233
  - polar liquids, 233–241
  - propylene carbonate, 236–240
  - purification of water, 235–236
  - radiation-induced, 225–227
  - regions, 207–208
  - streaming liquids, 229–230
  - thin liquid films, 222
  - water, 233–236
- Conductivity, electrical

- defined, 39
- dielectric fluids, 66, 266
- role in breakdown process, 266
- Contaminants
  - in mineral oils, 407
  - test methods and specifications, 315, 379
  - values, 315
- Cooling
  - properties of insulating mineral oils, 329–338
  - test methods and specifications, 313–314, 376–377
  - typical values, 313–314
- Copper content
  - monitoring, 345
  - test methods, 362
- Corona inception voltage, 281, 305
- Covalent bonds, 151
  - in liquid insulating materials, 381–383
  - molecular geometry, 389–390
  - polar, 383–384
- Critical data, table of, 170
- Cryogenic fluids, characterization, 265
- Crystals, electron mobility in, 204
- Cumylphenylethane, structure and properties, 426–427
- Current
  - electrode, temporal variation, 219–220
  - measurements, 276–278
  - units and equivalents, 432
- Current density, 39
- Cycloheptatriene cation, molecular structure, 389
- Cyclohexyl ricinoleate, structure and properties, 413
- Cyclopropenyl cation, molecular structure, 389

## D

- Damping factor  $\tau$ , 102, 104
- d-c breakdown (*see also* Breakdown, electrical basic model), 296–302
  - charge injection process, 296–298
  - constant d-c potentials, 303–304
  - fast event of, 302
  - negative streamers, 300
  - partial discharges, 301
  - positive streamers, 300–301
  - practical model, 303–304
  - primary/secondary streamer growth, 300
  - slowly rising d-c potentials, 303
  - streamer development, 298–300
- d-c potentials
  - constant, 303–304
  - slowly rising, 303
- d-c stresses, 267–268
- Debye–Hückel atmospheres, 58
- Debye model, of macroscopic viscosity, 44
- Debye screening length, 184
- Decomposition processes
  - gas absorbing/evolving behavior, 356–358
  - gas formation, 348–356
- Delocalized state, electron transport in, 204–205
- Density
  - defined, 335
  - dielectric fluids, 264–265
  - insulating oils, determination, 330
  - test methods, 335–336
  - units and equivalents, 431
- Dibutyl silicate, structure and properties, 415
- Dielectric constant (*see* Permittivity)
- Dielectric fluids
  - applications, 251–254
  - chemical characteristics, 265–266
  - classification, 263
  - defined, 262–263
  - electrical breakdown (*see* Breakdown/prebreakdown, electrical)
  - electrical properties, 266
  - physical properties, 264–265
  - physico-chemical characteristics, 263–264
  - under a-c conditions, 64–78
  - and breakdown, 358–359
  - breakdown voltage, 275–276, 283, 367
  - dipolar relaxation, 165–167
  - electronic conduction-related, 77–80
  - frequency effects, 40, 85–87
  - induced dipoles, 167
  - interfacial relaxation, 168
  - ionic conduction-related, 56–77
  - loss factor, 37
  - measurement, 42, 106–108
    - high frequencies, 126–140
    - intermediate frequencies, 120–123
    - low frequency, 115–120
    - lumped and distributed parameter techniques, 106–108
    - lumped-parameter-specimen test cells, 108–115
    - upper and high radio frequency range, 123–126
  - mobile charge carrier effects, 56
  - molecular theories, 43–56
  - movement of charges, 164–165

Dielectric loss—*continued*  
 space charge polarization and relaxation, 168  
 temperature effects, 87–89  
 Dielectric strength of a material, 275, 358  
 Dielectrophoretic processes, 253–254  
 Diethyl hexyl adipate, structure and properties, 414  
 Diethyl hexyl phthalate, structure and properties, 415  
 Diethyl hexyl sebecate, structure and properties, 415  
 Diffusion coefficient, 172  
 Dilution, Ostwald's law of, 234  
 Dimethylsiloxane silicone fluids, 98–101  
 Dioctylphthalate, structure and properties, 426–427  
 Dipolar relaxation, losses due to, 165–167  
 Dipole-dipole interactions, 159  
 characterization, 390–391  
 hydrogen bonds, 391–392  
 Dipole moment  
 Debye equation, 9–10  
 defined, 384  
 examples of, 155  
 induced, 6  
 Kirkwood equation, 18–20  
 Onsager equation, 13–18  
 permanent, 6–8, 153  
 and permittivity, 23–25  
 in silicone fluids, 32  
 specific, 7  
 units and equivalents, 431  
 zero, 152  
 Dipole orientation  
 activation energy for, 50–54  
 barrier type model, 54–56  
 quantum mechanical correction (Van Vleck), 13  
 Dipole rotation, hindered, 19–20  
 Discharges  
 in d-c breakdown, 301–302  
 effects on breakdown, 281, 293–295, 305  
 Dispersion interaction, 159  
 Dispersive Fourier transform spectrometry, 140  
 Disposal, of insulating oils, 339  
 Dissipation factor  
 characterization, 396  
 defined, 37  
 in Hartshorn–Ward circuit, 124–125  
 in reentrant cavity measurement system, 128–129  
 Dissolved-gas content

IEC and IEEE codes for, 349  
 specifications, 378–379  
 test methods, 362–364, 378–379  
 Distribution function  
 radial, 4  
 relaxation times, 80–85  
 Ditolyether, structure and properties, 426–427  
 Double bonds, carbon-carbon, 384–385  
 Double layer, electric, 182–184, 229–230  
 Duval's triangle, 350  
 Dye lasers, 178

## E

Electrical breakdown, electrical (*see* Breakdown/prebreakdown)  
 Electrical conduction (*see* Conduction, electrical)  
 Electrical conductivity (*see* Conductivity, electrical)  
 Electrical decomposition, 348–358  
 Electric double layer  
 characterization and schematics, 182–184  
 at metal/insulating liquid interface, 229–230  
 Electric field, effects on electron mobility, 197  
 Electric strength, of insulating liquids, 393  
 Electric stress, units and equivalents, 433  
 Electrodes, geometries  
 commonly used, 270  
 role in breakdown, 269  
 Electrolysis, 237–239  
 Electrohydrodynamic conduction, in nonpolar liquids, 229–230  
 Electrohydrodynamic mobility, 201  
 Electrokinetic potential, 201  
 Electrolytes, charge carrier generation by, 181–182  
 Electrolytic conduction, in nonpolar liquids, 214–219  
 Electronegativity, 383  
 Electronic conduction, losses due to, 77–80  
 Electronic polarization, relaxation times, 164  
 Electronic properties  
 energy levels in dielectric liquids, 161–162  
 liquids, 161–163  
 Electron mobility  
 in n-alkanes, Arrhenius plot, 195  
 in condensed matter, 272  
 electric field effects, 197

high pressure effects, 197  
 magnetic field effects, 197  
 in nonpolar liquids, 194  
 in polar liquids, 198  
 structure effects, 193  
 temperature effects, 193

**Electrons**  
 high energy  
   ionization and excitation events  
     produced by, 179–180  
     reactions in dielectric liquids,  
       179–180  
 orbitals, 380–381  
 transport models, 204–206

**Electro-optical devices**  
 for breakdown testing, 278–281  
 development, 273

**Electrophoresis**, 200

**Electrostatic HV machines**, 252

**Electroviscous effects**, 171

**Energy**  
 loss, expression for, 37–38  
 units and equivalents, 432

**Environmental effects**  
 on electrical breakdown, 269–271  
 standard test methods and specifications,  
 377

**Equivalent circuits**  
 lossy capacitor test cell, 155–156  
 parallel, 38–39  
 transient response test circuit, 116–117

**Equivalent conductivity**, ionic, 200

**Esters**  
 aliphatic, 410  
 aromatic, 411  
 characterization, 265  
 complex, 411  
 organic  
   characteristics, table, 412–415  
   characterization and synthesis, 175  
   molecular structure and composition,  
   410–411  
 phosphate, 416

**Excitation events**, high energy radiation-  
 related, 179–181

## F

**Fast event**, in d-c breakdown, 302

**Field emission**, charge carrier generation  
 by, 186–187

**Field ionization**, charge carrier generation  
 by, 186–187

**Fire point**  
 defined, 338

polyolefins and silicones, 400  
 requirement for, 338  
 test methods, 339

**Flammability**  
 insulating liquids, 399–400  
 insulating mineral oils, 338–339  
 specifications, 377  
 test methods, 339–341, 377

**Flash point**  
 defined, 338  
 minimum accepted value, 338  
 polyolefins and silicones, 400  
 test methods, 339

**Flow properties**  
 insulating liquids, 396–399  
 insulating oils, 330–335

**Fluorocarbons**, physical and electrical  
 properties, 422

**Force**, units and equivalents, 431

**Fourier transformation procedures**  
 Fourier transform spectrometry  
   dispersive, 140  
   oil characterization with, 322  
 pulse response measurements, 117–118

**Free wave methods**, 137–140

**Freons**, characterization, 265

**Frequency**  
 effects  
   on dielectric losses, 85–87  
   on energy loss, 40  
   on ionic conduction, 59–61  
 microwave, and loss, 167  
 and polarization, 24–25

**Frequency response**  
 defined, 85  
 insulating liquids, 85–101

**Fröhlich equation**, 21–22

**Fuel aerosols**, generation, 252

**Furan**, molecular structure, 389–390

**Furanic compounds**, in insulating oil, 354

**Furfural content**, test methods, 366

## G

**Gamma rays**, conductivity induced by,  
 225–227

**Gas**  
 absorbing/evolving behavior, 356–358  
 absorption by insulating liquids, 396  
 dissolved-gas analysis  
   IEC and IEEE codes for, 349  
   test methods and specifications,  
   362–364, 378–379  
 formation, 348–356  
 solubility in oil versus temperature, 355

Gassing  
 specifications, 378  
 test methods, 365–366, 378

Gel permeation chromatography  
 molecular weight distribution  
 determination, 323–324  
 naphthenic oils, 319–320

Geminate recombination, 179

Geometry, of covalent molecules, 389–390

Gouy–Chapman layer, 183, 185

Gouy–Chapman theory, 184

Greek alphabet, 435

## H

Half-life, of ion pairs, 202

Halogenated hydrocarbons, aliphatic,  
 structure and properties, 420–422

Handling, of insulating oils, 339

Hartshorn–Ward test cells, 113–116  
 modified susceptance variation circuit,  
 123–126  
 reentrant cylindrical cavity measurement  
 technique, 126–128

Heat of combustion, test methods, 341

Heat of evaporation, 169–170

Heat properties (*see* Thermal properties)

Heat transfer, properties of insulating  
 mineral oils, 329–330

Helium, liquid, 175–176

Helmholtz layer, 184, 200–201

Heterocyclic molecules, characterization,  
 265

High field conductivity, of nonpolar  
 liquids, 227–228

High pressure  
 conductivity, 222–225  
 effects on electron mobility, 197

High voltage  
 apparatuses, applications of dielectric  
 liquids, 251–254  
 generation, 252

Hole mobility  
 characterization, 203–204  
 as function of temperature, 204

Hopping transport, electrons in nonpolar  
 liquids, 205

Hückel rule, 388

Hund's rule, 382

Hückel, Erich, 388

Hydrocarbons  
 aromatic  
 history, 407–408  
 structure, 174  
 classes, 312, 316

liquids, electrical dispersion, 252–253  
 molecules in oil, structure, 317  
 sulfur-containing, 342–344  
 synthetic  
 structural formula, 176  
 structure and properties, 417–425

Hydrogen bonds, 159–160, 382

## I

IEC codes for dissolved-gas analysis, 349

IEC publications  
 74, 360  
 156, 393  
 296, 331  
 296–1982, 312  
 567, 362–363  
 588, 367

IEC-type test cell, 109–110

IEEE codes for dissolved-gas analysis, 349

IEEE Guide 64 (1977), 316

Image converter cameras, 278–281

Impulse strength, 393

Impurities, role in breakdown, 284, 291

Impurity conduction, 208

Index of refraction, variation with  
 frequency, 103–106

Induced dipoles, losses due to, 167

Infrared spectrometry, oil characterization  
 with, 322

Infrared spectroscopy  
 mineral oils, 30–31  
 silicone fluids, 33

Injection, charge carriers, 221

In-service oxidation resistance, 341–348

Interaction potential, Lennard–Jones, 160

Interfacial relaxation, loss due to, 168

Interfacial tension, 345  
 acceptable limits, 346  
 test methods, 368

Interferometry, Michelson optical type,  
 137–138

Intermolecular forces, 390–392

Ion exchange, water purification by,  
 235–237

Ionic conduction  
 frequency effects, 59–61  
 losses due to, 56–77

Ionic mobility  
 expression for, 60  
 ionic losses due to, 62–63  
 jump model, 64–65, 172

Ionic polarizability, 6

Ionization  
 collisional, 188

events, high energy radiation-related, 179–181  
 field, charge carrier generation by, 186–187  
 Ionization energy, nonpolar liquids, 161–162  
 Ionizing compounds, charge carrier generation by, 181–182  
 Ion mobility  
   equivalent conductivity, 200  
   in nonpolar liquids, 198  
   in polar liquids, 198–200  
 Iso-amyl benzoate, structure and properties, 412  
 Iso-propyl benzoate, structure and properties, 412  
 Isopropylbiphenyl, structure and properties, 425–426  
 Isothermal compressibility  
   expression for, 169  
   values for, 170

## K

Kerr effect measurements, 185  
 Kirchoff's edge correction formula, 127  
 Kirkwood equation, 18–20

## L

Langevin function, for orientation polarizability, 7  
 Lasers, dye, 178  
 Laser triggered switching, 251  
 Length, units and equivalents, 431  
 Lennard–Jones potential of interaction, 160  
 Light emission, breakdown-related, 281–282  
 Loss factor  
   defined, 37  
   as function of frequency, 167  
 Loss index (*see* Loss factor)

## M

Macroscopic viscosity, Debye model, 44  
 Magnetic field, effects on electron mobility, 197  
 Mass, units and equivalents, 431  
 Mass spectrometry  
   characterization of insulating mineral oils, 321

naphthenic and paraffinic oils, 321  
 Maxwell–Wagner polarization, loss due to, 168  
 Mechanical tension, expression for, 169  
 Melting point, of dielectric fluids, 264–265  
 Metals, contamination with, 358–359  
 Methylated diphenylethane, structure and properties, 425, 427  
 Methyl benzoate, structure and properties, 413  
 Methyl stearate, structure and properties, 413  
 Micelles, as charge carriers, 201–202  
 Michelson optical type interferometer, 137–139  
 Mineral oils  
   aromatic  
     benzene rings, 27–29  
     and dipole loss, 89–91  
   characterization, 320  
   chemical composition, 312–329  
   classification, 400–401  
   composition, 400–407  
   contaminants, 407  
   contamination, 70  
   cooling properties, 329–338  
   with differing aromatics, behavior, 67–68  
   dipole loss  
     frequency effects, 85–87  
     oxidation effects, 91–94  
     temperature effects, 87–89  
   flammability, 338–339  
   handling and disposal, 339  
   insulation-related properties, 341–368  
   molar polarization vs. reciprocal absolute temperature, 35  
   molecular structure, 30–31, 400–407  
   oxidation reaction, 58  
   polarity, 34–35  
   production technology, 318–319  
   properties, 28  
   used in dielectric engineering, 406  
 Mobility  
   electrohydrodynamic, 201  
   electron, 192–197  
     in n-alkanes, Arrhenius plot, 195  
     in nonpolar liquids, 194  
     structure effects, 193  
     temperature effects, 193  
   ionic  
     ionic losses due to, 62–63  
     jump model, 64–65, 172  
 Molar polarization, 10–13  
   atomic, 103

Molar polarization—*continued*

- complex, under a-c conditions, 44
  - defined, 10
  - electronic, 103
  - gases, 11
  - liquids, 11–12
  - total, Onsager equation, 18
- Molecular orbitals, in pi and sigma bonds, 152
- Molecular size distribution, naphthenic oils, 319–320
- Molecular structure, insulating mineral oils, 319–322, 400–407
- Molecular weight distribution, determination, 319, 323–324
- Mono/dibenzyltoluene, structure and properties, 426, 428
- Multi-Amp dielectric liquid test cell, 109–110
- Multiframe cameras, for breakdown testing, 278–281

## N

- Naphthalene, molecular structure, 389
- Naphthenic molecules
- naphthenic ring structure, 317
  - polarity, 30
  - structure, 174
- Naphthenic oils
- mass spectrometric characterization, 321
  - molecular size distribution, 319–320
- Neutralization number, 345
- acceptable limits, 346
  - test methods, 361
- Newtonian liquids, 331, 336, 397
- Nitrobenzene, conduction in, 240
- Nitrogen
- contents determination, 329
  - liquid, 175–176
- Nitromethane, dielectric constant, temperature effects, 26–27
- Nonpolar liquids
- defined, 152
  - electron mobility, 194
  - ionization energies, 161–162
  - ion mobility in, 198
  - photoconductivity measurement, 178
- NPL test cell
- characterization, 108–109
  - modified two-terminal, 110, 112
- Nuclear magnetic resonance spectrometry, oil characterization with, 322
- Nyquist frequency, defined, 118

## O

- Olefins
- molecular structure, 384–385
  - structure and properties of polyalpha-olefins, 418–419
- Onsager equation, 13–18, 34
- Optical methods, 137–140
- quasi-optical methods, 137
- Orbitals
- antibonding, 381–382
  - electron, 380–381
- Order, short range molecular, 160
- Organic esters
- characterization and synthesis, 175
  - structure and properties, 410–415
- Orientation, dipole, quantum mechanical correction (Van Vleck), 13
- Orientation polarizability, 6–7
- Orientation polarization, relaxation time, 164
- Ostwald's law of dilution, 234
- Oxidation
- effect on dipole loss, 91–94
  - mineral oils, 58, 406–407
  - resistance, 342–348
  - resistance test methods, 360–361
  - test methods and specifications, 314–315, 378
  - values, 314–315
- Oxidation inhibitors, 342, 406–407
- Oxygen, role in breakdown, 284, 291

## P

- Paint, spraying, 252
- Paraffinic oils
- mass spectrometric characterization, 321
  - soaking effect, 334
- Paraffin molecule
- polarity, 25–27
  - short range order, 160
  - structure, 174, 317
- Partial discharges
- in d-c breakdown, 301–302
  - effects on breakdown, 281, 293–295, 305
- Particles
- in commercial liquids, charge carrier generation by, 187–188
  - conduction induced by, 221
  - contamination, 358
  - content, test methods, 366–367
  - electrophoresis, 200–201
- Pellat–Debye equations, 42–43, 64

- Pentachlor diphenyl, dielectric behavior, 35–36
- Perfluorocarbons  
 characterization, 265  
 synthesis, 174  
 used in dielectric engineering, 173–175
- Permanent dipole moment (*see* Dipole moment, permanent)
- Permittivity, 152–159  
 aromatic oils, 27–28  
 characterization, 394–396  
 Clausius–Mosotti field, 8–9  
 Debye equation, 9–10  
 defined, 5  
 examples, 155  
 Fröhlich equation, 21–22  
 Kirkwood equation, 18–20  
 low frequency value, 5  
 measurement, 106–108  
   high frequencies, 126–140  
   intermediate frequencies, 120–123  
   low frequency, 115–120  
   lumped and distributed parameter techniques, 106–108  
   lumped-parameter-specimen test cells, 108–115  
   upper and high radio frequency range, 123–126  
 mineral oil, typical, 407  
 models, difficulties with, 23  
 molar polarization, 10–13  
 and molecular structure, 23–36  
 Onsager equation, 13–18  
 and permanent dipole moment values, 23–25  
 and polarizability, 6–8  
 relative, and polarization, 153–154  
 static value, 5
- Peroxide content, 345
- Peroxide number, test methods, 361
- Phenylmethyl dichlorosilane, derivation, 424–425
- Phenylxylethanes, structure and properties, 425, 427
- Phosphate esters, structure and properties, 416, 426, 428
- Photoconductivity  
 nonpolar liquids, measurement, 178–179  
 n-tridecane, 179
- Photoeffect, charge carrier generation by, 178–179
- Photoionization, charge carrier generation by, 178–179
- Photomultiplier tubes, 281–282
- Physical constants, table of, 434
- pi bonds, 151, 384
- Pictet and Trouton, rule of, 169–170
- Polarizability  
 atomic or ionic, 6  
 defined, 6  
 examples, 155  
 molecules, 6–8  
 orientation, 6–7  
 translational, 9–10
- Polarization  
 atomic, estimation, 23–24  
 caused by translational effects, 9–10  
 defined, 5  
 electronic, relaxation time, 164  
 energy of, estimation, 161–162  
 and frequency, 24–25  
 molar, 10–13  
   atomic, 103  
   complex, under a-c conditions, 44  
   electronic, 103  
   gases, 11  
   liquids, 11–12  
   total, Onsager equation, 18  
 and relative permittivity, 153–154  
 relaxation time, 40  
 specific, 7  
 total, determination, 40
- Polar liquids  
 electron mobility in, 198  
 ion mobility in, 198–200
- Polar oxidation compounds  
 monitoring, 345  
 test methods, 362
- Polyalpha-olefins, structure and properties, 418–419
- Polybutenes  
 structure and properties, 417–418  
 synthesis, 417
- Polychlorinated biphenyls  
 contamination, test method, 341  
 dielectric behavior, 35–36  
 handling and disposal, 339  
 substitute liquids, 94–95
- Polydimethylsiloxane  
 atomic and electronic polarization, 32–33  
 characterization, 424  
 component dipole moment, 32  
 physical and electrical properties, 423
- Polymerization, conduction effects, 230–231
- Polyolefins, flammability, 400
- Polyphenylmethyl siloxane, 424
- P orbitals, 380–381
- Pour point

Pour point—*continued*  
 determination, 331  
 measurement methods, 337  
 paraffinic oils, 333–335  
 Power, units and equivalents, 432  
 Power generators, types, 267–268  
 Prebreakdown, electrical  
 bush concept, 284  
 effects, of partial discharges, 293–295  
 laser-induced, 251  
 and molecular composition of fluids, 291  
 pressure effects, 291–293  
 role of impurities, 284, 291  
 streamers  
 concept of, 284  
 growth effects, 291–293  
 tree concept, 284  
 Pressure  
 high  
 conductivity, 222–225  
 effects on electron mobility, 197  
 role in electrical breakdown, 271  
 units and equivalents, 432  
 Propylbiphenyl, structure and properties,  
 425–426  
 Propylene carbonate  
 characterization and synthesis, 176–177  
 conduction in, 236–240  
 conductivity, electron injection-related,  
 184  
 Protogenic liquids, 173  
 Protophilic liquids, 173  
 Pseudoplastic fluids, 332  
 Pulse generators  
 trapezoidal, 268  
 types of, 268  
 Pulse response methods, 117  
 Purification, water, 235–237  
 Pyrrole, molecular structure, 389–390

## Q

Quality factor  
 defined, 106  
 resonant cavity, 135–136  
 Quantum mechanics, correction to dipole  
 orientation (Van Vleck), 13  
 Quantum number, 150

## R

Radial distribution function, 4  
 Radiation  
 conductivity induced by, 225–227

high energy, ionization and excitation  
 events produced by, 179–181  
 role in electrical breakdown, 271  
 Rayleigh limit, 252  
 RC-type bridge measuring techniques,  
 120–123  
 Reclamation, limits to, 346–347  
 Recombination  
 charge carriers, 201–203  
 rate constant, 202  
 Recombination coefficient, 202  
 Reentrant cylindrical cavity measurement  
 technique, 126–128  
 Refractive index  
 defined, 322  
 test methods, 322–323  
 Relaxation, 40  
 defined, 163  
 dipolar, 165–167  
 distribution, 80–85  
 intrinsic, 44–45  
 space charge, 220–221  
 temperature effects, 46–54  
 Repulsion, molecular, 160  
 Resistance, units and equivalents, 432  
 Resistivity  
 insulating liquids, 393–394  
 test methods, 368  
 Resonance absorption, 102–106  
 Resonant cavities  
 $H_{01}$  mode, 134–135  
 variations, 134  
 Reststrahlen technique, 104  
 Reverse osmosis, water purification by,  
 235–237  
 Richardson equation, 209–211  
 Roberts–von Hippel technique, 130–131

## S

Safety, test methods, specifications, and  
 values, 314  
 Scheiber bridge, 118  
 Schering bridge, 118, 120  
 Schlieren photography, 230, 278–281  
 Schottky effect, 210  
 Sellmeier equation, 104  
 Short range molecular order, 160  
 Sigma bonds, 151, 384  
 Silicone  
 structure and properties, 422–425  
 synthesis chemistry, 422–424  
 Silicone fluids  
 dimethylsiloxane, 98–101  
 flammability, 400

- molar polarization versus reciprocal absolute temperature, 35
  - molecular structure, 31–32
  - oils
    - characterization and synthesis, 175
    - siloxanes, 265
    - polarity, 34–35
    - properties, 28
  - Siloxanes, characterization, 265
  - SI units
    - dynamic viscosity, 336
    - kinematic viscosity, 336
    - prefixes for, 436
  - Sludge content, 346–347
    - test methods, 361–362
  - Solubility coefficients, determination, 365
  - Solvation number, 199
  - S orbitals, 380–381
  - Space charge polarization
    - loss due to, 168
    - relaxation time, 164
  - Space charge relaxation, 220–221
  - Specific gravity, defined, 4041
  - Specific heat
    - defined, 171, 398
    - determination, 397–398
    - insulating oils, determination, 330
    - test methods, 335
    - values for, 171
  - Spectrometry
    - Fourier transform (*see* Fourier transformation procedures)
    - time domain techniques, 136–137
  - Spectrum analyzers, for electrical breakdown measurements, 282
  - Spraying, of paint, 252
  - Square pulse technique, 117
  - Step pulse technique, 117
  - Stern layer, 184
  - Stoke's law, 60, 198
  - Streamers
    - characterization, 273
    - concept of, 284
    - development, 298–300
    - growth
      - primary, 300
      - secondary, 300
    - growth in hydrocarbons, 286–289
    - negative, 273, 300
    - positive, 300–301
  - Streaming liquids, conductivity, 229–230
  - Stress, electrical
    - role in breakdown, 267–268
    - types of, 267–268
  - Stress resistance, test methods, specifications, and values, 315
  - Sulfates
    - contamination with, 359
    - inorganic, test methods, 367
  - Sulfur contents, determination, 329
  - Supersaturation phenomena, 354
  - Surface energy
    - defined, 170
    - values for, 171
  - Susceptance variation methods, 123–126
  - Switching, laser triggered, 251
  - Synthetic hydrocarbons (*see also* specific hydrocarbon)
    - structure and properties, 417–425
- T**
- Temperature
    - and activation energy, 47–54
    - effects
      - on dielectric losses, 87–89
      - on electron mobility, 193
      - on ionic conduction, 56–59
      - on nitromethane dielectric constant, 26–27
      - on relaxation time, 46–54
    - role in electrical breakdown, 271
  - Temporal variations, electrode current in nonpolar liquids, 219–220
  - Tetra-hydrofurfuryl oleate, structure and properties, 412
  - Tetrahydro furfuryl oxalate, structure and properties, 415
  - Thermal breakdown, defined, 271
  - Thermal conductivity, 171–172
    - characterization, 397
    - of dielectric fluids, 264–265
    - expression for, 397
    - insulating oils, determination, 330
    - liquids at 20°C, 172
    - test methods, 335
  - Thermal decomposition, 348–358
  - Thermal excitation, charge carrier generation by, 117–118
  - Thermal expansion
    - expression for, 169
    - values for, 170
  - Thermal properties, insulating liquids, 396–399
  - Thermo-physical properties, liquids, 169–172
  - Thin liquid films, conductivity, 222–223
  - Thiophene, molecular structure, 389
  - Thompson–Harris bridge, 118

Time domain spectrometric techniques, 136–137

Toxicity, test methods, specifications, and values, 314

Transformer ratio arm bridge, 120  
microcomputer-controlled, 120–122

Transient response method, for steady state responses, 116–117

Translational polarizability, 9–10

Transmission line methods, 129–131

Trapezoidal pulse generators, 268

Trap modulated transport, electrons in nonpolar liquids, 205

Tree structures, characterization, 273, 284

Tri-cresyl phosphate, structure and properties, 413

n-Tridecane, photoconductivity, 179

Triphenene, molecular structure, 390

Triple bonds, carbon-carbon, 385–386

Tri-xylenyl phosphate, structure and properties, 413

## V

van der Waals forces, 159, 392

Vincent low frequency bridge, 118–120

Viscometers, 336–337

Viscosity  
absolute, units and equivalents, 432  
defined, 171, 397  
dielectric fluids, 264–265  
dynamic, 330–331  
defined, 336  
insulating oils, 51, 330–335  
kinematic  
characterization, 397  
units and equivalents, 432  
macroscopic  
correction for, 47  
Debye model, 44  
mutual, 47  
role in breakdown, 291

test methods, 336–337  
values for, 171

Volatile content, test methods, 339–341

Voltage  
breakdown, determination, 275–276, 283, 367  
units and equivalents, 433

Volume, units and equivalents, 431

## W

Wagner earth connection, 118

Walden's rule, 57, 198

Walther equation, 331

Water  
characterization and classification, 173  
conductivity of, 233–235  
contamination, 358  
content, test methods, 366  
dielectric properties, 155  
electrical breakdown/prebreakdown, 250–251  
impurity effects in nonpolar liquids, 218–219  
purification, 235–237  
role in breakdown, 284, 291  
used in dielectric engineering, 176

Wax  
formation, 319, 332–333  
X-wax content test methods, 366

Wein effect, 67

Wheatstone bridge, 155, 157

Wien effect, 65

## X

X rays, conductivity induced by, 225–227

## Z

Zeta potential, 201