

Subject Index

A

Adhesion
and friction, 167–186
surface force apparatus (SFA), 17–18
Adsorbed monolayers, boundary lubrication, 80–81
AFM. *see* atomic force microscope (AFM)
Apparatus setup, surface force apparatus (SFA), 14–15
Applications, surface force apparatus (SFA), 17–18
Asperity contact, mixed lubrication at micro-scale, 118
Atomic force microscope (AFM), 19–21
Average flow model, mixed lubrication at micro-scale, 117–118

B

Boundary friction, lubrication, 93–94
Boundary lubrication, 79–95
adsorbed monolayers, 80–81
boundary friction, 93–94
hydrodynamic, 82–83
surface film formation, 81–82

C

Chemical mechanical polishing (CMP), 4
ultra-smooth surface polishing, 245–261
CMP. *see* chemical mechanical polishing (CMP)
CNx films, 151–153
Constant function-based scheme, mixed lubrication at micro-scale, 122
Correlations, friction and adhesion, 178–181
Couple stress, thin film lubrication theoretical model, 76

D

Deterministic mixed lubrication (DML) model, 125–130
Development challenges, magnetic recording system, 231–236
Diamond-like carbon (DLC) coatings, 2
thin solid coatings, 147–151
DLC. *see* diamond-like carbon (DLC) coatings
DML. *see* deterministic mixed lubrication (DML) model

E

EEF. *see* external electric field (EEF)
EFF. *see* electric field effect (EFF)
EHL. *see* elastohydrodynamic lubrication (EHL)
Elastohydrodynamic lubrication (EHL), 37–40
Electric field effect (EFF), thin film lubrication, 45–48
Energy dissipation, friction and adhesion, 171–178

Ensemble average, thin film lubrication theoretical model, 63–65
External electric field (EEF), 55–60

F

FFM. *see* friction force microscope (FFM)
Fluorometry technique, measuring, 26–28
Flying head air bearing surface, gas lubrication, 111–113
Friction
and adhesion, 167–186
correlations, 178–181
physics and, 167–171
static, 181–184
surface force apparatus (SFA), 17–18
wearless, 171–178
Friction force
microscale friction and wear/scratch, 189–191
thin film lubrication experimental study, 43–44
Friction force microscope (FFM), 21
Fringe and shape interference on curves, 41
Frustrated total reflection (FTR) technique, 12–14
FTR. *see* frustrated total reflection (FTR) technique

G

Gap width on gas flow effect, gas lubrication, 101–103
Gas bubble in liquid film under external electric, thin film lubrication, 55–60
Gas flows
in microsystems, 113–114
regimes, gas lubrication, 97–98
Gas lubrication in nano-gap, 96–115
flying head air bearing surface, 111–113
gap width on gas flow effect, 101–103
gas flow regimes, 97–98
gas flows in microsystems, 113–114
head-disk, 104–106
rarefaction, 106–111
Reynolds equations, 98–101, 103–104
theory, 97–103
Gas lubrication theory, 3–4
Green's function-based scheme, mixed lubrication at micro-scale, 122

H

Hard disk driver (HDD), 3
gas lubrication theory, 3–4
HDD. *see* hard disk driver (HDD)
Head-disk, gas lubrication in nano-gap, 104–106
Hydrodynamic, boundary lubrication, 82–83

I

Interferometry
 thin film colorimetric interferometry (TFCI), 10–12
 wedged spacer layer optical interferometry, 8–9
 Ionic liquids, thin film lubrication, 54–55

L

Laser doppler vibrometry (LDV), 30–32
 Lateral forces measurement, SFA, 17
 Layers
 adsorbed monolayers, boundary lubrication, 80–81
 lubrication and monolayers, 3
 multilayer films, 153–157
 multilayers, 200–208
 scratch, 200–208
 wedged spacer layer optical interferometry, 8–9
 LDV. *see* laser doppler vibrometry (LDV)
 Linear interpolation-based scheme, mixed lubrication at
 micro-scale, 122
 Liquid crystal
 film thickness, 45–48
 isoviscosity, 48
 styles, 45
 Lubricants
 film failure, 53–54
 on hard disk surface, 226–231
 isoviscosity, 40–41
 viscosity, 40
 Lubrication and monolayers, 3

M

Macro scale friction and wear/scratch, 188
 Magnetic head surface, ultra-smooth surface polishing,
 262–265
 Magnetic recording system
 development challenges, 231–236
 tribology, 210–236
 Measuring techniques, 7–36
 atomic force microscope (AFM), 19–21
 fluorometry technique, 26–28
 friction force microscope (FFM), 21
 laser doppler vibrometry (LDV), 30–32
 nanoindentation, 22–25
 nanscratch, 25–26
 optical, 8–14
 Polytec Micro Scanning Vibrometer, 32
 scanning acoustic microscopy (SAM), 28–30
 scanning probe microscope, 18–22
 scanning tunneling microscope (STM), 18–19
 Secondary Ion Mass Spectrometry (SIMS), 32–33
 surface force apparatus (SFA), 14–18
 Time-of-Flight Secondary Ion Mass Spectrometry
 (TOF-SIMS), 32–33
 Micro/nano scale friction and wear/scratch, 188
 Micro/nanotribology, 1–2
 applications, 3–4

Microscale friction and wear/scratch, 187–209
 friction force, 189–191
 macro, 188
 micro/nano, 188
 modified molecular films, 194–200
 multilayers, 200–208
 thin solid films, 191–194
 Mixed lubrication at micro-scale, 116–144
 asperity contact, 118
 average flow model, 117–118
 constant function-based scheme, 122
 deterministic mixed lubrication (DML) model, 118–121
 Green's function-based scheme, 122
 linear interpolation-based scheme, 122
 numerical methods for surface deformation, 121–125
 performance, 130–144
 Reynolds equations, 121
 rough surface lubrication, 116–117
 statistical approach, 116–118
 stochastic models, 116–117
 thermal analysis, 119–120
 Modified molecular films, microscale friction and wear/
 scratch, 194–200
 Molecule films, 79–95
 boundary friction, 93–94
 ordered, 88–93
 thin film rheology, 83–88
 Monolayers, adsorbed, 80–81
 Multilayer films, 153–157
 Multilayers, microscale friction and wear/scratch, 200–
 208

N

Nanoindentation, measuring techniques, 22–25
 Nanoparticles
 thin film lubrication experimental study, 50–53
 ultra-smooth surface polishing, 237–244
 Nanoscratch, measuring techniques, 25–26
 Near frictionless coatings (NFC), 2
 NFC. *see* near frictionless coatings (NFC)
 Normal force measurement, SFA, 16–17
 Numerical methods for surface deformation, 121–125

O

Optical measuring techniques, 8–14
 frustrated total reflection (FTR) technique, 12–14
 relative optical interference intensity method, 9–10
 thin film colorimetric interferometry (TFCI), 10–12
 wedged spacer layer optical interferometry, 8–9
 Optical technique for gap measurement, SFA, 15–16

P

Physics, friction and adhesion, 167–171
 Polytec Micro Scanning Vibrometer, 32

R

Rarefaction, gas lubrication in nano-gap, 106–111
 Relative Optical Interference Intensity Method, 7
 Relative optical interference intensity method, 9–10
 Reynolds equations
 gas lubrication in nano-gap, 98–101, 103–104
 mixed lubrication at micro-scale, 121
 thin film lubrication theoretical model, 68
 Rheology, thin film lubrication theoretical model, 72–74
 Rough surface lubrication, 116–117

S

SAM. see scanning acoustic microscopy (SAM)
 Sample positioning, SFA, 16–17
 Scanning acoustic microscopy (SAM), 28–30
 Scanning probe microscope, 18–22
 Scanning tunneling microscope (STM), 7, 18–19
 Scratch
 macro scale friction and wear/scratch, 188
 microscale friction and wear/scratch, 189–191
 modified molecular films, 194–200
 multilayers, 200–208
 nanoscratch, 25–26
 thin solid films, 191–194
 Secondary ion mass spectrometry (SIMS), 32–33
 SFA. see surface force apparatus (SFA)
 Simulations via micropolar theory, thin film lubrication, 67–72
 Slide ratio effect, thin film lubrication, 44–45
 Solid surface energy effect, thin film lubrication, 42–43
 Spatial average, thin film lubrication, 63–65
 Static friction, 181–184
 Statistical approach, mixed lubrication, 116–118
 STM. see scanning tunneling microscope (STM)
 Stochastic models, mixed lubrication, 116–117
 Structure, surface force apparatus (SFA), 14–17
 Superhard nanocomposite coatings, 2–3
 thin solid coatings, 157–162
 Surface coatings, 2–3
 Surface film formation, boundary lubrication, 81–82
 Surface force apparatus (SFA), 2, 7, 14–18
 adhesion and friction, 17–18
 apparatus setup, 14–15
 applications, 17–18
 lateral forces measurement, 17
 measurement techniques, 14–17
 normal force measurement, 16–17
 optical technique for gap measurement, 15–16
 sample positioning, 16–17
 structure, 14–17
 surface forces, 17
 thin film rheology, 18
 Surface forces, 17
 Surface modification films on magnetic head tribology, 211–225

T

TFCI. see thin film colorimetric interferometry (TFCI)
 Thermal analysis, mixed lubrication at micro-scale, 119–120
 Thin film colorimetric interferometry (TFCI), 10–12
 Thin film lubrication experimental study
 advancements, 37
 boundary lubrication, 37–38
 defined, 37–38
 elastohydrodynamic lubrication (EHL), 37–40
 electric field effect, 45–48
 film thickness and influence factors, 39–41
 friction force, 43–44
 fringe and shape interference on curves, 41
 gas bubble in liquid film under external electric, 55–60
 ionic liquids, 54–55
 liquid crystal film thickness, 45–48
 liquid crystal isoviscosity, 48
 liquid crystal styles, 45
 lubricant film failure, 53–54
 lubricant isoviscosity, 40–41
 lubricant viscosity, 40
 lubrication map, 38–39
 lubrication properties, 39–53
 nanoparticles, 50–53
 rolling speed effect, 39–40
 slide ratio effect, 44–45
 solid surface energy effect, 42–43
 thin film time effect, 48–50
 transition from EHL to TFL, 41–42
 ultra-fine diamond powders (UDP), 50–53
 Thin film lubrication (TFL), 2, 7
 Thin film lubrication theoretical model, 63–78
 couple stress, 76
 ensemble average, 63–65
 Reynolds equation, 68
 rheology, 72–74
 simulations via micropolar theory, 67–72
 spatial average, 63–65
 velocity field of lubricants, 65–67
 viscosity modification, 72–74
 Thin film rheology
 molecule films, 83–88
 surface force apparatus (SFA), 18
 Thin solid coatings, 147–166
 CNx films, 151–153
 diamond-like carbon (DLC) coatings, 147–151
 multilayer films, 153–157
 superhard nanocomposite coatings, 157–162
 Thin solid films, microscale friction and wear/scratch, 191–194
 Time effect, thin film lubrication experimental study, 48–50
 Time-of-Flight Secondary Ion Mass Spectrometry (TOF-SIMS), 32–33
 Transition from EHL to TFL, thin film lubrication, 41–42
 Tribology
 defined, 1
 history, 1
 lubricants on hard disk surface, 226–231

magnetic recording system, 210–236
scaledown development, 1
surface modification films on magnetic head, 211–225
ultra-smooth surface polishing, 237–265

U

UDP. see ultra-fine diamond powders (UDP)
Ultra-fine diamond powders (UDP), 50–53
Ultra-smooth surface polishing
 chemical mechanical polishing (CMP), 245–261
 magnetic head surface, 262–265
 nanoparticles impact, 237–244
 tribology, 237–265
Ultra-thin coatings, 3

V

Validation, deterministic mixed lubrication (DML) model,
 125–130
Velocity field of lubricants, 65–67
Viscosity
 liquid crystal isoviscosity, 48
 lubricants, 40–41
 modification, thin film lubrication, 72–74

W

Wear/scratch, microscale friction and wear/scratch, 187–
 209
Wearless friction and energy dissipation, 171–178
Wedge spacer layer optical interferometry, 8–9