

## INDEX

---

### A

Absorbency, 51, 52  
 Acidity (see also pH Value)  
   determination of, 59  
   of bond papers, 20  
 Adhesives in paper, 70  
 Aging, accelerated test for, 82  
 Air permeability, 61  
 Alkalinity (see also pH Value), 59  
 Alpha-cellulose, 62, 76  
 Aniline sulfate stain for groundwood, 78  
 Antique finish, 41  
 Apparent density, 121, 122  
 Asbestos paper, 39  
 Ash content  
   determination of, 63  
   examination of, 63  
   of bond papers, 20  
   related to other properties, 64  
   significance of, 63  
 Asphalt impregnated papers, 24, 90  
 ASTM methods, vii  
 Automotive panel boards, 37

### B

Bag papers, 17  
 Basis weight  
   paper, 65  
   paperboard, 67  
   wedding bristols, 22  
 Beach puncture test, 103  
 Beating of fibers, 1, 76  
 Bekk smoothness tester, 113  
 Bending board, 34  
 Bending chip, 80  
 Bendtsen smoothness tester, 113  
 Beta-cellulose, 62  
 Binders board, 36  
   thickness of, 121  
 Blanks, 35  
 Bleaching, 2, 5, 76  
 Blocking Resistance, 67

Blotting paper, 1, 11  
 Boards, 28  
   types, 29  
   uses, 29  
 Bogus bristol, 22  
 Bond inks, 47  
 Bond papers, 18, 41  
 Bonding strength, surface, 110  
 Book inks, 47  
 Book papers, 40, 121  
 Boxboards, 34  
 Bright fiber stain, 77  
 Brightness, 4, 73, 101  
 Bristol board, 35  
 Bristols, 21, 42  
 Brush surface analyzer, 113  
 Buffer action, 60  
 Building boards, 36  
 Building papers, 23, 36  
 Bursting strength, 68  
   determination of, 69  
   of bond papers, 19  
   of envelope papers, 28  
   significance of, 69

### C

"C" stain for fibers, 77  
 Calender cuts, 86  
 Caliper (see also Thickness)  
   bond paper, 19  
   paperboard, 33  
 Capacitor paper, thickness of, 121  
 Cardboard, 35  
 Cards, thickness of, 121  
 Casein, 71, 97  
 Castor oil test, 88  
 Cellulose, 2, 62, 92, 100  
 Chapman smoothness tester, 113  
 Chipboard, 33  
 Close formation, 84  
 Coated papers, 25, 40  
   cracking of, 45  
 Coatings on mineral coated paper, 70

Cobb test for sizing, 108  
 Cockle, 86  
 Coefficient of friction, 49  
 Color  
   determination of, 72  
   recording of, 72  
   significance of, 73  
   specification, 73  
 Combined boards, 29  
 Compression, resistance to, 102  
 Compression testing machines, 79  
 Construction paper and board, 36  
 Contact angle method for sizing, 108  
 Container board, 33  
 Contrast ratio, 96  
 Conversion factors, basis weight, 65  
 Copper number, 74  
 Corrugated board, 30, 79, 102, 103, 105  
 Corrugation flutings, 30, 79  
 Cover paper, 42  
 Cross direction, 7, 91  
 Crush test, 79, 102  
 Carrier size test, 109  
 Curl, 45, 49  
 Curl method for sizing, 108  
 Cylinder machine, 4, 21, 26

**D**

Dennison wax test, 111  
 Density, 121, 122  
 Dirt, 47, 83  
 Drop test for sizing, 108  
 Dry indicator method for sizing, 107  
 Duplexed papers, 25  
 Durability, 117

**E**

Edge tearing test, 115  
 Eggshell finish, 41  
 Elasticity, 101  
 Electrical insulating papers, 26  
 Electrolytic method for sizing, 109  
 Electrotype plates, 43  
 Elmendorf test, 114  
 Elongation, 110  
 English finish, 41  
 Envelope papers, 27  
 Erasing test for index bristols, 21  
 External sizing, 98  
 Extraction, 59

**F**

Facial tissues, 53  
 Facings, 33  
 Felt paper, kerosine number of, 90  
 Felt side, 7, 123  
 Fiber analysis methods, 77  
 Fiber composition  
   of bond papers, 19  
   of writing papers, 20  
 Fiber identification, 74  
 Fiber stains  
   Bright, 77  
   fluorescent, 78  
   Graf "C", 77  
   Herzberg, 77  
   Kantrowitz-Simmon, 77  
   Malachite, 77  
   Sellegar, 77  
   spot, 78  
   Wilson, 77  
 Fiberboard, 31, 37  
 Fibrillation, 76  
 Fillers, 3, 6, 64  
 Filter paper  
   properties, 78  
   use in chemical analysis, 78  
 Finishes  
   bond papers, 18  
   printing papers, 41  
   surface, 113  
 Fish eyes, 86  
 Flammability of treated paper, 79  
 Flameproofing, 79  
 Flat crush test, 79  
 Flong, 43  
 Flooring felt, kerosine number of, 90  
 Fluorescent fiber stains, 78  
 Flutes in corrugated board, 30, 79  
 Foam spots, 87  
 Folder stock, 22  
 Folders, thickness of, 121  
 Folding boxboards, 34  
 Folding endurance, 80  
   effect of heating, 82  
   of bond papers, 19  
   of envelope papers, 28  
   significance of, 81  
 Folding tester  
   M.I.T., 80  
   Schopper, 80  
 Food board, 34

Foreign material, 83  
 Formation, 4, 44, 84, 104  
 Fourdrinier machine, 4, 21, 26  
 Friction board, 36  
 Furnish of paperboard, 31  
 Fuzz, 86, 114

**G**

Gamma-cellulose, 62  
 G.E. puncture test, 103  
 Glue in paper, 97  
 Graf "C" fiber stain, 77  
 Grain direction—see Machine direction  
 Grease resistance, turpentine test, 122  
 Grocery bags, 17  
 Groundwood pulp, 3, 75, 77  
 Gurley smoothness tester, 113  
 Gypsum boards, 37

**H**

Hair cuts, 86  
 Handkerchiefs, paper, 53  
 Hardboard, 38  
 Heating effect on folding endurance, 82  
 Heat-set inks, 47  
 Heeling board, 36  
 Hemicellulose, 2, 3, 100  
 Hercules-Brookfield print tester, 111  
 Herzberg fiber stain, 77  
 Humidity control in printing, 45, 82  
 Humidity, effect of, 12  
 Hydrogen ion concentration, 59

**I**

IGT printability tester, 111  
 Imperfections, 47, 83, 85  
 Indentation, 102  
 Index bristols, 21  
 Index paper, thickness of, 121  
 Indicators, pH, 60  
 Industrial boards, 39  
 Ink  
   printing, 47  
   standard writing, 21  
 Ink flotation method for sizing, 108  
 Ink penetration, 88  
 Ink photometer test for sizing, 109  
 Ink receptivity, 87  
 Inspection, 103  
 Intaglio inks, 48  
 Intaglio printing, 43

**K**

Kantrowitz-Simmon fiber stain, 77  
 K-B board, 39  
 Kerosine number, 90  
 Kraft envelopes, 27  
 Kraft linerboard, 33  
 Kraft pulp, 3, 76, 77

**L**

Laid papers, 27  
 Laminated paperboards, 38  
 Ledger paper, 42  
 Letterpress inks, 47  
 Letterpress printing, 43  
 Lieberman Storch test for resin, 106  
 Lignin, 2, 77, 100  
 Linerboard, 33, 102, 105  
 Liquid penetration resistance, 106  
 Lithographic paper, 42  
 Lithography, 43  
 Load-elongation curve, 118  
 LTF pick tester, 111  
 Luminous reflectance, 101

**M**

Malachite green—congo red stain, 77  
 Machine-coated paper, 40  
 Machine direction, 7, 91  
 Machine finish, 41  
 Matchbook cover board, 35  
 Melamine resins, 97  
 Micrometers, 119  
 Microscope, use of, 74, 83  
 Mill bristols, 22  
 Mineral coated paper, coating on, 70  
 Mineral content, 63  
 M.I.T. folding tester, 80  
 Moisture content, 11, 46, 92  
 Mullen test for bursting strength, 68  
 Multiwall shipping sacks, 17  
 Munsell color system, 72

**N**

Napkins, 53  
 News inks, 47  
 Newsprint paper, 42, 121  
 Nitrogen content, 97

**O**

Off-machine coated papers, 40

Offset  
   inks, 48  
   paper, 42  
   printing, 43  
 Oil penetration tests, 88  
 Opacity, 20, 95  
 Organic nitrogen content, 97

**P**

Paper  
   felting, 1  
   manufacture, 4  
   properties, 5, 6  
   structure, 1, 6  
 Paperboard, 28, 29, 67, 102, 103, 105  
 Papier-maché, 43  
 Paraffin content, 98  
 Paranitraniline stain for groundwood, 78  
 Pattern, 113  
 Peeling test, 105  
 Pen and ink feathering test, 109  
 Penoscope test for sizing, 109  
 Penetration  
   ink, 88  
   oil, 88  
 Pentosans, 100  
 Permanency, 20  
 pH  
   buffers, 60  
   determination of, 59  
   indicators, 60  
 Phloroglucinol stain for groundwood, 78  
 Photomount stock, 35  
 Picking, 111  
 Planographic printing, 43  
 Point, bursting strength, 68  
 Pop test—see Bursting strength  
 Porosity, 61  
 Postal card bristol, thickness of, 121  
 Pressboard, 36  
 Printers' paper troubles, 44  
 Printing  
   inks, 47  
   opacity, 96  
   papers, 40  
   requirements of paper, 43  
 Process inks, 47  
 Properties of paper, 5, 6  
 Protein in paper, 71  
 Punched cards, 48  
 Puncture test, 103

**Q**

Quality control, 104, 113

**R**

Rag pulp, 75  
 Raspail test for rosin, 106  
 Reflectance (See also Color), 101  
 Reflection measurements, 96  
 Reflectometer, 72  
 Resiliency, 101  
 Resin, 106  
 Resistance to air passage, 61  
 Resistance to blocking, 67  
 Ring crush test, 102  
 Roofing felt, kerosine number of, 90  
 Rosin  
   Lieberman Storch test for, 106  
   Raspail test for, 106  
 Rosin content of bond papers, 20  
 Rosin size, 106  
 Rotogravure  
   inks, 48  
   printing, 43, 88  
 Roughness, 112  
 Rupture, 116, 118

**S**

Sacks, 17  
 Sampling, 103  
 Sanitary paper products, 50  
 Saturated building papers, 24  
 Schopper folding tester, 80  
 Scuff resistance test, 105  
 Sellegar fiber stain, 77  
 Semicheical pulp, 3, 76  
 Separators, 26  
 Sheathing papers, 23  
 Sheffield smoothness tester, 113  
 Shipping containers, 30  
 Shoe board, 36  
 Sizing, 4, 11, 17, 98, 106  
 Slime spots, 86  
 Slip, 113  
 Smoothness, 112  
 Snap of wedding bristols, 22  
 Soda pulp, 3, 76  
 Solid fiberboard, 31  
 Specialty bags, 18  
 Spectrophotometer, 72  
 Spot stains, 78

- Stains  
 Bright, 77  
 fluorescent, 78  
 Graf "C", 77  
 Herzberg, 77  
 Kantrowitz-Simmon, 77  
 Malachite, 77  
 Sellegar, 77  
 spot, 78  
 Wilson, 77
- Starch, 2, 4, 71
- Static electricity, 45, 50
- Stereotype plates, 43
- Stiffness test, 102, 103
- Stockigt method for sizing, 108
- Straining, 118
- Straw pulp, 75
- Stretch, 110
- Strike-through, 44, 90
- Structural boards, 37
- Sulfite pulp, 3, 76
- Sulfate pulp, 3
- Supercalender finish, 41
- Surface  
 bonding strength, 110  
 ink receptivity tests, 89  
 sizing, 98  
 texture, 112
- T**
- Tabulating cards, 13, 121
- TAPPI methods, vii
- Tarred felts, 24
- Tearing strength, 17, 19, 114  
 of bond paper, 19
- Teletype papers, thickness of, 121
- Temperature effect on folding endurance, 82
- Tensile energy absorption, 118
- Tensile strength, 17, 116
- Texture, surface, 112
- Thickness, 118  
 electrical insulating papers, 26  
 measurement, 118, 119  
 methods, 122  
 specifications, 122
- Tight edges, 45
- Toilet tissues, 52
- Torsion tear test, 115
- Towels, paper, 51
- Tub sizing, 98
- Turpentine test for grease resistance, 122
- Two sidedness, 124
- Typographic printing, 43
- U**
- Ultraviolet light in fiber identification, 78
- Uncoated printing papers, 41
- Unevenness, 112
- Uniformity, 84
- Urea-formaldehyde resin, 97
- V**
- Vacuum method, kerosine number, 90
- Valley size test, 109
- Vanceometer, 89
- Vandercook proof press, 112
- Vapor barriers, 13
- Vulcanized fibre, 39
- W**
- Wadding, crepe, 53
- Waldron pick tester, 112
- Water on paper, action of, 11
- Water resistance (see also Sizing), 106
- Water vapor, 7
- Wavy edges, 45
- Wax pick test, 111
- Waxed paper, paraffin content of, 98
- Waxes, 99
- Wedding bristols, 21
- Weight (see also Basis weight)  
 of bond papers, 19  
 of writing papers, 20
- Weight factors of fibers, 78
- Wet curl, 45
- Wet machine board, 35
- Wet strength, 51, 98
- Wild formation, 84
- Williams smoothness tester, 113
- Wilson fiber stain, 77
- Wipers, 53
- Wire marks, 86
- Wire side, 123
- Wood pulp, 3, 74, 77
- Wove papers, 27
- Wrapping papers, 54
- Wrinkling, 45
- Writing papers, 18, 20, 42
- Writing test for index bristols, 21