

Index

- A**
- Acoustic emission, 95
 - Algorithm
 - Control, 130, 131
 - Data reduction, 134
 - Fast Fourier transform, 112
 - Amplitude control, 133
 - Resolution, 7
 - Analog-to-digital converters, 51, 64, 84, 95, 146
 - HP 2313, 76
 - Attenuation, 114
- B**
- Basic interpreter, 56
- C**
- Calculator, programmable, 95
 - Calibration, 86
 - Clock, programmable, 16
 - Real time, 51, 58
 - Commands, generation, 52, 53
 - Compensation, 115, 117, 119
 - Composites, fiber reinforced, 94
 - Computers
 - Analog generator, 69
 - CDC 6400, 71, 72
 - Digital, 16, 51, 62, 105
 - General Electric heat rate, 5
 - Hybrid, 5, 16
 - IBM 1130, 128
 - IBM 1800, 127
 - IBM System/7, 128
 - Multistation, 61
 - Control Modes
 - Derivative, 7
 - Feedback, 7
 - Open-loop, 7
 - Time-power, 7
 - Time-temperature, 7
 - Control System, 84
 - Load programmer, 7
 - Crack detection, eddy current, 110
 - Crack length, 155
 - Crack mouth compliance, 151
 - Cumulative damage, linear life-fraction rule, 72
 - Cycle count, 133
 - Cycle function, 12, 29
 - Cycle generation, 149
 - Cyclic hardening, 34
 - Cyclic softening, 34
- D**
- Damage analysis, 43
 - Data acquisition, 28, 38, 47, 54, 70, 84, 95, 131, 148, 151
 - Biaxial fatigue, 90, 95
 - Block size, 113
 - Compression, 88
 - Displacement, 134
 - Flow model, 74
 - Load, 134
 - Sampling frequency, 113
 - Update period, 113
 - WP 1100 (Tektronix), 95
 - Yield and ultimate, 87, 88
 - Data analysis, 71
 - Data reduction, 30, 32, 33, 134
 - Digital input, 16
 - Digital-to-analog converters, 16, 51, 95, 146
 - HP 6939, 64, 76
 - Digital simulator, ITI 4901, 12
 - Direct digital control, 19, 21
 - Disk
 - Drives, 16, 17
 - HP 7900A, 76
 - Resident programs, 63
 - Storage, 18
 - Display station
 - IBM 2260, 29
 - Driving and compensation techniques, frequency based, 110
- E**
- Electromagnet, 109
 - Elevated temperature testing, 5
 - Derivative, 7

Power feedback, 7
Time-temperature, 7
Endurance limit, 27, 136

Executive operating system
IBM Palo Alto Laboratory, 128
RSX-11D, 16
RTE II, 62, 76
Extensometer, 96, 144

F

Fatigue (see also Structural testing, materials testing)
Biaxial, 90
Composite materials, 94
Crack closure, 73
Crack propagation, 69, 73, 142
Creep, 69
Damage, 120
Damage analysis, on-line, 41
High cycle, 69
Linear cumulative damage, 27
Low cycle, 70, 72
Multiaxial, 80
Prot model, 126, 127
Random-sequence, 104
Testing, 27
Feedback, real time, 17, 52
Function generation, 5, 38, 45, 68, 148
Analog, 35
Demand signals, 111
Digital, 5, 12, 28, 35
Drum-based, 7

G

Graphics terminal
Alphanumeric readout, 16
Cathode ray tube, 28

H

Heat simulation, 5
Hold periods, 36, 71
Hysteresis
Energy, 130, 134
Loops, 71
Plots, 39

I

Interface modules, 72
DL11-C asynchronous single line, 17
Remote interface, 130

K

Keyboard terminals, 57

Decwriter, 16
Hard-copy unit, 28
Teletypewriter, 51, 66, 76, 84

L

Languages
Algol, 63
Assembly, 16, 63, 114
Basic, 22, 28, 29, 45, 50, 55, 59, 85
Focal, 21
Fortran, 17, 23, 51, 57, 63, 68, 114
MTL, 147
PAL-11, 21
Limit control, 7, 35, 59
Loading
Flight-by-flight, 17
History, 119, 121
Multichannel fatigue, 23
Narrow-band random, 106
Service, 43
Spectrum, 69

M

Magnetic tape transports
Cartridge, 100
FM programmers, 7
HP 7970B, 76
Sequential load, 18
Seven track, 72
Tape decks, 16, 45
Material testing (see also Testing, structural testing)
Biaxial, 78, 87
Computed variables, 34
Constant amplitude, 53
Completely reversed strain, 31
Creep, 78, 80
Fracture, 78, 80
General, 28, 52
Incremental step strain, 29
Low-cycle fatigue, 67, 72
Multiaxial creep, 80
Multiaxial yield, 80
Ratio of plastic to elastic strain amplitude, 36
Single variables, 28
Stress-intensity factor, 142
Stress-strain, 29
Threshold, 142
Yield, 78
Memory, read only, 95
Microprocessors, 23
Minicomputers (see also Computers), 11, 19, 28, 78, 145
HP 2100A, 76
Nova 1220, 51

PDP-11/40, 16
 Mode switching, 68
 Multiplexer, 128

N

Neuber rule, 40
 Notches, 40

O

Oscilloscope
 Digital processing, 95
 700 series, 95
 Output cards, 16

P

Phase angle, 134
 Plotter
 Calcomp 565, 72
 Digital, 95
 Tektronix 4661, 95
 Power spectral density (PSD), 105, 106, 110
 Printer, high speed, 72, 76
 Programming, 18
 Programs, disk resident, 66
 Processor, 95
 Punches, card, 72

R

Ram, electrohydraulic, 109
 Ramp, rates, 118
 Random peak selection, 105
 Random walk, 117
 Real time operating system (see also Executive operating system), 16, 51, 64
 RTE II, 76
 Real time response, 43
 Relay contacts, 84
 Response, dynamic compensation, 111
 Restart, 134

S

Scope, alphanumeric readout, 16

Software (see also Languages), 62
 System-material testing, 50

Strain

Elastic, 35
 Hardening, 30
 Plastic, 33, 35, 40
 Rate, 32
 Ratio, plastic to elastic, 36

Stress-strain (see also Materials testing), 29

Local, 41
 Modeling, 43
 Structural testing
 Component, 69
 Fatigue, 25
 Full scale, 25
 Multichannel, 25
 Static, 25

T

Tape

Paper systems, 22, 84
 Reader, 76

Telephone lines, 72

Bell type 103 data set, 72
 Bell type 103 data set, 72

Terminal-IBM 2741, 129

Test

Frequency, 150
 Parameters, 66
 Spectrum, 17
 Systems
 Biaxial, 78, 82
 Closed-loop, hydraulic, 28, 96, 130, 145
 Computer based, 45

Thermocouple, 7

Timing, 58

Transition matrix, 121

W

Waveforms

Generation, 35
 Load, 95
 Strain, 95