

# Index

- A**
- A-286 alloy, 689  
 Annealing experiments, 172, 182,  
 239, 256, 501
- B**
- Boron carbide, 583
- C**
- Carbon, effect on swelling in Type  
 316 SS, 478, 721  
 Cavities, 402, 457  
 Charpy tests (*see* Transition temper-  
 ature, ductility)  
 Copper, 29, 179  
 Creep  
   DIN 1.498, 289  
   Type 316 SS, 707, 723, 737  
   Type 348 SS, 309
- D**
- DIN 1.498 alloy, 286  
 Dislocations, 95, 224, 399, 463, 596,  
 615, 629, 737  
 Ductility  
   DIN 1.498, 289  
   HT-9, 275  
   Molybdenum, 253  
   PE-16, 334  
   Type 316 SS, 383, 447  
   Zircaloy-2, 239
- E**
- Electron irradiation, 180, 628
- F**
- Fatigue, 103  
   Crack growth rates, 106, 368  
   DIN 1.498, 293  
   Type 316 SS, 355  
 Fracture toughness, 78, 276, 312,  
 357  
 FV448 alloy, 594
- H**
- Hardness, 9, 44, 256  
 Helium  
   Bubbles, 208, 645, 654  
   Embrittlement, 301  
   Equation of state, 208  
   Irradiation, 414, 644  
   Swelling, 210, 218, 584  
 HT-9, 269
- I**
- Impulse testing, 94  
 Impurity effects in structural steel  
   Aluminum, 34  
   Copper, 29  
   Hydrogen, 110  
   Nitrogen, 33  
   Phosphorous, 29

Silicon, 34  
 Tin, 29  
 Inconel 706, 689, 736

**J**

$J_{1c}$ , 78

**K**

$K_{1c}$ , 41, 77

**M**

M-183 alloy, 689  
 Molybdenum, 247, 627  
 Alloys, 248, 627  
 Effect on swelling of Type 316 SS,  
 717

**N**

Nickel-aluminum, 531  
 Nitrogen, effect on swelling in Type  
 316 SS, 721

**P**

Palladium alloys, 611  
 PE-16, 326, 542, 536, 736  
 Positrons, 180  
 Precipitates in  
 HT-9, 271  
 Molybdenum, 262  
 Nickel-aluminum, 531  
 Palladium alloys, 615  
 PE-16, 564  
 Type 316 SS, 472, 702  
 Proton irradiation, 612

**R**

Reactors  
 ATR, 304

DFR, 495, 594  
 EBR-II, 272, 327, 353, 485, 584,  
 666, 681, 736

ETR, 304  
 FFTF, 484, 584, 669

FRJ-1, 6

FRJ-2, 6

Gosgen, 52

JRR-2, 248

Leibstadt, 54

Melusine, 23

PFR, 484

Phenix, 484

Pluto, 281

Rapsodie, 433, 494, 695

SNR-300, 285

UBR, 65

UCRR, 103

VAK, 13

Radioactive waste, 115

Composition, 119

Barriers, 123

Radiation effects, 127

Recovery

Nickel, 172

Gold, 172

**S**

Silicon, effect on swelling in Type  
 316 SS, 475, 715

Simulation, 190, 226, 234, 412, 455,  
 531, 543, 611, 628, 643

Stainless steel

Type 304, 485

Type 304L, 431, 501, 694

Type 316, 353, 375, 393, 444, 455,  
 470, 682, 698, 736

Type 321, 491

Type 348, 303

Strain rate, 383, 437

Structural steels

A302-78B, 6

A302B, 11, 51

- A508-2, 103  
 A533-78B, 6  
 A533-B, 6, 41, 67, 77, 104  
 Annealing, 12, 16  
 SA508 Class 3, 22  
 Yield strength, 10
- Swelling**  
 A-286, 689  
 Creep, 175, 707  
 Effect of stress, 681  
 FV448, 597  
 Helium effect, 218  
 Inconel 706, 689  
 M-813, 689  
 Molybdenum and alloys, 632  
 PE-16, 544, 689  
 Theory, 146, 214, 602  
 Type 304 SS, 485  
 Type 304L SS, 694  
 Type 316 SS, 458, 474, 485, 684,  
 699, 714  
 316 + Ti, 493  
 Type 321 SS, 491  
 Type 348 SS, 310
- T**
- Transition temperature, ductility, 9,  
 30, 39, 43, 51, 67, 252, 274  
 Tension test, 72, 99, 237, 253, 274,  
 312, 332, 434
- Biaxial, 443  
 Titanium, effect on swelling of 316  
 SS, 492
- V**
- Vanadium, 654  
**Voids**  
 FV448, 602  
 Molybdenum, 258, 632  
 Molybdenum alloys, 632  
 PE-16, 544, 571  
 Theory, 512, 602  
 Type 304L SS, 502  
 Type 316 SS, 403, 472, 507, 750
- W**
- Welds, 41, 53, 67, 79, 287
- Y**
- Yield strength, 10, 45, 72, 252, 274,  
 289, 333, 379, 395
- Z**
- Zircaloy-2, 234