

Index

A

- Accident rates, 10, 42, 63
- Adverse environments (snow, ice, mud, sand), 65
- Aircraft
 - Antilock systems, 91
 - Tires, 195
- Aligning torque, 177
- All-season tires, 65
- Antilock breaking systems, 79, 87, 102
 - Aircraft systems, 91
 - Motorcycle systems, 98
 - System effectiveness, 90

B

- Black spots, 9
- Blank tires, 140, 219, 242
- Boundary layer friction, 11
- Brake force distribution, front to rear, 82
- Braking
 - Performance ratio, 90
 - Power, 91

C

- Characteristic friction coefficient, 194
- Characteristic hydroplaning speed, 195
- Cornering, 16, 21, 54, 175

- Cornering power, 59
- Cornering stiffness, 297

D

- Drainage capacity of tread, 243
- Drainage coefficients, 199
- Drainage path length on pavements, 181
- Driving traction on unimproved surfaces, 67, 74
- Durometer hardness (*see* Rubber properties)

F

- Front-wheel drive, 4

G

- Grooved pavement, 153

H

- Hydrodynamic forces on tire, 141, 145, 154
- Hydrodynamic lubrication, 12
- Hydroplaning
 - Dynamic, 130, 151, 167, 192
 - Viscous, 168, 192

I

- Inflation pressure effects, 125, 195, 296

- M**
- Motorcycle antilock systems, 98
 Mud-and-snow (M&S) tires, 65
 Mud and sand testing of tires, 67
- N**
- Noise, 187, 232, 250, 271
 Correlation between field and laboratory measurements, 250, 282
 Generating mechanisms, 243, 266, 275
 Measurement, 233, 253, 272
 Versus rolling resistance 285
 Versus skid resistance, 235, 283
- O**
- Outflow meter, 214
- P**
- Pavement
 Design, 167
 Geometry, 177
 Glare, 188
 Grooving, 153
 Polishing, 187, 272, 284
 Wear, 187
 Plowout (front wheels lock before rear wheels do), 87
 Pressure distribution in contact patch, 52, 144, 195, 293
 Proving ground tests, 52, 61, 162, 263
- R**
- Rainfall rates, 184
 Replicas of pavement surfaces, 271
- Rolling resistance measurement, 116, 186, 201, 285
- Rubber
 Damping factor, 300
 Hardness, 20
 Hysteresis, 20, 305
 Rebound, 21
- S**
- Side force coefficient, 43, 318
 Sand-patch method, 214
 Skidding probability, 7
 Skid resistance guide lines, 10
 Slip, 15, 84
 Spindown, 156, 169
 Splash and spray, 188
 Squeeze film, 13, 312
 Standard tires,
 ASTM pavement test tire, 219, 300
 PIARC tire, 207
 Stopping distance, 226
 Surface curvature, 257
 Surface texture (*see* Texture)
 Synthetic pavement surfaces, 282
- T**
- Temperature effects, 316
 Test course preparation
 Ice, 67
 Snow, 68
 Soft soil, 70
 Test design for tire traction, 8, 18, 30
 Test procedures for
 Adverse environments, 66
 Drawbar pull, 74
 Hydroplaning, 152, 169

- Rolling noise, 233, 251, 272
- Rolling resistance, 124
- Skid resistance, 207, 221
- Tire wear effects, 43, 289
- Tire wet traction, 33
- Test surfaces,
 - Replicas, 271
 - Specifications, 11
- Tests on drum machines, 43, 250, 272
- Texture of pavement surfaces, 17, 174, 251, 260, 305
 - Drainage coefficients, 199
 - Macrotexture, 26, 170, 239, 277, 285
 - Macrotexture measurement by
 - Outflow meter, 214
 - Sand-patch method, 174, 214
 - Silicone putty, 174
 - Macrotexture orientation, 174
 - Macrotexture texture depth, 170
 - Microtexture, 196, 207, 272, 304
- Three-zone concept 13, 192
- Tire-pavement friction,
 - Coefficient prediction in one mode from another, 203
 - Generalized coefficient-speed relationship, 198
 - Modes, 11
 - Wet versus dry, 15
- Tire-pavement traction (friction) coefficient measurements under wet conditions
 - At combination of modes, 25, 85, 177
 - Brake force, braking, longitudinal force (at slip), 15, 85
 - Versus pavement type and texture, 27, 307
 - Versus tire type, 19, 27, 35, 233, 237
 - Versus tread rubber properties, 21
 - Versus tread wear, 46
 - Versus water depth, 46, 245, 315
 - Cornering (force), lateral force, side force, 16
 - Versus pavement type and texture, 17, 26, 176, 285
 - Versus tire type, 178
 - Versus tread groove voids, 28
 - Versus tread rubber properties, 23
 - Versus tread wear, 46, 290
 - Versus water depth, 9, 46
 - Sliding (force), locked-wheel, Skid No.
 - Versus pavement type and texture, 160, 172, 174
 - Versus water depth, 157, 170
- Tires
 - Effects of construction, 18, 298
 - Deformation in contact patch, 135, 293
 - Deflection under load, 141
 - Load measurement, 118
 - Rolling radius measurement, 120
 - Shoulder wear, 43, 289
 - Test induced wear, 294
- Tire-vehicle-driver-road system, 5
- Tire wear, test induced, 294
- Traction, 23
 - Availability-to-demand ratio, 6
- Traction loss probability, 10
- Traffic noise, 283
- Trend
 - Compound effects, 20
 - Depth, 43, 170, 221
 - Drainage capacity, 243
 - Effects of tread wear, 41, 52, 67, 288
 - Groove voids, 24, 28
 - Pattern, 17, 23, 221, 280
- Trucks,
 - Antilock systems, 107

Rolling resistance, 11
Tire traction, 300

Maneuvers, 5, 177
Stability, 54, 85, 299

U

Under/oversteer, 4, 59
Unpaved surface properties, 72

V

Vehicles
Braking dynamics, 80

W

Water depth on pavement, 8, 162, 170
Water film thickness in contact patch, 131, 144, 312
Water flow under the tire, 137, 195
Wheel tracks, 182
Winter tires, 280