

Index

A

Air testing, 327
 American Foundrymen's Society
 leaching test, 9, 201-214
 Analysis
 Atomic adsorption spectroscopy,
 44, 63, 86, 152, 171, 225-266
 Basic considerations, 23-24
 Fish flesh, 327
 Inductively coupled argon plasma
 spectroscopy, 44, 225-266
 Ion chromatography, 171
 Neutron activation, 171
 Photon-induced X-ray fluores-
 cence, 153
 Semivolatile organics, 44, 240-
 266, 323-327
 Separation, 45, 63, 243-248
 Survey analysis, 240-266
 Volatile organics, 44, 217-224,
 242-243, 323
 Wet chemical tests, 63, 171, 310
 ASTM test methods, 1, 11, 13-19,
 28-39, 44, 63-69, 84-86,
 112-135, 151-163, 186-200,
 333

B

Baghouse dust, 42-60, 251-263
 Basic oxygen furnace slag, 17
 Batch leaching
 ASTM test, 13-19, 28-39, 44,
 63-69, 84-86, 112-135, 151-
 163, 186-200, 333
 Basic considerations, 22-23
 Butyrate, 46
 Carbonic acid, 17-18
 Citrate, 45
 Contact conditions, 8-14, 23, 69-
 72, 84-135
 Early tests, 17-19
 Elutriation (washing), 186-200
 EPA test, 13-19, 29-39, 44, 63-69,
 139-163, 201-214, 332-339,
 354-355
 Extractant ratio, 22, 84-98, 112-
 135, 340
 Foundrymen's test, 9, 201-214
 Illinois test, 10-11
 IU Conversion Systems test, 10-12
 Japanese test, 8
 Method comparison, 7-19, 28-39,
 41-60, 63-69, 83-98
 Minnesota test, 10-12, 28-39
 Multiple waste addition, 170
 Purposes, 19-20
 Redox, 72-74, 337-339
 Serial extraction, 9, 23, 74-80,
 99-111
 Site soil, 99-111
 Site specific, 331-344
 Surfactant, 46
 U.S. Army Corps of Engineers test,
 333-335
 Variables, 22-23, 69-81
 Wisconsin test, 11-15, 169-170

- Biological sludge, 29-38, 42-60, 244-249, 251-263
 Boiler ash, 29-38, 99-111
 Bottom ash (see Boiler ash)

C

- Chemical plant waste, 220-224
 Chlorine production brine waste, 139-150
 Co-disposal industrial and municipal wastes, 10-14, 139-150, 187, 339
 Coke plant sludge (see Biological sludge)
 Column leaching
 Application rate, 85
 Co-disposal, 139-150
 Comparison with batch, 83-98, 139-150, 164-185
 Early studies, 8
 Large-scale, 139-150
 Corrosivity, 352-353

D

- Delisting, 345-365
 Dredge spoil, 8-9, 333-335

E

- Electroplating waste (see Metal finishing waste)
 EPA toxicant extraction procedure, 13-19, 29-39, 44, 63-69, 139-163, 201-214, 332-339, 354-355
 Equivalent facility performance, 347-350
 Equivalent testing methods, 347-350
 Explosives waste, 305-320
 Extraction (see Batch leaching, Column leaching)

- Extraction Procedure (EP) (see EPA toxicant extraction procedure)

F

- Fate, 341, 361-362
 Field and large-scale studies (also see Sampling and preservation)
 Chemical waste, 321-327
 Co-disposal, 139-150
 Dredging waste, 373
 Explosives waste, 305-320
 Fly ash, 164-185
 Foundry waste, 201-214
 Groundwater flow, 294-298, 307-309
 Liners, 290
 Metal finishing waste, 195-199, 305-320
 Mining waste, 201-214
 Pulp and paper waste, 151-163
 Fish testing, 327
 Fixed wastes, 9
 Fly ash, 17, 61-135, 164-185, 225-239
 Food processing waste, 244-263
 Foundry sand, 9, 203

G

- Geotechnic testing, 293-304, 309, 311-313
 Glass etching waste, 139-150

H

- Hazard assessment, 24-25, 112-135, 202-203, 340-344, 345-365
 Heavy metals, 32-38, 43-60, 63-81, 86-214, 225-237, 248-249, 313-314

Hydraulic conductivity, 293-304, 309
 Hydrogeology (see Field and large-scale studies, Sampling and preservation)

I

Ignitability, 350-352
 Illinois Environmental Protection Agency leaching test, 10-11
 Incinerator ash, 29-38
 Ink pigment waste, 42-60, 251-263
 Interpretation of results (see Hazard assessment)
 Interstitial water quality, 151-163, 167-169
 IU Conversion Systems leaching test, 10-12

L

Leaching (see Batch leaching, Column leaching)
 Lime slurry treatment sludge, 244-263
 Liner testing, 269-292, 341, 350
 Listing of hazardous wastes, 355-358
 Lysimeters, 153

M

Metal finishing waste, 139-154, 186-200, 251-263, 305-320
 Metals (see Heavy metals, Metal finishing waste)
 Mining waste, 199-214
 Minnesota Pollution Control Agency leaching test, 10-12, 28-39
 Municipal waste (also see Co-disposal), 275-277

O

Oil waste, 17, 220-224
 Organic constituents
 Clean-up, 243-248
 Leachability, 43-59
 Semivolatile organics, 44, 240-266, 323-327
 Surrogate screening, 217-224
 Trinitrotoluene, 305-320
 Volatile organics, 44, 217-224, 242-266, 323
 Organic still bottoms, 42-60, 251-263

P

Paint pigment sludge, 251-263
 Partition, 341, 360-361
 Permeability and permeameters, 293-304, 309
 Pharmaceutical waste, 42-60
 Piezometer (also see Sampling and preservation), 167, 307
 Pulp and paper waste, 151-163
 Purposes of testing, 1, 20-21

R

Reactivity, 353-354
 Refinery sludge (see Oil waste)
 Resource Conservation and Recovery Act, 1, 41, 187, 240-241, 295, 305, 332, 342-343, 345-365
 Risk analysis (see Hazard assessment)
 Rule-making changes, 345-365

S

Sampling and preservation
 Air, 327
 Backhoe, 204

Basic considerations, 21-22
Interstitial water, 153, 167-169
Leachate, 143, 153, 324, 327
Soil, 165, 167, 204, 218-219, 307-308
Wells, 167-168, 204, 307-309
Site-specific hazard assessment, 331-344, 358-362
Standard Leach Test (U. Wisconsin), 11-12, 15, 169-170
Survey analysis (total content), 240-266

T

Toxicant Extraction Procedure (see EPA toxicant extraction procedure)

Toxicity, 341, 352-360

U

U.S. Army Corps of Engineers elutriate test, 8-12, 333-335

V

Volatile organic compounds (see Organic constituents)

W

Wastewater treatment sludge (see Biological sludge)