

# Index

## A

- Accoustic reflector, 167, 169, 173
- Acid
  - Concentration, 9
  - Treatment, 6-8, 11, 13-14
- Acid-neutralization method, 6, 8, 13-14
- Acid-soluble weight loss method, 6, 7, 10-11, 14
- Adhesion reduction factors, 26
- Africa, calcretes in, 296-308
- Age
  - Effect on density, 289
  - Effect on strength, 289, 290
- Alabama Black-Belt soils, 210-224
- Alluvial deposits, 21-22
- American Association of State Highway and Transportation Officials Test for the Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes (M145-73), 291
- Aragonite, 3, 4, 55, 282
  - Compensation depth, 55
- ASTM Standards
  - Laboratory Determination of Moisture Content of Soil (D 2216-71), 257, 280
  - Method for Capping Cylindrical Concrete Specimens (C 617-76), 372
  - Method for Classification of Soils and Soil-Aggregate Moistures for Highway Construction Purposes (D 3282-73), 299, 302
  - Method for Classification of Soils for Engineering Purposes (D 2487-69), 299
  - Method for Diamond Core Drilling for Site Investigation (D 2113-70), 370
  - Method for Wet Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants (D 2217-66), 301
  - Method of Laboratory Determination of Moisture Content of Soil (D 2216-71), 347
  - Practice for Description of Soils (Visual-Manual Procedure) (D 2488-69), 298, 299
  - Recommended Practice for Investigating and Sampling Soil and Rock for Engineering Purposes (D 420-69), 300
  - Specification for Materials for Soil-Aggregate Subbase, Base, and Surface Courses (D 1241-68), 297, 301, 307
- ASTM Tests
  - Compressive Strength of Cylindrical Concrete Specimens (C 39-72), 372
  - Direct Tensile Strength of Intact Rock Core Specimens (D 2936-78), 372
  - Laboratory Preparation of Soil-Lime Mixtures Using a Me-

- chanical Mixer (D 3551-76), 211
- Lime Content of Uncured Soil-Lime Mixtures (D 3155-73) (1978), 211
- Liquid Limit of Soils (D 423-66), 257, 329
- Moisture-Density Relations of Soils and Soil-Aggregate Mixtures Using 10-lb (4.5-kg) Rammer and 18-in. (457-mm) Drop (D 1557-78), 285, 311
- One-Dimensional Consolidation Properties of Soils (D 2435-70), 254
- Particle-Size Analysis of Soils (D 422-63), 280
- Plastic Limit and Plasticity Index of Soils (D 424-59), 257, 329
- Shrinkage Factors of Soils (D 427-61), 301
- Specific Gravity and Absorption of Coarse Aggregate (C 127-68), 283
- Specific Gravity of Soils (D 854-72), 347
- Splitting Tensile Strength of Cylindrical Concrete Specimens (C 496-71), 372
- Specific Gravity and Absorption of Coarse and Fine Aggregates (C 127-59 and C 128-59), 307-308
- Moisture-Unit Weight Relations of Soils and Soil Aggregate Mixtures, Using a 5.5-lb (2.5 kg) Rammer and 12 in. (304.8 mm) Drop (D 698-
- Unconfined Compressive Strength of Cohesive Soil (D 2166-66), 312
- Atoll, Diego Garcia, 41-44  
Field investigation of, 44-47
- Atterberg limit determinations, 81, 82, 85, 86, 91, 103, 123, 133, 134, 256, 257, 323, 324, 329, 331
- Australia, offshore western, soil testing in, 183, 192, 193, 194, 198, 199, 201, 202, 205, 206
- ### B
- Bar linear shrinkages, 301
- Bearing capacity, 26-27, 377
- Benthic materials, 4, 5
- Binding agent, 287
- Biogenic material, 56, 227, 228
- Biological process in soil formation, 37, 38, 55
- Blake Plateau, 58, 62, 63, 64, 65, 66, 69, 73, 90, 91, 92, 93, 94, 95
- Blow counts, 32, 46, 47, 50, 236, 237
- Borings (*see also* Coring, Drilling, Piles), 44, 45, 50-51, 52
- British Standards Institute (BSI) Code of Practice for Site Investigations (BS CP 2001), 298
- Brittle behavior of varved clay, 252-275
- ### C
- Caisons, 383, 384, 392
- Calcarenes, 182, 185, 187, 188, 205, 207
- Calcareous (*see also* Soils, calcareous)
- Horizons, stages of development, 19-20, 21
- Oozes, geotechnical properties of 79-95
- Rock
- Elastic properties of, 370-380
- Geotechnical properties of, 340-357

- Strength properties of, 370-380
- Calcite (*see also* Calcium carbonate),
  - 3, 4, 55, 59, 127, 227, 228, 280, 282, 286, 287, 289, 291, 292, 294, 297, 318, 322, 328
- Cementation, 318, 319
- Compensation depth (CCD), 55
- Crystalline growth, 286, 287
- Debris, 101, 102
- Calcium carbonate in soil, 214, 215, 227, 322
  - Content, 91, 92, 93, 324, 327, 328, 329, 331, 332, 335, 338
  - Determination of, 3-6, 15
    - Test procedures, 6-14
  - Formation of caliche, 279, 287, 289, 292, 294, 297
  - Marine geotechnical engineering applications, 14-15
  - Marine sediments, 54, 55
  - Types of material, 3-5
- Calcium-specific ion electrode, 6, 7, 9
- Calcretes (*see also* Caliches, Calisols)
  - Aggregate strength of, 307
  - Classification of, 299-300
  - Composition of, 297-298
  - Distribution of, 297
  - Geotechnical properties of, 300-308
  - Index properties, 301
  - Pavement material, 307
  - Prospecting, 300
- Calisols (*see also* Soil, Caliche), 277
  - Characteristics of, 286-287
  - Compressive strength of, 283-287
  - Crushed, 278, 294
- Carbon dioxide, 9, 10
  - Conversion of calcium carbonate to, 12-13
  - Loss of, 6, 8, 13
- Carbonate, 38, 39, 55
  - Analysis, 327-328
  - Categories of, 37
  - Compensation depth, 101
  - Content, 122, 123, 127, 138, 139, 196
  - Content of sediment, 58, 60, 61, 62, 66, 69, 72, 73, 99, 100
  - Decomposition of, 13
  - Density-content correlation, 61-66, 68, 69, 70
  - Dissolution, 104
  - Effect on water content, 105
  - Nature of, 138, 139
  - Oolite, 364, 365
  - Significance of, 37-41
    - Soil, geological origin of, 192-197
- Cavities, formation of, 38, 47, 49
- Cement, portland, 278, 287-291, 292, 293
- Cementation, 22, 135, 180, 296
  - Breakdown of, 93, 275
  - Calcareous, 17, 20, 108, 227, 236, 239, 242, 244, 247, 249, 286
  - Carbonate, 38, 45, 72-75, 76
  - Degree of, 135, 138, 139, 192, 193
  - Effects of, 274, 204-205, 320-338
  - Stick-slip behavior, 185, 188
  - Strength due to, 268, 272
- Cemented horizons, 17
- Cemented layers, 49, 51
- Cemented zone, 44, 51, 52
- Cementing agents, 24, 257, 258
- Chalk, 32, 81, 322
  - Selma, 211, 212, 213
- Clay, 25, 26, 27, 55, 56, 109, 212
  - Calcareous playa lake, compacted, 310-319
  - Content, 188, 285, 286, 287, 292, 294
  - Deep-sea, 63, 110
  - Formation of, 19, 20, 22, 24
  - Fraction, 214, 215, 218, 223
  - Platelet flocs, 100, 102
  - Silt, 22, 142, 143
  - Varved, brittle behavior of, 252-275
- Climate, influences of, 20, 24, 32

- Coccolithophorids, 55, 98, 212  
 Coccoliths, 3, 4, 5  
 Code of Practice for Foundations (BS CP 2004), 298  
 Cohesiveness, 236, 244, 246, 247, 287, 294  
   Noncohesiveness, 49, 93  
   Resistance, 317, 318  
 Compaction, 40, 45, 220-221  
   Calcareous playa lake clay, 310-319  
 Compressibility, 27, 55, 86, 247, 248, 249, 250  
   Shale, 320-338  
 Compression, 32, 83, 84  
   Deep-sea calcareous sediments, 97-111  
   Index, 84, 85-86, 102, 108, 109  
   Test, 107-110, 372, 373  
 Consolidation behavior, 261, 262  
 Coral, 3, 4, 5, 37, 54, 116, 167, 177, 341, 382  
   Atoll, subsurface variability in, 36-52  
   Lithified, 143, 145, 147, 149, 150, 151, 152, 155  
 Core boring, 99, 180  
 Coring (*see also* Boring, Drilling, Piles), 25, 50, 81, 90  
 Cracks, tension, 318, 319  
 Cretaceous geologic period, 320, 322  
 Crushing  
   Calcareous ooze, 132  
   Grain and particle, 38, 55, 56, 85, 86-88, 91, 95, 104  
   Tests, 197-201  
   Shell, 86, 88, 91, 95  
   Under stress, 118  
   Susceptibility to, 118, 120, 121, 122, 134, 135
- D**
- Debris  
   Biogenic, 227, 228  
   Fragmented coral, 44  
   Deep-Sea Drilling Program (DSDP), 98  
 Deformation, 27, 28-32, 33, 85, 169, 201, 271, 272, 375, 377  
   Tests, 347-348  
 Density  
   Carbonate content correlation, 61-66, 68, 69, 70  
   Deep-sea calcareous sediments, 54-76  
   Dry, 350, 355, 356, 357  
   Effect on strength, 318  
   Field, 229, 232, 234, 235, 236, 237  
   Grain, 57, 58, 59, 61, 63  
   Soil, 286  
 Deposition process, 38, 56  
 Disintegration, particle, 100, 101  
 Dissolution of material, 38, 55, 57, 59, 82  
 Disturbance, sample, 180, 182  
 Dolomite, 115, 123, 127, 297, 364, 382, 383, 384, 387, 388, 389, 391  
 Drilling (*see also* Boring, Coring, Piles), 49, 51, 169
- E**
- Eastern Equatorial Pacific site, 58, 62, 65, 66, 67, 68, 69, 70, 72, 73, 74  
 Elastic  
   Properties, calcareous rock, 370-380  
   Settlement analysis, 27, 28  
 Electrical  
   Conductivity, 147, 149-155, 157, 169, 174, 176, 177, 324, 325, 329  
   Properties, calcareous sediments, 141-155  
   Resistivity, 141, 142, 143, 145  
   Measurements in calcareous sediments, 156-177

- Electrical resistivity probe  
 Design considerations for, 163-166  
 Penetration rate, 175  
 Sites, 168, 172, 176
- Engineering  
 Applications, 14, 15  
 Behaviors, carbonate soils, 113-139  
 Properties of deep-sea calcareous sediments, 97-111
- Equipment damage, due to hard zones (*see also* Piles), 49
- Erosion, 20, 38
- Ethylenediamine tetraacetic acid (EDTA) titration, 6, 7, 9, 254
- F**
- Failure, soil, 89, 90, 91, 93, 94, 95, 378, 379
- Faults, dating of, 17
- Feldspar, 55, 127, 279, 282, 283, 290, 291, 292, 293, 294, 297
- Field  
 Exploration, conventional, adequacy of, 47-52  
 Observations, 44-47, 239-240
- Fissuring, 24, 25
- Floodplains, 22
- Florida soil studies  
 Continental shelf, 157-177  
 Dade County, 359-380  
 Southern, 340-357
- Fluid loss, 49
- Foraminiferan, 3, 4, 5, 55, 81, 88, 91, 98, 101, 102, 103, 106, 109, 111  
 Ooze, 82, 90
- Forams (*see* Foraminiferan)
- Formations  
 Calcareous, 382  
 Factors, 151-153  
 Fort Thompson, 342, 343, 344, 350, 355, 357, 368-370
- Miami, 364-368  
 Pamlico, 364  
 Rocks, 341-342
- Fracture, susceptibility to, 55, 98, 100, 101, 103
- Fragmentation, particle, 104
- Friction, 192, 193, 194, 202, 203, 204, 205, 206  
 Angle of 265, 268  
 Grain-to-grain, 58  
 Resistance, 317, 318
- G**
- Geotechnical properties  
 Calcareous oozes, 79-95  
 Calcareous rocks, 340-357  
 Calcretes, 296-308
- Gradation  
 Analysis of calcretes, 302-303  
 Material, 45, 232, 234, 235  
 Slope, 239, 240, 245
- Grain  
 Breakdown, 85  
 Size, 57, 58, 59, 86, 88  
 Size distribution, 123, 127, 132, 133, 138, 139, 199, 280, 281, 304-305  
 Tests, 257
- Gravel (*see* Sand)
- Gravimetric  
 Methods, 6, 7, 8, 10, 13  
 Procedure, U.S. Department of Agriculture *Handbook* 60, 280
- H**
- Hamra, red, 227
- Hardness (*see also* Cementation), 45, 49
- Hole caving, 49
- Holocene age, 17, 32  
 Layer, 227  
 Pre-, 22, 32  
 Sealevel transgression, 157

## I

- Illite, 127, 143, 215, 282, 297  
 Index properties (*see also* Compression, Liquid Limit, Plasticity)  
   Calcretes, 301  
   Clayey silt, 80-82  
   Determination of, 25  
   Fine sand-silt, 90-93  
   Shale, 323, 330, 331  
   Tests, 347  
 India  
   Carbonate soils in, 113-139  
   Soil testing in, 188, 189, 190, 193, 194, 198, 199, 200, 205  
 Induration in calcareous soils, 192  
 Israeli coastal plain, calcareous sands of, 226-250

## K

- Koalinite, 127, 143, 144, 152, 153, 154, 214, 215  
 Kurkur, 226, 227, 228  
   Engineering properties of  
     Intact, 229-250  
     Quarried, 288-229, 233

## L

- Leaching of shale, 322, 324-325, 328-330, 334, 335  
 Lime  
   Reactivity, 211, 215-223, 224  
   Stabilization, 224  
 Lime-soil mixture, 211, 215  
 Limestone, 37, 54, 340, 341-342, 345, 350, 351, 352, 353, 354, 355, 356, 367, 382-384, 387-393  
   Argillaceous, 211, 212  
   Calcareous, 214  
   Caverns, 182  
   Coralline, 50, 368, 371  
   Freshwater, 370, 371

- Oolitic, 361, 363, 364, 365, 366, 368, 369, 370-380  
 Paleozoic, 279  
 Rock, 296  
 Liquid limits (LL), 102, 103, 111, 196, 257, 301, 329

## M

- Marine sediments (*see* Sediments)  
 Marl zone, 322, 324  
 Mayer's Equatorial Pacific site, 57, 63  
 Miami Rapid Transit System, structure and foundation, 360, 361, 362, 363, 365, 366  
 Micas, 279, 294  
 Microcline, 282, 291  
 Minerals, clay, 280, 282, 301  
 Miocene age, 341  
 Moisture  
   Content, 27, 215, 218-219, 284, 285, 286, 288, 289, 294, 317, 319  
   Density relationship, 215, 317, 319  
   Loss with time, 314, 315  
   Relationship to strength, 315-317  
   Sensitive materials, 27, 32  
 Mollusk fragments, 167, 365  
 Montmorillonite, 143, 211, 214, 223, 282

## N

- Nannofossils, 5, 98, 100, 101, 102, 104, 106, 109, 110, 111

## O

- Oil, 113, 114, 156, 179  
 Oligoclase, 282, 291  
 One-dimensional compression-permeability measurements, 98, 99

- Ontong Java Plateau, 57, 62, 64, 66  
 Oolite (*see* Limestone)  
 Ooze, 37  
   Calcareous, 55, 143, 144, 145,  
   149, 152, 153, 154  
   Engineering behavior of, 132  
   Geotechnical properties of 79-  
   95  
   Foraminiferan, 82, 90  
   Marl, 81  
   Nannoforam, 106, 109  
 Organic matter, 10  
 Overburden effect, 232, 236
- P**
- Permeability, 25, 49, 109, 330-332  
   Tests, 107, 108, 111  
 pH  
   Fluid, 182  
   Soil, 214, 258, 324, 325, 329  
 Piles (*see also* Boring, Coring,  
   Drilling)  
   Batter, 389-390  
   Damage to, 385-390, 393  
   Design, 180, 202-208  
   Driven, 382-393  
   Prestressed, 360, 391-393  
   Protection of, 388, 389, 393  
 Plastic limits, 111, 215, 219, 257,  
   324  
 Plasticity, 59, 73, 103, 105, 132,  
   133, 138, 139, 196  
   Calcretes, 306  
   Index, 103, 107, 108, 257, 299,  
   301  
   Tests, 257  
 Plata, 227, 228  
 Playa deposits, 20  
   Lake clay calcareous, 310-319  
 Pleistocene age, 21, 341, 364  
   Deposits, 279  
   Layer, 227, 228
- Porosity (*see also* Void ratio), 4, 38,  
   57, 59, 60, 142, 143, 149,  
   151, 154, 155, 301, 340, 350,  
   351, 352, 353, 354, 356  
 Precipitation, 20, 32  
   Calcium carbonate, 4, 5  
   Inorganic, 55  
 Pressure  
   Behavior, 83  
   Calcimeter method, 6, 8, 12-13  
   Confining, 248, 249  
   Consolidation, 247  
   Effects on marine sediment, 4  
   Overburden, 74, 75, 123, 322  
   Past, 321, 322, 323, 324, 332,  
   334, 338  
   Pore, 259, 260, 262, 264, 265,  
   272, 318  
   Pore water, 24, 58, 70, 93, 247  
 Pteropods, 3, 4, 5, 55, 81, 98
- Q**
- Quartz, 55, 127, 279, 291, 292,  
   294, 330  
   Grain, 101, 103, 197  
   Sand, 84, 85, 88, 161, 193, 198,  
   202, 204, 205, 227, 228, 282,  
   282, 297, 341, 368, 370
- R**
- Reef, 38, 41, 169  
   Formation of, 157  
 Resistance  
   Compacted soil, 317, 318  
   Cone, 187, 188, 192, 193, 194,  
   203, 204, 205  
   Sampler driving, 45, 50  
   Shear, 334, 335  
 Road construction material, 296,  
   297, 299, 307  
 Rock (*see* Calcareous rocks, Quartz)  
 Rock mass classification systems, 26  
 Rock-forming process, 38

## S

## Sampling

Intervals, 50-51

Techniques, 49-50

Sand (*see also* Limestone, Quartz, Silt)

Calcareous, 143, 144, 147, 149, 150, 151, 226-250

Carbonate, 115

Clayey, 48

Dunes, 22, 227, 239

Fine, 48, 57

Fort Thompson, 377

Gravel, 48

Silt, fine, 48, 56, 90-95

Testing of, 198-208

Sandstone (*see also* Kurkur, Plata)

Calcareous, 383, 393

## Sedimentation

Calcareous, 382

Marine, 3-5, 54

Rate of, 55

Sediment particles, microscopic, analysis of, 100-102

## Sediments

## Carbonate

Subsurface, 116-118

Surface, 115-116

Deep-sea calcareous, 54-76, 97-111

Electrical property measurement of, 141-155, 156-177

Marine, 3, 4, 5, 54, 179-208

Noncarbonate forms, 97

Properties and composition of, 81-82

Upper Cretaceous, 212

Seepage characteristics, 49

Seismic survey, 25, 29

Hazard investigation, 17

Reflection, 175, 177

Refraction, 32, 33, 343, 350

Tracklines, 168, 170-171, 172

Settlement, 27-28, 29, 32, 361

Analysis of, 237, 328

Reduction of, 379

Shale, 384

Compressibility of, 320-338

Leaching of, 322, 324-325, 328-330, 334, 335

Shells (*see also* Foraminiferan), 87, 88, 95, 368

Shrinkage, 316, 317, 318

Shrinkage limit, 301, 308

Silica, 192

Opaline, 55, 59, 62, 63, 65, 75

Silicates, 19, 199

Siliceous biogenic materials, 56

Silt (*see also* Clay, Sand, Sediments) 80-90, 103, 183, 186

## Slopes

Probability of failure, 240, 241

Stability of, 239, 240

## Soil

## Black-Belt

Calcareous characteristics, 214

Physicochemical, 214-215

Taxonomy, 213, 224

Weathering, 213

## Calcareous

Age of, 19

Composition of, 19, 20

Deep-sea, 54-76, 97-111

Distribution of, 17, 18

Driven piles in, 382-393

Electrical properties of, 141-155

Electrical resistivity measurements of, 156-177

Marine, testing of, 179-208

Origin of, 17-20

Properties of, 302-303

Southwestern U.S., 16-33

Zone, 322

Caliche (*see also* Calisols)

Indurated, 283-286, 294

Nature of, 278-283

- Origin of, 278-283
- Strength characteristics of, 278-283-294
- Carbonate
  - Engineering behavior of, 113-139
  - Origins of, 192-197
- Cemented, 123-132, 132-134
- Chemical analysis of, 257-258
- Classification of carbonate, 134-139
- Classification systems
  - Clark and Walker, 188-197
  - Geomechanics Rock Mass Classification System, 25
  - Improvements in, 181
  - Unified Soil Classification, 21-27, 32, 81, 103, 280
- Collapsing, 17
- Clay, compacted calcareous playa lake, 310-319
- Compacted lime cemented, 310
- Nonplastic, 280
- Remolded, 286, 287
- Series, 214, 215, 216-217, 218, 219, 220-221, 222, 223
- Structure, 274, 275, 287
  - Flocculated, 257, 258, 272, 274
- Terrestrial, 85, 95
- Uncemented coarse-grained, 118, 121-122, 132
- Uncemented fine-grained, 122-123, 132
- Soil-cement mixture, 287, 294
  - Analysis of, 290-291, 293
  - Compressive strength of, 288-289
- South African Bureau of Standards (SABS) 10 percent Fines Aggregate Crushing Test (FACT) and Aggregate Crushing Value (ACV), 298, 307
- Strain
  - Effects, 244, 246, 248
  - Failure, 262, 275, 313
  - Rate, 259, 260, 263, 264, 265, 272
  - Strain-hardening region, 252
  - Strain-softening region, 252
  - Strength
    - Aggregate, 307
    - Bearing, of carbonates, 47
    - Calcareous rocks, 370-380
    - Characteristics, caliche soils, 277-294
    - Compacted calcareous playa lake clay, 310-319
    - Compressive, 350, 352, 353, 354, 356, 357
    - Loss of, 24
    - Parameters of sand, 242, 244
    - Reduction, 71
    - Relationship to moisture, 315-317
    - Shear, 24, 26, 56, 58, 67-72, 123, 271, 274, 298
    - Under stress, 55
    - Surface, 68
    - Tests, 347-348
    - Time, 313-314
    - Triaxial, 74, 75
    - Undrained, 27, 71, 88, 89, 90, 123
    - Undrained shear, 193-194, 256, 272, 274
    - Vane shear, 57, 69, 72, 91, 273
- Stress, 59, 71, 118, 256, 259
  - Behavior, 261-262
  - Compression, 86
  - Confining, 248, 249
  - Effective, 108, 109, 254, 261, 262-268, 274, 332
  - Failure, 244, 246, 250, 270
  - Levels, 27, 55, 88, 89, 90, 91, 94, 95, 110, 111, 242, 260, 264, 271, 272
  - Overburden, 59, 65, 66, 67, 68, 69, 70, 72, 73, 74, 75, 337
  - Path, 265, 266-267, 268, 269, 275

Ratio behavior, 268-273, 274  
 Shale, 322-324  
 Stress-strain, 253, 254, 257, 259,  
 263, 264, 271, 350  
 Subbottom depth, 65, 68, 75, 90,  
 169

## T

Terraces, 279  
 Terrigenous material, 37, 38, 46,  
 47, 49, 50-51, 55, 56  
 Noncarbonate, 115, 118, 121, 134,  
 138, 139  
 Tests  
 Anchor pullout, 378-379  
 California bearing ratio (CBR),  
 36, 45, 46, 48  
 Compression, 107-110, 372, 373  
 Cone penetration (CPT), 180-208  
 Consolidation, 88, 107, 122, 320,  
 322, 325-327, 328-330, 334,  
 335, 336, 337  
 Deformation, 347-348  
 Field, 342-347  
 Field density, 229, 237  
 Field vane, 273-274  
 Footing, 377-380  
 Identification and classification,  
 99  
 Index properties, 347  
 One-dimensional consolidation,  
 27, 82-83, 95, 132, 254-257  
 Penetrometer tests, 51-52  
 Permeability, 107, 108, 111  
 Pile load tests, 202, 203  
 Plasticity, 257  
 Plate bearing tests, 25, 29, 32, 33  
 Plate load tests, 45, 48  
 Pressuremeter, 25, 26, 27, 29, 32,  
 229, 238-239, 342, 347, 350,  
 355, 356  
 Residual direct shear, 201-202  
 Shear, 26, 373-374

Soil mechanics, 25  
 Standard Penetration (SPT), 25,  
 28, 29, 32, 44, 45, 50, 51,  
 229, 232, 234, 235, 236, 237  
 Strength and deformation, 347-  
 348  
 Tension, 372-373, 375, 376  
 Triaxial, 93, 118, 238, 239, 242-  
 250, 252-275, 350  
 Vane shear, 58, 70, 122  
 Texas Highway Department Ball  
 Mill Method for Determina-  
 tion of the Disintegration of  
 Flexible Pliers Test, 307  
 Tortuosity, 153, 155  
 Tucson, soil studies of, 277-294

## V

Vacuum distillation and titration  
 method, 6, 7, 9-10  
 Venezuelan Basin, 80, 81  
 Voids  
 Formation of, 38  
 Infilling, 104  
 Interstitial, 61, 62  
 Intraparticle, 109, 110, 111, 121,  
 132  
 Presence of, 44, 46, 49, 51, 52, 59  
 Ratio, 142, 143, 149, 150, 151,  
 152, 154, 200, 274, 331  
 Volume calcimeter method, 6, 7, 11

## W

Water  
 Content, 58, 149, 169, 257, 260,  
 261, 271, 272, 324, 329, 331  
 Depth, 57, 100  
 Intraparticle, 102-107  
 Wave velocity studies, 343-346