

Index

A

- Acceptance, bait (*see* Efficacy assessment)
- Acclimation
 Bird testing, 68, 95, 100, 111, 119
 Rodent testing, 133, 158, 169, 177, 202, 210
- Actimeter device, 165, 169, 211
- Active burrow count, rodent, 141, 232, 247, 256
- Activity
 Bird, 66, 76, 90, 98, 110, 118, 183
 Canine, 165, 278, 285
 Rodent, 11, 129, 138, 165, 183, 199, 209, 226, 231, 239, 247, 256
- Acute oral toxicity, predacide, 278
- Acute rodenticides
 Compound 1080, 166, 278
 Dusts, 30, 138
 Pyriminyl, 138
 Strychnine (*see* Strychnine)
 Zinc phosphide, 7, 8, 231, 281
- Acute toxicant bait shyness, 12
- Adhesive, bait binder tests, 209
- Africa, bird control, 118
- Agelaius phoeniceus*, 67
- Aircraft, damage from birds, 45
- Airport management, 43
- Alarm calls, bird, 43
- Alaska, feral dog study, 285
- Alces alces*, 292
- Alternate foods, birds, 66
- Aluminum phosphide, fumigant, 226
- American crow, 48, 51
- American robin, 48, 93, 96
- Aminopyridine, avicide, 33
- Among-field sampling design, 83
- Ammonium bicarbonate, tastant, 156
- Anal sacs, canine lure, 270
- Anas platyrhynchos*, 50
- Animal damage control, 5
- Anthony, Richard M., 247-255
- Anticoagulant
 Efficacy tests, 256
 Resistant mice, tests, 140
 Rodenticide, bird hazard, 116
- Toxicants
 Brodifacoum, 129, 138, 165, 170, 231
 Bromadiolone, 138
 Diphacinone, 278
 Warfarin, 8, 139
 Tracking powders, 166
- Antidote, of predacide, 281
- ANTU (*see* α -Naphthylthiourea)
- Apparatus
 Bird test, 119
 Mouse test, 211
 Rat test, 200, 226
- Application devices, concerns regarding, 9
- Application timing, 13
- Applicator hazard, assessment of, 11
- Arachis oil, adhesive, 257
- Area-wide sampling design, for rice, 83
- Arsenic trioxide, taste of, 157

Artificial rodent burrow, 226
 Ashton, A. Daniel, 129-137, 138-154
 Asia, rodent damage, 227
 Attractant, coyote, 265
 Auditory bird repellents, 43
 Australia, rabbit control, 166
 Availability of control materials, 9
 Aversion, food, 20
 Learned, 157
 Aversive conditioning, 90
 Avicide, bird control, 118, 166

B

Bait

 Bird control, 118
 Census, 133, 138, 155, 183, 191
 Coyote, 265, 278
 Degradation, 11
 Development, 20, 123
 Inert ingredients of, 8
 Rodenticide, taste of, 156
 Bait shyness, 7, 12, 21
 Bandicoot rat, fumigants, 227
Bandicota bengalensis, 28, 227, 231
 Bangladesh
 Fumigants, 227
 Wheat damage, 231
 Barnes, Victor G., Jr., 247-255
 Barnum, Douglas A., 265-277
 Batesian mimicry, 20
 Behavioral properties, canine lure,
 267
 Behavior
 Analysis, 20
 Defensive, 24
 Mouse, 216
 Rat, 203
 Shyness, 12
 Belding's ground squirrels, 7, 8
 Benefit estimation, 15
 Bentonite clay, in pellets, 121
 Binder, adhesive bait, 257

Biological control

 Birds, 43
 Devices, 98
 Duration of, 13
 Bird
 Control, 9, 20, 31, 43, 66, 118, 166
 Damage to aircraft, 40, 45
 Dispersal recordings, 43
 Hearing, 48
 Preference testing, 66
 Repellents, chemical, 45, 90, 98

Bison bison, 292

Bison, kills by dogs, 292
 Bitter taste, 22
 Black-backed gulls, 53
 Blackbirds, 67, 70, 76
 Black-capped chickadees, 67
 Blue dye, bait enhancement, 67
 Blue tit, 52
Bombycilla cedorum, 48
 Borderland black, repellent, 98
 Broadcasting equipment, sound, 43
 Broadcast rodenticides, testing of
 hazards, 110
 Brodifacoum, rodenticide, testing,
 129, 138, 165, 170, 231
 Bromadiolone, rodenticide, testing,
 138
 Bromethalin, rodenticide, testing,
 129, 138, 183, 196
 Brooks, Joseph E., 231-238
 Brown-headed cowbird, 48
 Bruggers, Richard L., 66-75
 Buffer crop, 29
 Bullard, Roger W., 66-75
 Burrow activity, census, 141, 195,
 232, 247, 256
 Byers, Ross E., 110-117

C

Cages

 Bird, 68, 76, 95, 98, 110, 119
 Rodent, 129, 174, 177, 200, 210

- Calcium cyanide, fumigant, 226, 231
- California
 - Coyote tests, 275
 - Farm rodenticide trial, 192
 - Gopher studies, 248
 - Ground squirrels, 6, 8, 16
 - Voles, 12
- Calls, alarm, avian, 43
- Camera, video, 200
- Cancellations, product, 9
- Canine behavior and control, study of, 165, 278, 285
- Canis latrans*, 227
- Capsaicin, as tastant, 32
- CAPTURE computer program, 241
- Carbofuran, predacide, 278
- Carbon bisulfide, fumigant, 1, 9, 12
- Carbon monoxide, 226
- Carcinogens, predacides, 281
- Carmen's distant call lure (CDCL), coyote lure, 270
- Carpodacus mexicanus*, 59, 93
- Cartridge, gas (*see* Fumigant)
- Catch-mark-release-recapture (CMR) trapping, 133, 140, 239, 258
- Cats, affecting rodent test, 136
- Cattle, predators chasing, 292
- Cedar waxwing, 48
- Cemeteries, gopher control in, 9
- Census
 - Bait, 191, 133, 138, 155, 183
 - Burrows, 141, 232, 247, 256
 - Rodents, 256, 258
 - Techniques, 169, 183
- Cereal grain, crops, 67
 - Bird testing, 69
- Certification, applicator, 10
- Chaffinches, 33
- Chamber, experimental, 200
- Chemical control
 - Birds, 66, 76, 90, 98, 118
 - Canines, 265, 278, 285
 - Rodents, 129, 138, 155, 165, 183, 226, 256
- Chemical repellents, bird, 66, 90, 98
- Chicago, rodenticide tests, 141
- Chickadees, 67
- Chicken-rearing farm, rodenticide testing, 139
- Chickens, 32
- Children, and feral dogs, 293
- Chloropicrin, fumigant, 226
- Chorda typani, monitored in taste tests, 156
- Citric acid, as tastant, 32
- City rodenticide field tests, 138
- Climatic effects on control, 7, 11
- Coated seeds, 70
- Colony room, mouse, 211
- Colorado, squirrel study, 239
- Color cues, in baits, 34
- Color, bait enhancement, 67, 118
 - Seed, 121
- Colorimetric tests, rodenticide, 171
- Commensal rodenticide testing, 129, 138, 165, 183, 226, 256
- Commensal rodents, testing, 129, 138, 155, 165, 183, 199, 209, 226, 256
- Common grackle, 99
- Communication, bird, 43
- Comparative field tests, rodenticides, 138
- Compound 1080, 166, 278
- Computerized data handling, 187, 241
- Conditioned stimulus, 23, 27, 156
- Conditioning, aversive, 90
- Conifer damage, gopher, 247
- Connolly, Guy E., 278-284
- Contact rodenticide, tests, 165
- Contact toxicant, bird control, 118
- Contamination, product damage, 199
- Control
 - Biological, 43
 - Bird (*see* Avicide, Repellent)
 - Chemical (*see* Chemical control)

Device, 98, 165, 209
 Duration, 1, 13
 Predator (*see* Predacide)
 Rodent (*see* Rodenticide)
 Corn damage, bird, 98
 Corn repellent, bird, 98
 Corrugated cardboard, used in ro-
 dent tests, 201
 Corticosteroids, rodent grooming, 31
Corvus branchyrhunchos, 48
Corvus monedula, 51
 Cost/benefit concerns, 11
 Cost comparisons, control, 5, 10, 11
 Cost-effectiveness of fumigation, 10
 Cowbird, 48
 Coyote
 Fumigants, 227
 Interaction with dogs, 291
 Lure criteria, 266
 Lure development, 265
 Predacide, 265, 278
 Crops, cultivated, 13
 Loss estimation, 231
 Crow, 48, 136
 Curb, bird repellent, 67, 98
 Cycloheximide, taste of, 157

D

Dairy farm rodenticide trial, 191
 Damage
 Assessment
 Conifers, 247
 Fruit, 92
 Rice, 76
 Wheat, 231
 Bird, 98
 To aircraft, 40, 45
 Index, packaging, 202
 Prediction, gopher, 247
 Resistance, packaging, 199
 Data handling, 187, 241
 Decision making, control options, 5

Decoys
 Bird, 45
 Crop, 29
 Deer mice, 8, 26, 29, 129
 Defensive behavior, 24
 DeHaven, Richard W., 90-97
Dendragapus canadensis, 48
Dendroica striata, 48
 Dens, feral dog, 286
 Deprivation, food, 201
 Desert rodents, study, 256
 Gerbils, tests, 257
 Dialects, regional bird, 43
 Difenacoum, rodenticide, testing,
 231
 Dimethyl anthranilate, tastant, 32
 Diphacinone, predacide, 278
 Dispersal recordings, bird, 43
 Distress calls, birds, 43
 Ditch bank rodent habitat, 13
 DLP-787, rodenticide, testing, 152
 Dog
 Attractant, 270
 Interaction between pet and feral,
 293
 Study of feral, 285
 Draeger gas measuring tubes, 228
 Dropping counts, rodent census, 195
 Duck farm trial, rodenticide, 192
 Duncan's new multiple range test,
 102
 Dusts, toxic rodenticide, 30
 Dye tracer, tests, 171

E

Earth plugs, gopher sign, 248
 Economic
 Benefit, estimating, 15
 Constraints, control, 11
 Control risks, 11
 Injury level, 7
 Loss estimating, 15, 76, 92, 231,
 247

- Efficacy assessment
 - Avicides, 118
 - Bird repellents, 43, 66, 90, 98
 - Fumigants, 226
 - Predacides, 265, 178
 - Rodenticides, 129, 138, 165, 183, 256
 - EL-614, rodenticide, testing, 133
 - Electrophysiological tests, on rats, 157
 - Elias, Donald J., 226-230
 - Enclosures (*see* Cages)
 - England, rodenticide field tests, 139
 - Entex, avicide, 166
 - Environmental
 - Conditions, effect on control, 9
 - Effects, on tests, 150
 - Hazard, assessment, 11
 - Environmental Protection Agency, U.S. (*see* EPA)
 - Environmental variables in testing, 32
 - EPA
 - Fumigants, 10, 226, 279
 - Large-scale pen tests, 111
 - Predator control, 279
 - Regulations, 210
 - Rodenticides, 8, 14, 110
 - Toxic collar, 283
 - Equipment, recording and playback, 43
 - Eremophila alpestris*, 59
 - Exclosure, bird tests in rice, 78
- F
- Fagerstone, Kathleen A., 239-246
 - Fagre, Daniel B., 265-277
 - Fall, Michael W., 226-230
 - Farm site, rodenticide test, 139, 191, 192
 - Farm store trial site, 193
 - Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)
 - Devices, 210
 - Predacides, 279, 283
 - Feeding behavior
 - Bird, 68, 91, 98, 110, 118
 - Rodent, 133, 138, 155, 183
 - Feed mill trial, rodenticide, 192
 - Storage room trial, 191
 - Fenthion, bird control, 118, 166
 - Feral dogs
 - Control, 294
 - Study, 285
 - Fermented egg lure, 269
 - Fiberboard containers, tests, 201
 - Field tests
 - Bird repellents, 72, 98
 - Rodenticides, 129, 138, 183, 256
 - FIFRA (*see* Federal Insecticide, Fungicide, and Rodenticide Act)
 - Finches, house, 49, 93, 96
 - Fisher ground squirrels, 6
 - Flavorings, 20
 - Flavors, bait enhancers, 67
 - Flavor tests, 156
 - Flow chart, for decision making, 14
 - Food
 - Aversion learning, 20, 155
 - Census (*see* Census, bait)
 - Container damage, 199
 - Deprivation, 201
 - Packaging damage, 199
 - Toxic (*see* Rodenticide, Avicide, Predacide)
 - Forestry, damage methods, study of, 247
 - Forests, feral dog habitat, 287
 - Formulation variations, effect of, 8
 - Fox
 - Attractant, 270
 - Interaction with dogs, 271
 - Frantz, Stephen C., 209-225
 - Fringilla coelebs*, 33
 - Fruit
 - Bird repellents, 90
 - Damage assessment, 92

Fumigation

- Carbon bisulfide, 9
- Costs, 10
- Fire hazard, 12
- Effect of soil moisture on, 7, 10
- Measuring, 228
- Squirrel, 7, 10, 11
- Testing, 226

G

- Gaddis, Stanley E., 118-126
- Gallus gallus*, 32
- Garbage dumps, feral dog habitat, 285
- Garrison, Melvyn V., 118-126
- Gas cartridge (see Fumigant)
- Gas measuring tubes, 228
- Gerbillus leadowi*, 257
- Gerbil, tests, 257
- Gipson, Philip S., 285-294
- Glahn, James F., 199-208
- Glossopharyngeal nerve, taste tests, 156
- Glueboard traps, 209
- Glycol, toxicant carrier, 170
- Gnawing, packaging testing, 199
- Golf courses, gopher control, 9
- Gophers
 - Abundance determination, 247
 - Damage estimation, 247
- Grackle, 99
- Grape flavoring, 32
- Grape repellent tests, 95
- Grease, 1080 pesticide, 166
- Grooming, rodent, 20
 - Toxicant ingestion, 166
- Ground-feeding birds, hazard to, 110
- Ground squirrel, 11
 - Repellents, 9
- Grouse, spruce, 48
- Guinea pigs, 22
- Gulls, 53

H

- Habitat destruction, 12
 - Manipulation, in bird control, 57
- Habituation, 43
- Hairy-footed gerbil, tests, 247
- Hardness, pellet, effect of, 121
- Hares, feral dog prey, 291
- Hayes, David J., 226-230
- Hazards, assessing, 5, 11, 110
 - Of predacides, 281
- Hearing, bird, 48
- Heisterberg, Jon F., 98-109
- Herring gulls, 32, 51
- Hibernation, squirrel, 244
- High-pressure liquid chromatography, 171
- Hog barn rodenticide trial, 192
- Holler, Nick R., 76-89
- Home range, feral dogs, 288
- Horned lark, 59
- House finches, 59, 93, 96
- House mouse
 - Damage, 199
 - Resistance, 8, 140
 - Tests, 129, 138, 165, 184, 209
- Howard, Walter E., 265-277
- Humane concerns, 10, 210, 299
- Humidity, as test variable, 32
- Hydrochloric acid, tastant, 156

I

- Idaho, gopher studies, 248
- Illness, postingestional, 23
- Indiana, rodenticide tests, 139, 191
- Indian gerbil, tests, 257
- India, rodenticide tests, 256
- Indicator species, bird hazard, 114
- Inert bait ingredients, 8
- Integrated pest management, 5, 12

J

- Jackdaws, 51
 Jackson, William B., 129-137, 138-154, 183-198
 Johnson, Ron J., 43-65

K

- Kansas, rodenticide trial, 191
 Kaukeinen, Dale E., editor, 1-3, 110-117, 165-182, 297-301
 Kentucky, bird repellent, 98
 Kill coefficient, tests, 172

L

- Labor requirements, control, 5
 Large-area sampling design, rice damage, 83
 Larks, horned, 59
Larus argentatus, 32, 51
Larus delawarensis, 32
 LaVoie, G. K., 199-208
 Laws, developing, 5
 LD₅₀ tests (*see* Median lethal dose tests)
Lepus americanus, 291
 Lesser bandicoot rat, damage, 231
 Licking stations, coyote, 265, 278
 Lickliter, Robert E., 5-12
 Light, as test variable, 32
 Light, effect on censusing, 244
 Lincoln index, 145
 Lithium chloride, tastant, 156
 Livestock barn trial, rodenticide, 192
 Live trapping, rodent census, 136, 196, 256
 Local regulations, control, 9
Lonchura, spp., 34
 Longevity, of toxic device, 167
 Loss, estimating, 15, 76, 92, 231, 247
 Louisiana, rice, 76
 Lure, coyote, development of, 256, 265

M

- M-44, predacide, 266, 279
 Mallard, 50
 Mammals, tastants, 32
 Marketing restrictions, products, 9
 Mark-recapture trapping, 133, 140, 239, 258
 Masking tastes, tests, 155
 Mason, J. Russell, 20-29, 155-164
 Mathur, Rameshwar P., 256-261
 Mazama pocket gopher, study of, 248
 McCumber, John H., 129-137, 138-154
 Meadow vole, 13
 Median lethal dose (LD₅₀) tests, coyote, 265, 278
 Median repellent (R₅₀) concentration, avian, 68, 96
 Mercuric chloride, taste of, 157
Meriones hurrianae, 256
Meriones unguiculatus, 24
 Merson, Mark H., 110-117
 Mesurol (*see* Methiocarb)
 Methiocarb
 Avicide, 33, 118
 Repellent, 67, 90, 98
 Methodology, rodenticide testing, 183
 Methods (*see also* Protocols)
 Bird repellent, 66, 90, 98, 110, 118
 Coyote lure development, 265
 Damage estimation, 76, 92, 98, 199, 231, 247
 Fumigant tests, 226
 Glueboard, tests, 209
 Population estimation, 239
 Predacide development, 278
 Preference test, 66
 Rodenticide efficacy, 129, 138, 165, 183, 226, 256
 Methomyl, predacide, 278
 Methyl bromide, fumigant, 226

Microphones, for recording, 54
Microtus spp., 110
M. californicus, 12
M. pinetorum, 13, 21
 Microwave radiation, bird control, 45
 Migration, during rodenticide test, 136
 Millet
 Bird damage, 118
 Rodent bait, 257
 Repellent, 71
 Mimics, of predators, 33
Molothrus ater, 48
 Moose, attacks by dogs, 292
 Morris, Karl D., 165-182
Motacilla alba, 33
 Motion detector, 165, 169, 211
 Mott, Donald F., 76-89
 Mounds, gopher sign, 248
 Mountain beavers, control, 166
 Mouse control, testing, 165, 209
 Mouse, white-footed, testing, 129
 Multidimensional scaling, tests, 163
 Multiple-feed rodenticides, 138
Mus musculus, 8, 26, 31, 129, 130, 139, 184, 199, 209

N

α -Naphthylthiourea (ANTU), taste of, 157
 National Agricultural Chemical Association (NACA), letter to EPA, 114
 Neophobia, 20
 Nepal, rodent damage, 227
 Nest building in rodent control, 30
 Nicotine, predacide, 281
 Nigeria, bird control, 123
 Night herons, 52
 Noncrop habitat, rodents, 13
 Nontarget hazards, assessment, 11

North Carolina, farm rodenticide, 192
 North Dakota, lure, 271
 Norway rat
 Field trials, 138, 183, 256
 Laboratory trials, 129, 155, 199, 226
Nycticorax nycticorax, 52

O

Odor attractant, coyote, 265
 Ohio, rodenticide trial, 191, 192
 Olfaction, lure development, 256, 265
 Orchard, vole damage, 110
 Oregon, gopher studies, 248
 Otis, David L., 76-89, 98-109
 Outdoor pen tests, rodenticide, 129
 Oxygen, measuring in burrows, 228

P

Packaging, damage resistance, 199
 Pack behavior, feral dogs, 287
 Padula, Constance M., 209-225
 Pakistan, rodent damage, 231, 237
 Palatability (*see* Efficacy assessment)
 Parabolic reflectors, 54
 Parathion, bird control, 118
 Parrots, tastants for, 32
 Particle size, bait, effect of, 118, 123
Parus atricopellus, 67
Parus caeruleus, 52
 Passive contact toxicants, 166
 Paste toxicants, 166
 Pellet hardness, effect of, 122
 Pelletized rodenticides, hazards, 110
 Penetration, package damage test, 200
 Pennsylvania, rodenticide tests, 191
 Pen tests
 Bird, 72, 110
 Rodent, 129, 169
 Peppermint oil, enhancer, 67

- Perches, toxic wick, 166
Peromyscus leucopus, 129
Peromyscus maniculatus, 26, 29
Phasianus colchicus, 110
Pheasants, ring-necked, 110
Phenylethanol, 35
Phenylthiourea, tastant, 157
Philippine weavers, 34
Photocell device, 200
Pigeons, 35
Pine tree, damage, 248
Playback equipment, 43
Plot design, rodenticide test, 257
Plot size
 Determining, 80
 Wheat damage estimations, 257
Plugs, gopher signs, 248
Poché, Richard M., 231-238
Pocket gophers, tree damage, 247
Poisoning, primary, assessing, 110
Polyethylene glycol, toxicant carrier, 170
Polyvinyl chloride (PVC) pipe, simulated burrow, 227
Population, estimation methods, 239, 247
Postingestional illness, 23
Potassium chloride, tastant, 156
Pouching, of baits, 6
Prakash, Ishwar, 256-261
Prebaiting, rodenticides, 163
Precipitation
 Effect on census, 245
 Effect on test, 191
Predicide development, 265, 278
 Feral dogs, 285
Predators
 Avian, 59, 136
 Effect on test, 114, 130, 136
 Feral dogs, 285
 Fumigants used on, 227
 Mammalian, 59
 Mimics, prey, 33
Preference test methods, 66, 118
Primary food aversion, 20
Primary poisoning hazard estimation 110
Proctor, Robert D., 165-182
Product
 Cancellations, 9
 Label restrictions, general, 9
 Special concerns, 9
 Variations, effect of, 8
Protocols
 Bird repellent testing, 66, 90, 98, 110, 118
 Canine testing, 265, 178, 285
 Damage estimation, 76, 92, 98, 199, 231, 247
 Fumigants, 226
 Glueboard tests, 209
 Rodent testing, 129, 138, 155, 165, 183, 199, 209, 226, 231, 239, 247, 256
Public opinion, 10
PVC pipe, simulated burrow (*see* Polyvinyl chloride pipe)
Pyriminyl, rodenticide, testing, 148
Pyrotechnics
 Bird control, 45
 Fumigant, test, 226
- Q**
- Quadrat, sampling for damage, 231
Quelea, damage and control, 67, 69, 71, 72, 118
Queletox, avicide, 166
Questionnaire, bird control, 46
Quinine, detection by rats, 22
Quinine hydrochloride, tastant, 155
Quiscalus quiscula, 99
- R**
- R₅₀, bird repellent, (*see* Median repellent concentration, avian)
Rabbit control, 1080 pesticide, 166
RAMIS data base system, 187

- Randomized block design, rodent study, 256
- Rangeland habitat, squirrel study, 240
- Rat damage
Packaging, 199
Wheat, 231
- Rattus leucogaster*, 257
- Rattus norvegicus*, 7, 30, 139, 157, 184, 199
- Rebuttable presumption against registration (RPAR) proceedings, EPA, 10
- Recorders
Video, 200
Tape, 55
- Recording equipment, birds, 43
- Red fox, attractant, 270
- Red squill, taste of, 157
- Redwing blackbirds, 32, 33, 48, 67, 70, 76
- Reflectors, parabolic, 54
- Regional dialects, birds, 53
- Regulations, developing, 5
- Reidinger, Russel F., Jr., 20-39, 155-164
- Repellency criteria, fruit, 93
- Repellents
Auditory, 43
Bird, 66, 90, 98, 119
Comparisons of, 5
Enhancement, 66
Ground squirrel, 9
Thiram, 9
- Requirements, special product, 9
- Residual treatment, 102
- Resistance, anticoagulant, 8
House mice tests, 139
Overcoming, 12
- Restrictions, labels and marketing, 9
- Rhodamine B, tracer, 171
- Rhode Island, rodenticide test, 191
- Rice
Bird damage, 34, 76, 118
Rodent damage, 227, 231
- Richardson's ground squirrel, 239
- Ring-billed gulls, 32
- Ring-necked pheasants, 110
- Riparian habitat, feral dogs, 287
- Ripening fruits, repellent, 90
- Risk, economic, 11
- Riverbank habitat, feral dogs, 287
- Robins, American, 48, 93, 96
- Rodenticide
Characterization, 155
Efficacy, 129, 138, 165, 183, 256
Evaluation forms, 188
Fumigant, 226
Hazard determination, 110
Taste detection, 157
- Rodent studies, 11, 129, 138, 165, 183, 199, 209, 226, 231, 239, 247, 256
- RPAR proceedings (*see* Rebuttable presumption against registration)
- S**
- Sagebrush habitat, squirrel study, 240
- Saliency, taste, 20
- Salmon, Terrell P., 5-12
- Salty taste, rodent food aversion, 22
- Sampling design, 76
- Sand-colored rat, tests, 257
- Savarie, Peter J., 226-230, 278-284
- Scarecrows, 45
- Scent posts
Canine, 291
Coyote, 269
- Schafer, Edward W., Jr., 66-75
- Schmidt, Robert H., 43-65
- Schultz, Thomas H., 265-277
- Seasonal effects
In control, 6, 7, 8, 11
In testing, 96, 115
- Secondary hazard tests, 229
- Seed
Coating, 29
Color, effect, 122

- Damage, bird, 98
 - Treatment, repellent, 98
 - Sensory cues, 66
 - Bait qualities, 20
 - Sheep, killed by canines, 292
 - Sheep, trial site, 192
 - Sherman live traps, use of, 136
 - Shumake, Stephen A., 118-126
 - Simulants, taste, 163
 - Simulated field trial, 129, 165, 177
 - Simulated rodent burrow, 226
 - Single-choice preference test, bird, 68
 - Single lethal dose baits, 6-9, 30, 129, 138, 155, 165, 170, 183, 196, 231, 278
 - Smell
 - Bird and rodent, 20
 - Coyote lure, 265
 - Snap-trapping, mice, 140
 - Use, 185
 - Snares, for feral dogs, 293
 - Snowshoe hares, prey, 291
 - Sodium bicarbonate, tastant, 155
 - Sodium chloride, tastant, 156
 - Sodium cyanide, predacide, 278
 - Soil moisture, effect on fumigation, 7, 10
 - Sorghum, damage, 69, 118
 - Sound, in bird control, 43
 - Sour taste, effect on rodent food aversion, 22
 - South Asia, rodent damage, 227
 - Spaulding, Steven R., 183-198
 - Species variation, effects on control efficacy, 8
 - Spectrophotometry, tests, 171
 - Spermophilus*
 - beecheyi*, 5, 8, 11
 - beldingi*, 7, 8
 - richardsonii*, 239
 - Sprays, bird control, 166
 - Sprouts, rice, 76
 - Spruce forest habitat, dog, 287
 - Spruce grouse, 48
 - Starlings, 33, 35, 48, 50, 93, 96
 - Stem cutting, wheat, by rats, 232
 - Stern, Donald J., 265-277
 - Stewart, Charles N., 155-164
 - Sticky traps, tests, 209
 - Storage concerns, toxicants, 9
 - Stored products, damage to, 199
 - Stress
 - Bird testing, 96, 114
 - Rodent testing, 210, 213, 218, 223, 229
 - Strychnine
 - Baits, efficacy, 6, 8, 10
 - Hazards, 12
 - Predacide, 279
 - Regulation, 9
 - Tastant, 155, 157
 - Toxic foams, 166
 - Sturnus vulgarus*, 33, 48, 93
 - Subspecies variations, effect on control efficacy, 8
 - Sucrose, tastant, 156
 - Sugar beets, damage, 12
 - Sugarcane, rodent control, 8
 - Sultana, Parvin, 231-238
 - Sunflower, bird repellents on, 70
 - Suppression ratios, taste tests, 159
 - Survey sampling, 76
 - Sweet taste, 22
- T**
- Tannins, bird tastants, 67
 - Tape, for recording, 55
 - Tastants, 23, 155
 - Taste
 - Bird and rodent, 20
 - Discrimination, 156
 - Masking tests, 155
 - Quality tests, 155
 - Simulants, 163
 - Tatera indica*, 257
 - Telemetry, of feral dogs, 286
 - Temperature
 - As test variable, 32

- Effect on canines, 288
 - Effect on census, 244
 - 1080 toxicant, 166, 278
 - Rabbit control, 166
 - Tennessee, bird repellent testing, 98
 - Tennessees warblers, 33
 - Teranishi, Roy, 265-277
 - Test apparatus
 - Avicide, 118
 - Bird bait preference, 118
 - Rat, 119, 200, 211, 226
 - Tests (*see* Methods, Protocols)
 - Texture, of bird bait, 118
 - Thallos nitrate, taste of, 157
 - Thallos sulfate, predacide, 279
 - Thiosemicarbazide, taste of, 157
 - Thiourea derivatives, taste of, 157
 - Thiram, repellent, 9
 - Thomomys*, spp. 247
 - T. bottae*, 6
 - Timing of application, 12, 13
 - Tobin, Mark E., 90-97
 - Tomahawk traps, 136
 - Tongue, taste tests, 156
 - Toxicants, comparisons, 5
 - Toxicant shyness, 7, 12, 26
 - Toxicant, tests, 165
 - Toxic
 - Bait posts, canine, 265, 278
 - Baits (*see* Avicides, Predacides, Rodenticides)
 - Collar, 278
 - Devices, tests, 165
 - Foams, 166
 - Gases (*see* Fumigants)
 - Wicks, tests, 165
 - Toxicity, predacide, 278
 - Tracking activity, census, 194
 - Tracking powders, 30, 148, 166
 - Trails, study of dog, 286
 - Training, for materials use, 10
 - Transects, sampling design, 80, 232
 - Transfer toxicant, 168
 - Transportation concerns, pesticide, 9
 - Trap-mark-release-recapture method, 133, 140, 239, 258
 - Trapping
 - Census live-trapping, 258
 - Feral dogs, 286
 - Live, 239
 - Traps
 - Census, 129, 138, 183, 256
 - Comparisons, 5
 - Coyote, 266
 - Glueboard, 209
 - Tree damage, gopher, 247
 - Trimethylamine, canine lure, 270
 - Trimethylammonium decanote (TMAD), lure, 270
 - Trimethylammonium valerate (TMAV), lure, 270
 - Tukey's w procedure, 102
 - Turdus migratorius*, 48, 93
 - Two-choice preference test, bird, 68
- U
- Ultrasonic sounds
 - Bird control, 45
 - Generator, 178
 - Unconditioned stimulus, 26, 156
 - United Kingdom, rodent tests, 166
 - United States
 - Predacide tests, 265, 278
 - Rodenticide tests, 184
 - Tracking powders, 166
 - Urine
 - Canine attractant in, 270
 - Scent posts, canine, 291
 - Utilization tests, applicator device, 169
- V
- Vacor, rodenticide, testing, 138, 148, 152
 - Vampire bats, control, 30
 - Verivora peregrina*, 33
 - Video recorder, 200

Vision, 20
 Visual alarms, bird, 58
 Visual counts, rodent census, 239
 Vocalization ranges, birds, 48
 Voles, 110

W

Wagtails, 33
 Warblers, 33
 Blackpool, 48
 Warfarin-resistant mouse trials, 8,
 140
 Warfarin, field testing, 140
 Water consumption, census, 196
 Weather effects
 On censusing, 244
 On control, 11
 On feral dogs, 288
 On tests, 115, 191

Weavers, Philippine, 34
 Wheat
 Bird damage, 118
 Repellent-coated, 70
 Rodent damage, 227, 231, 237
 White-footed mouse, pesticide effi-
 cacy on, 129
 Wind, effect on test, 191
 Within-field sampling design, 80
 Wolves, and feral dogs, 291
 World Health Organization (WHO)
 warfarin-resistance test, 140
 w procedure, Tukey's, 102
 W-U coyote lure, 270

Z

Zinc phosphide
 Efficacy, 7, 8, 231
 Hazard, 281