

# Index

## A

- Acceptance, bait (*see* Efficacy assessment)
- Acclimation
  - Bird testing, 68, 95, 100, 111, 119
  - Rodent testing, 133, 158, 169, 177, 202, 210
- Actimeter device, 165, 169, 211
- Active burrow count, rodent, 141, 232, 247, 256
- Activity
  - Bird, 66, 76, 90, 98, 110, 118, 183
  - Canine, 165, 278, 285
  - Rodent, 11, 129, 138, 165, 183, 199, 209, 226, 231, 239, 247, 256
- Acute oral toxicity, predacide, 278
- Acute rodenticides
  - Compound 1080, 166, 278
  - Dusts, 30, 138
  - Pyriminyl, 138
  - Strychnine (*see* Strychnine)
  - Zinc phosphide, 7, 8, 231, 281
- Acute toxicant bait shyness, 12
- Adhesive, bait binder tests, 209
- Africa, bird control, 118
- Agelaius phoeniceus*, 67
- Aircraft, damage from birds, 45
- Airport management, 43
- Alarm calls, bird, 43
- Alaska, feral dog study, 285
- Alces alces*, 292
- Alternate foods, birds, 66
- Aluminum phosphide, fumigant, 226
- American crow, 48, 51
- American robin, 48, 93, 96
- Aminopyridine, avicide, 33
- Among-field sampling design, 83
- Ammonium bicarbonate, tastant, 156
- Anal sacs, canine lure, 270
- Anas platyrhynchos*, 50
- Animal damage control, 5
- Anthony, Richard M., 247-255
- Anticoagulant
  - Efficacy tests, 256
  - Resistant mice, tests, 140
  - Rodenticide, bird hazard, 116
- Toxicants
  - Brodifacoum, 129, 138, 165, 170, 231
  - Bromadiolone, 138
  - Diphacinone, 278
  - Warfarin, 8, 139
  - Tracking powders, 166
- Antidote, of predacide, 281
- ANTU (*see*  $\alpha$ -Naphthylthiourea)
- Apparatus
  - Bird test, 119
  - Mouse test, 211
  - Rat test, 200, 226
- Application devices, concerns regarding, 9
- Application timing, 13
- Applicator hazard, assessment of, 11
- Arachis oil, adhesive, 257
- Area-wide sampling design, for rice, 83
- Arsenic trioxide, taste of, 157

Artificial rodent burrow, 226  
 Ashton, A. Daniel, 129-137, 138-154  
 Asia, rodent damage, 227  
 Attractant, coyote, 265  
 Auditory bird repellents, 43  
 Australia, rabbit control, 166  
 Availability of control materials, 9  
 Aversion, food, 20  
   Learned, 157  
 Aversive conditioning, 90  
 Avicide, bird control, 118, 166

## B

### Bait

  Bird control, 118  
   Census, 133, 138, 155, 183, 191  
   Coyote, 265, 278  
   Degradation, 11  
   Development, 20, 123  
   Inert ingredients of, 8  
   Rodenticide, taste of, 156  
 Bait shyness, 7, 12, 21  
 Bandicoot rat, fumigants, 227  
*Bandicota bengalensis*, 28, 227, 231  
 Bangladesh  
   Fumigants, 227  
   Wheat damage, 231  
 Barnes, Victor G., Jr., 247-255  
 Barnum, Douglas A., 265-277  
 Batesian mimicry, 20  
 Behavioral properties, canine lure,  
   267  
 Behavior  
   Analysis, 20  
   Defensive, 24  
   Mouse, 216  
   Rat, 203  
   Shyness, 12  
 Belding's ground squirrels, 7, 8  
 Benefit estimation, 15  
 Bentonite clay, in pellets, 121  
 Binder, adhesive bait, 257

### Biological control

  Birds, 43  
   Devices, 98  
   Duration of, 13  
 Bird  
   Control, 9, 20, 31, 43, 66, 118, 166  
   Damage to aircraft, 40, 45  
   Dispersal recordings, 43  
   Hearing, 48  
   Preference testing, 66  
   Repellents, chemical, 45, 90, 98

### *Bison bison*, 292

Bison, kills by dogs, 292  
 Bitter taste, 22  
 Black-backed gulls, 53  
 Blackbirds, 67, 70, 76  
 Black-capped chickadees, 67  
 Blue dye, bait enhancement, 67  
 Blue tit, 52  
*Bombycilla cedorum*, 48  
 Borderland black, repellent, 98  
 Broadcasting equipment, sound, 43  
 Broadcast rodenticides, testing of  
   hazards, 110  
 Brodifacoum, rodenticide, testing,  
   129, 138, 165, 170, 231  
 Bromadiolone, rodenticide, testing,  
   138  
 Bromethalin, rodenticide, testing,  
   129, 138, 183, 196  
 Brooks, Joseph E., 231-238  
 Brown-headed cowbird, 48  
 Bruggers, Richard L., 66-75  
 Buffer crop, 29  
 Bullard, Roger W., 66-75  
 Burrow activity, census, 141, 195,  
   232, 247, 256  
 Byers, Ross E., 110-117

## C

### Cages

  Bird, 68, 76, 95, 98, 110, 119  
   Rodent, 129, 174, 177, 200, 210

- Calcium cyanide, fumigant, 226, 231
- California
  - Coyote tests, 275
  - Farm rodenticide trial, 192
  - Gopher studies, 248
  - Ground squirrels, 6, 8, 16
  - Voles, 12
- Calls, alarm, avian, 43
- Camera, video, 200
- Cancellations, product, 9
- Canine behavior and control, study of, 165, 278, 285
- Canis latrans*, 227
- Capsaicin, as tastant, 32
- CAPTURE computer program, 241
- Carbofuran, predacide, 278
- Carbon bisulfide, fumigant, 1, 9, 12
- Carbon monoxide, 226
- Carcinogens, predacides, 281
- Carmen's distant call lure (CDCL), coyote lure, 270
- Carpodacus mexicanus*, 59, 93
- Cartridge, gas (*see* Fumigant)
- Catch-mark-release-recapture (CMR) trapping, 133, 140, 239, 258
- Cats, affecting rodent test, 136
- Cattle, predators chasing, 292
- Cedar waxwing, 48
- Cemeteries, gopher control in, 9
- Census
  - Bait, 191, 133, 138, 155, 183
  - Burrows, 141, 232, 247, 256
  - Rodents, 256, 258
  - Techniques, 169, 183
- Cereal grain, crops, 67
  - Bird testing, 69
- Certification, applicator, 10
- Chaffinches, 33
- Chamber, experimental, 200
- Chemical control
  - Birds, 66, 76, 90, 98, 118
  - Canines, 265, 278, 285
  - Rodents, 129, 138, 155, 165, 183, 226, 256
- Chemical repellents, bird, 66, 90, 98
- Chicago, rodenticide tests, 141
- Chickadees, 67
- Chicken-rearing farm, rodenticide testing, 139
- Chickens, 32
- Children, and feral dogs, 293
- Chloropicrin, fumigant, 226
- Chorda typani, monitored in taste tests, 156
- Citric acid, as tastant, 32
- City rodenticide field tests, 138
- Climatic effects on control, 7, 11
- Coated seeds, 70
- Colony room, mouse, 211
- Colorado, squirrel study, 239
- Color cues, in baits, 34
- Color, bait enhancement, 67, 118
  - Seed, 121
- Colorimetric tests, rodenticide, 171
- Commensal rodenticide testing, 129, 138, 165, 183, 226, 256
- Commensal rodents, testing, 129, 138, 155, 165, 183, 199, 209, 226, 256
- Common grackle, 99
- Communication, bird, 43
- Comparative field tests, rodenticides, 138
- Compound 1080, 166, 278
- Computerized data handling, 187, 241
- Conditioned stimulus, 23, 27, 156
- Conditioning, aversive, 90
- Conifer damage, gopher, 247
- Connolly, Guy E., 278-284
- Contact rodenticide, tests, 165
- Contact toxicant, bird control, 118
- Contamination, product damage, 199
- Control
  - Biological, 43
  - Bird (*see* Avicide, Repellent)
  - Chemical (*see* Chemical control)

Device, 98, 165, 209  
 Duration, 1, 13  
 Predator (*see* Predacide)  
 Rodent (*see* Rodenticide)  
 Corn damage, bird, 98  
 Corn repellent, bird, 98  
 Corrugated cardboard, used in ro-  
 dent tests, 201  
 Corticosteroids, rodent grooming, 31  
*Corvus branchyrhunchos*, 48  
*Corvus monedula*, 51  
 Cost/benefit concerns, 11  
 Cost comparisons, control, 5, 10, 11  
 Cost-effectiveness of fumigation, 10  
 Cowbird, 48  
 Coyote  
   Fumigants, 227  
   Interaction with dogs, 291  
   Lure criteria, 266  
   Lure development, 265  
   Predacide, 265, 278  
 Crops, cultivated, 13  
   Loss estimation, 231  
 Crow, 48, 136  
 Curb, bird repellent, 67, 98  
 Cycloheximide, taste of, 157

## D

Dairy farm rodenticide trial, 191  
 Damage  
   Assessment  
     Conifers, 247  
     Fruit, 92  
     Rice, 76  
     Wheat, 231  
   Bird, 98  
     To aircraft, 40, 45  
   Index, packaging, 202  
   Prediction, gopher, 247  
   Resistance, packaging, 199  
 Data handling, 187, 241  
 Decision making, control options, 5

Decoys  
   Bird, 45  
   Crop, 29  
 Deer mice, 8, 26, 29, 129  
 Defensive behavior, 24  
 DeHaven, Richard W., 90-97  
*Dendragapus canadensis*, 48  
*Dendroica striata*, 48  
 Dens, feral dog, 286  
 Deprivation, food, 201  
 Desert rodents, study, 256  
   Gerbils, tests, 257  
 Dialects, regional bird, 43  
 Difenacoum, rodenticide, testing,  
   231  
 Dimethyl anthranilate, tastant, 32  
 Diphacinone, predacide, 278  
 Dispersal recordings, bird, 43  
 Distress calls, birds, 43  
 Ditch bank rodent habitat, 13  
 DLP-787, rodenticide, testing, 152  
 Dog  
   Attractant, 270  
   Interaction between pet and feral,  
     293  
   Study of feral, 285  
 Draeger gas measuring tubes, 228  
 Dropping counts, rodent census, 195  
 Duck farm trial, rodenticide, 192  
 Duncan's new multiple range test,  
   102  
 Dusts, toxic rodenticide, 30  
 Dye tracer, tests, 171

## E

Earth plugs, gopher sign, 248  
 Economic  
   Benefit, estimating, 15  
   Constraints, control, 11  
   Control risks, 11  
   Injury level, 7  
   Loss estimating, 15, 76, 92, 231,  
     247

- Efficacy assessment
    - Avicides, 118
    - Bird repellents, 43, 66, 90, 98
    - Fumigants, 226
    - Predacides, 265, 178
    - Rodenticides, 129, 138, 165, 183, 256
  - EL-614, rodenticide, testing, 133
  - Electrophysiological tests, on rats, 157
  - Elias, Donald J., 226-230
  - Enclosures (*see* Cages)
  - England, rodenticide field tests, 139
  - Entex, avicide, 166
  - Environmental
    - Conditions, effect on control, 9
    - Effects, on tests, 150
    - Hazard, assessment, 11
  - Environmental Protection Agency, U.S. (*see* EPA)
  - Environmental variables in testing, 32
  - EPA
    - Fumigants, 10, 226, 279
    - Large-scale pen tests, 111
    - Predator control, 279
    - Regulations, 210
    - Rodenticides, 8, 14, 110
    - Toxic collar, 283
  - Equipment, recording and playback, 43
  - Eremophila alpestris*, 59
  - Exclosure, bird tests in rice, 78
- F
- Fagerstone, Kathleen A., 239-246
  - Fagre, Daniel B., 265-277
  - Fall, Michael W., 226-230
  - Farm site, rodenticide test, 139, 191, 192
  - Farm store trial site, 193
  - Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)
    - Devices, 210
    - Predacides, 279, 283
  - Feeding behavior
    - Bird, 68, 91, 98, 110, 118
    - Rodent, 133, 138, 155, 183
  - Feed mill trial, rodenticide, 192
    - Storage room trial, 191
  - Fenthion, bird control, 118, 166
  - Feral dogs
    - Control, 294
    - Study, 285
  - Fermented egg lure, 269
  - Fiberboard containers, tests, 201
  - Field tests
    - Bird repellents, 72, 98
    - Rodenticides, 129, 138, 183, 256
  - FIFRA (*see* Federal Insecticide, Fungicide, and Rodenticide Act)
  - Finches, house, 49, 93, 96
  - Fisher ground squirrels, 6
  - Flavorings, 20
  - Flavors, bait enhancers, 67
  - Flavor tests, 156
  - Flow chart, for decision making, 14
  - Food
    - Aversion learning, 20, 155
    - Census (*see* Census, bait)
    - Container damage, 199
    - Deprivation, 201
    - Packaging damage, 199
    - Toxic (*see* Rodenticide, Avicide, Predacide)
  - Forestry, damage methods, study of, 247
  - Forests, feral dog habitat, 287
  - Formulation variations, effect of, 8
  - Fox
    - Attractant, 270
    - Interaction with dogs, 271
  - Frantz, Stephen C., 209-225
  - Fringilla coelebs*, 33
  - Fruit
    - Bird repellents, 90
    - Damage assessment, 92

## Fumigation

- Carbon bisulfide, 9
- Costs, 10
- Fire hazard, 12
- Effect of soil moisture on, 7, 10
- Measuring, 228
- Squirrel, 7, 10, 11
- Testing, 226

## G

- Gaddis, Stanley E., 118-126
- Gallus gallus*, 32
- Garbage dumps, feral dog habitat, 285
- Garrison, Melvyn V., 118-126
- Gas cartridge (see Fumigant)
- Gas measuring tubes, 228
- Gerbillus leadowi*, 257
- Gerbil, tests, 257
- Gipson, Philip S., 285-294
- Glahn, James F., 199-208
- Glossopharyngeal nerve, taste tests, 156
- Glueboard traps, 209
- Glycol, toxicant carrier, 170
- Gnawing, packaging testing, 199
- Golf courses, gopher control, 9
- Gophers
  - Abundance determination, 247
  - Damage estimation, 247
- Grackle, 99
- Grape flavoring, 32
- Grape repellent tests, 95
- Grease, 1080 pesticide, 166
- Grooming, rodent, 20
  - Toxicant ingestion, 166
- Ground-feeding birds, hazard to, 110
- Ground squirrel, 11
  - Repellents, 9
- Grouse, spruce, 48
- Guinea pigs, 22
- Gulls, 53

## H

- Habitat destruction, 12
  - Manipulation, in bird control, 57
- Habituation, 43
- Hairy-footed gerbil, tests, 247
- Hardness, pellet, effect of, 121
- Hares, feral dog prey, 291
- Hayes, David J., 226-230
- Hazards, assessing, 5, 11, 110
  - Of predacides, 281
- Hearing, bird, 48
- Heisterberg, Jon F., 98-109
- Herring gulls, 32, 51
- Hibernation, squirrel, 244
- High-pressure liquid chromatography, 171
- Hog barn rodenticide trial, 192
- Holler, Nick R., 76-89
- Home range, feral dogs, 288
- Horned lark, 59
- House finches, 59, 93, 96
- House mouse
  - Damage, 199
  - Resistance, 8, 140
  - Tests, 129, 138, 165, 184, 209
- Howard, Walter E., 265-277
- Humane concerns, 10, 210, 299
- Humidity, as test variable, 32
- Hydrochloric acid, tastant, 156

## I

- Idaho, gopher studies, 248
- Illness, postingestional, 23
- Indiana, rodenticide tests, 139, 191
- Indian gerbil, tests, 257
- India, rodenticide tests, 256
- Indicator species, bird hazard, 114
- Inert bait ingredients, 8
- Integrated pest management, 5, 12

## J

- Jackdaws, 51  
 Jackson, William B., 129-137, 138-154, 183-198  
 Johnson, Ron J., 43-65

## K

- Kansas, rodenticide trial, 191  
 Kaukeinen, Dale E., editor, 1-3, 110-117, 165-182, 297-301  
 Kentucky, bird repellent, 98  
 Kill coefficient, tests, 172

## L

- Labor requirements, control, 5  
 Large-area sampling design, rice damage, 83  
 Larks, horned, 59  
*Larus argentatus*, 32, 51  
*Larus delawarensis*, 32  
 LaVoie, G. K., 199-208  
 Laws, developing, 5  
 LD<sub>50</sub> tests (*see* Median lethal dose tests)  
*Lepus americanus*, 291  
 Lesser bandicoot rat, damage, 231  
 Licking stations, coyote, 265, 278  
 Lickliter, Robert E., 5-12  
 Light, as test variable, 32  
 Light, effect on censusing, 244  
 Lincoln index, 145  
 Lithium chloride, tastant, 156  
 Livestock barn trial, rodenticide, 192  
 Live trapping, rodent census, 136, 196, 256  
 Local regulations, control, 9  
*Lonchura*, spp., 34  
 Longevity, of toxic device, 167  
 Loss, estimating, 15, 76, 92, 231, 247  
 Louisiana, rice, 76  
 Lure, coyote, development of, 256, 265

## M

- M-44, predacide, 266, 279  
 Mallard, 50  
 Mammals, tastants, 32  
 Marketing restrictions, products, 9  
 Mark-recapture trapping, 133, 140, 239, 258  
 Masking tastes, tests, 155  
 Mason, J. Russell, 20-29, 155-164  
 Mathur, Rameshwar P., 256-261  
 Mazama pocket gopher, study of, 248  
 McCumber, John H., 129-137, 138-154  
 Meadow vole, 13  
 Median lethal dose (LD<sub>50</sub>) tests, coyote, 265, 278  
 Median repellent (R<sub>50</sub>) concentration, avian, 68, 96  
 Mercuric chloride, taste of, 157  
*Meriones hurrianae*, 256  
*Meriones unguiculatus*, 24  
 Merson, Mark H., 110-117  
 Mesurol (*see* Methiocarb)  
 Methiocarb  
   Avicide, 33, 118  
   Repellent, 67, 90, 98  
 Methodology, rodenticide testing, 183  
 Methods (*see also* Protocols)  
   Bird repellent, 66, 90, 98, 110, 118  
   Coyote lure development, 265  
   Damage estimation, 76, 92, 98, 199, 231, 247  
   Fumigant tests, 226  
   Glueboard, tests, 209  
   Population estimation, 239  
   Predacide development, 278  
   Preference test, 66  
   Rodenticide efficacy, 129, 138, 165, 183, 226, 256  
 Methomyl, predacide, 278  
 Methyl bromide, fumigant, 226

- Microphones, for recording, 54  
*Microtus* spp., 110  
     *M. californicus*, 12  
     *M. pinetorum*, 13, 21  
 Microwave radiation, bird control, 45  
 Migration, during rodenticide test, 136  
 Millet  
     Bird damage, 118  
     Rodent bait, 257  
     Repellent, 71  
 Mimics, of predators, 33  
*Molothrus ater*, 48  
 Moose, attacks by dogs, 292  
 Morris, Karl D., 165-182  
*Motacilla alba*, 33  
 Motion detector, 165, 169, 211  
 Mott, Donald F., 76-89  
 Mounds, gopher sign, 248  
 Mountain beavers, control, 166  
 Mouse control, testing, 165, 209  
 Mouse, white-footed, testing, 129  
 Multidimensional scaling, tests, 163  
 Multiple-feed rodenticides, 138  
*Mus musculus*, 8, 26, 31, 129, 130, 139, 184, 199, 209

## N

- $\alpha$ -Naphthylthiourea (ANTU), taste of, 157  
 National Agricultural Chemical Association (NACA), letter to EPA, 114  
 Neophobia, 20  
 Nepal, rodent damage, 227  
 Nest building in rodent control, 30  
 Nicotine, predacide, 281  
 Nigeria, bird control, 123  
 Night herons, 52  
 Noncrop habitat, rodents, 13  
 Nontarget hazards, assessment, 11

- North Carolina, farm rodenticide, 192  
 North Dakota, lure, 271  
 Norway rat  
     Field trials, 138, 183, 256  
     Laboratory trials, 129, 155, 199, 226  
*Nycticorax nycticorax*, 52

## O

- Odor attractant, coyote, 265  
 Ohio, rodenticide trial, 191, 192  
 Olfaction, lure development, 256, 265  
 Orchard, vole damage, 110  
 Oregon, gopher studies, 248  
 Otis, David L., 76-89, 98-109  
 Outdoor pen tests, rodenticide, 129  
 Oxygen, measuring in burrows, 228

## P

- Packaging, damage resistance, 199  
 Pack behavior, feral dogs, 287  
 Padula, Constance M., 209-225  
 Pakistan, rodent damage, 231, 237  
 Palatability (*see* Efficacy assessment)  
 Parabolic reflectors, 54  
 Parathion, bird control, 118  
 Parrots, tastants for, 32  
 Particle size, bait, effect of, 118, 123  
*Parus atricopellus*, 67  
*Parus caeruleus*, 52  
 Passive contact toxicants, 166  
 Paste toxicants, 166  
 Pellet hardness, effect of, 122  
 Pelletized rodenticides, hazards, 110  
 Penetration, package damage test, 200  
 Pennsylvania, rodenticide tests, 191  
 Pen tests  
     Bird, 72, 110  
     Rodent, 129, 169  
 Peppermint oil, enhancer, 67

- Perches, toxic wick, 166  
*Peromyscus leucopus*, 129  
*Peromyscus maniculatus*, 26, 29  
*Phasianus colchicus*, 110  
Pheasants, ring-necked, 110  
Phenylethanol, 35  
Phenylthiourea, tastant, 157  
Philippine weavers, 34  
Photocell device, 200  
Pigeons, 35  
Pine tree, damage, 248  
Playback equipment, 43  
Plot design, rodenticide test, 257  
Plot size  
    Determining, 80  
    Wheat damage estimations, 257  
Plugs, gopher signs, 248  
Poché, Richard M., 231-238  
Pocket gophers, tree damage, 247  
Poisoning, primary, assessing, 110  
Polyethylene glycol, toxicant carrier, 170  
Polyvinyl chloride (PVC) pipe, simulated burrow, 227  
Population, estimation methods, 239, 247  
Postingestional illness, 23  
Potassium chloride, tastant, 156  
Pouching, of baits, 6  
Prakash, Ishwar, 256-261  
Prebaiting, rodenticides, 163  
Precipitation  
    Effect on census, 245  
    Effect on test, 191  
Predicide development, 265, 278  
    Feral dogs, 285  
Predators  
    Avian, 59, 136  
    Effect on test, 114, 130, 136  
    Feral dogs, 285  
    Fumigants used on, 227  
    Mammalian, 59  
    Mimics, prey, 33  
Preference test methods, 66, 118  
Primary food aversion, 20  
Primary poisoning hazard estimation 110  
Proctor, Robert D., 165-182  
Product  
    Cancellations, 9  
    Label restrictions, general, 9  
    Special concerns, 9  
    Variations, effect of, 8  
Protocols  
    Bird repellent testing, 66, 90, 98, 110, 118  
    Canine testing, 265, 178, 285  
    Damage estimation, 76, 92, 98, 199, 231, 247  
    Fumigants, 226  
    Glueboard tests, 209  
    Rodent testing, 129, 138, 155, 165, 183, 199, 209, 226, 231, 239, 247, 256  
Public opinion, 10  
PVC pipe, simulated burrow (*see* Polyvinyl chloride pipe)  
Pyriminyl, rodenticide, testing, 148  
Pyrotechnics  
    Bird control, 45  
    Fumigant, test, 226
- Q**
- Quadrat, sampling for damage, 231  
*Quelea*, damage and control, 67, 69, 71, 72, 118  
Queletox, avicide, 166  
Questionnaire, bird control, 46  
Quinine, detection by rats, 22  
Quinine hydrochloride, tastant, 155  
*Quiscalus quiscula*, 99
- R**
- R<sub>50</sub>, bird repellent, (*see* Median repellent concentration, avian)  
Rabbit control, 1080 pesticide, 166  
RAMIS data base system, 187

- Randomized block design, rodent study, 256
- Rangeland habitat, squirrel study, 240
- Rat damage  
Packaging, 199  
Wheat, 231
- Rattus leucogaster*, 257
- Rattus norvegicus*, 7, 30, 139, 157, 184, 199
- Rebuttable presumption against registration (RPAR) proceedings, EPA, 10
- Recorders  
Video, 200  
Tape, 55
- Recording equipment, birds, 43
- Red fox, attractant, 270
- Red squill, taste of, 157
- Redwing blackbirds, 32, 33, 48, 67, 70, 76
- Reflectors, parabolic, 54
- Regional dialects, birds, 53
- Regulations, developing, 5
- Reidinger, Russel F., Jr., 20-39, 155-164
- Repellency criteria, fruit, 93
- Repellents  
Auditory, 43  
Bird, 66, 90, 98, 119  
Comparisons of, 5  
Enhancement, 66  
Ground squirrel, 9  
Thiram, 9
- Requirements, special product, 9
- Residual treatment, 102
- Resistance, anticoagulant, 8  
House mice tests, 139  
Overcoming, 12
- Restrictions, labels and marketing, 9
- Rhodamine B, tracer, 171
- Rhode Island, rodenticide test, 191
- Rice  
Bird damage, 34, 76, 118  
Rodent damage, 227, 231
- Richardson's ground squirrel, 239
- Ring-billed gulls, 32
- Ring-necked pheasants, 110
- Riparian habitat, feral dogs, 287
- Ripening fruits, repellent, 90
- Risk, economic, 11
- Riverbank habitat, feral dogs, 287
- Robins, American, 48, 93, 96
- Rodenticide  
Characterization, 155  
Efficacy, 129, 138, 165, 183, 256  
Evaluation forms, 188  
Fumigant, 226  
Hazard determination, 110  
Taste detection, 157
- Rodent studies, 11, 129, 138, 165, 183, 199, 209, 226, 231, 239, 247, 256
- RPAR proceedings (*see* Rebuttable presumption against registration)
- S**
- Sagebrush habitat, squirrel study, 240
- Saliency, taste, 20
- Salmon, Terrell P., 5-12
- Salty taste, rodent food aversion, 22
- Sampling design, 76
- Sand-colored rat, tests, 257
- Savarie, Peter J., 226-230, 278-284
- Scarecrows, 45
- Scent posts  
Canine, 291  
Coyote, 269
- Schafer, Edward W., Jr., 66-75
- Schmidt, Robert H., 43-65
- Schultz, Thomas H., 265-277
- Seasonal effects  
In control, 6, 7, 8, 11  
In testing, 96, 115
- Secondary hazard tests, 229
- Seed  
Coating, 29  
Color, effect, 122

- Damage, bird, 98
    - Treatment, repellent, 98
  - Sensory cues, 66
    - Bait qualities, 20
  - Sheep, killed by canines, 292
  - Sheep, trial site, 192
  - Sherman live traps, use of, 136
  - Shumake, Stephen A., 118-126
  - Simulants, taste, 163
  - Simulated field trial, 129, 165, 177
  - Simulated rodent burrow, 226
  - Single-choice preference test, bird, 68
  - Single lethal dose baits, 6-9, 30, 129, 138, 155, 165, 170, 183, 196, 231, 278
  - Smell
    - Bird and rodent, 20
    - Coyote lure, 265
  - Snap-trapping, mice, 140
    - Use, 185
  - Snares, for feral dogs, 293
  - Snowshoe hares, prey, 291
  - Sodium bicarbonate, tastant, 155
  - Sodium chloride, tastant, 156
  - Sodium cyanide, predacide, 278
  - Soil moisture, effect on fumigation, 7, 10
  - Sorghum, damage, 69, 118
  - Sound, in bird control, 43
  - Sour taste, effect on rodent food aversion, 22
  - South Asia, rodent damage, 227
  - Spaulding, Steven R., 183-198
  - Species variation, effects on control efficacy, 8
  - Spectrophotometry, tests, 171
  - Spermophilus*
    - beecheyi*, 5, 8, 11
    - beldingi*, 7, 8
    - richardsonii*, 239
  - Sprays, bird control, 166
  - Sprouts, rice, 76
  - Spruce forest habitat, dog, 287
  - Spruce grouse, 48
  - Starlings, 33, 35, 48, 50, 93, 96
  - Stem cutting, wheat, by rats, 232
  - Stern, Donald J., 265-277
  - Stewart, Charles N., 155-164
  - Sticky traps, tests, 209
  - Storage concerns, toxicants, 9
  - Stored products, damage to, 199
  - Stress
    - Bird testing, 96, 114
    - Rodent testing, 210, 213, 218, 223, 229
  - Strychnine
    - Baits, efficacy, 6, 8, 10
    - Hazards, 12
    - Predacide, 279
    - Regulation, 9
    - Tastant, 155, 157
    - Toxic foams, 166
  - Sturnus vulgarus*, 33, 48, 93
  - Subspecies variations, effect on control efficacy, 8
  - Sucrose, tastant, 156
  - Sugar beets, damage, 12
  - Sugarcane, rodent control, 8
  - Sultana, Parvin, 231-238
  - Sunflower, bird repellents on, 70
  - Suppression ratios, taste tests, 159
  - Survey sampling, 76
  - Sweet taste, 22
- T**
- Tannins, bird tastants, 67
  - Tape, for recording, 55
  - Tastants, 23, 155
  - Taste
    - Bird and rodent, 20
    - Discrimination, 156
    - Masking tests, 155
    - Quality tests, 155
    - Simulants, 163
  - Tatera indica*, 257
  - Telemetry, of feral dogs, 286
  - Temperature
    - As test variable, 32

- Effect on canines, 288
  - Effect on census, 244
  - 1080 toxicant, 166, 278
    - Rabbit control, 166
  - Tennessee, bird repellent testing, 98
  - Tennessees warblers, 33
  - Teranishi, Roy, 265-277
  - Test apparatus
    - Avicide, 118
    - Bird bait preference, 118
    - Rat, 119, 200, 211, 226
  - Tests (*see* Methods, Protocols)
  - Texture, of bird bait, 118
  - Thallos nitrate, taste of, 157
  - Thallos sulfate, predacide, 279
  - Thiosemicarbazide, taste of, 157
  - Thiourea derivatives, taste of, 157
  - Thiram, repellent, 9
  - Thomomys*, spp. 247
    - T. bottae*, 6
  - Timing of application, 12, 13
  - Tobin, Mark E., 90-97
  - Tomahawk traps, 136
  - Tongue, taste tests, 156
  - Toxicants, comparisons, 5
  - Toxicant shyness, 7, 12, 26
  - Toxicant, tests, 165
  - Toxic
    - Bait posts, canine, 265, 278
    - Baits (*see* Avicides, Predacides, Rodenticides)
    - Collar, 278
    - Devices, tests, 165
    - Foams, 166
    - Gases (*see* Fumigants)
    - Wicks, tests, 165
  - Toxicity, predacide, 278
  - Tracking activity, census, 194
  - Tracking powders, 30, 148, 166
  - Trails, study of dog, 286
  - Training, for materials use, 10
  - Transects, sampling design, 80, 232
  - Transfer toxicant, 168
  - Transportation concerns, pesticide, 9
  - Trap-mark-release-recapture method, 133, 140, 239, 258
  - Trapping
    - Census live-trapping, 258
    - Feral dogs, 286
    - Live, 239
  - Traps
    - Census, 129, 138, 183, 256
    - Comparisons, 5
    - Coyote, 266
    - Glueboard, 209
  - Tree damage, gopher, 247
  - Trimethylamine, canine lure, 270
  - Trimethylammonium decanote (TMAD), lure, 270
  - Trimethylammonium valerate (TMAV), lure, 270
  - Tukey's w procedure, 102
  - Turdus migratorius*, 48, 93
  - Two-choice preference test, bird, 68
- U
- Ultrasonic sounds
    - Bird control, 45
    - Generator, 178
  - Unconditioned stimulus, 26, 156
  - United Kingdom, rodent tests, 166
  - United States
    - Predacide tests, 265, 278
    - Rodenticide tests, 184
    - Tracking powders, 166
  - Urine
    - Canine attractant in, 270
    - Scent posts, canine, 291
  - Utilization tests, applicator device, 169
- V
- Vacor, rodenticide, testing, 138, 148, 152
  - Vampire bats, control, 30
  - Verivora peregrina*, 33
  - Video recorder, 200

Vision, 20  
 Visual alarms, bird, 58  
 Visual counts, rodent census, 239  
 Vocalization ranges, birds, 48  
 Voles, 110

## W

Wagtails, 33  
 Warblers, 33  
   Blackpool, 48  
 Warfarin-resistant mouse trials, 8,  
   140  
 Warfarin, field testing, 140  
 Water consumption, census, 196  
 Weather effects  
   On censusing, 244  
   On control, 11  
   On feral dogs, 288  
   On tests, 115, 191

Weavers, Philippine, 34  
 Wheat  
   Bird damage, 118  
   Repellent-coated, 70  
   Rodent damage, 227, 231, 237  
 White-footed mouse, pesticide effi-  
   cacy on, 129  
 Wind, effect on test, 191  
 Within-field sampling design, 80  
 Wolves, and feral dogs, 291  
 World Health Organization (WHO)  
   warfarin-resistance test, 140  
 w procedure, Tukey's, 102  
 W-U coyote lure, 270

## Z

Zinc phosphide  
   Efficacy, 7, 8, 231  
   Hazard, 281