

Index

A

Acid cooler, 93
 Adhesion tests, 113
 Ahn, Tal Moon, 159–174
 Alloying, 152–156
 Anatase crystals, 163–165
 Anodizing, 149
 Applications
 Agitator shafts, 40–43
 Autoclaves, 41–42
 Baffles, 40–43
 Cathode starter blanks (Ti), 41–42
 Chemical process equipment Zr-702, 201–202
 Deep wells, 19, 73–80
 Flue gas desulfurization, 67–73
 Heat exchangers, 40, 43, 82
 Hydrometallurgy (Ti), 29–47
 Impeller, 40
 Marine, 80–84
 Nozzles, 40
 Piping, 40–42
 Pressure vessels, 108–109, 113
 Pumps, 42–43
 Scrubber systems, 67
 Sour gas environment, 73–80
 Ti-3Al-2.5V, 99–112
 Valves, 40–42
 ASTM Specifications
 B 493, 191
 B 523, 191
 B 550, 191
 B 551, 191
 B 653, 191
 B 658, 191
 AWS Specification AWS A5.24, 191

B

Bannon, Bruce P., 66–85
 Basalt groundwater, 5–18
 Chemical composition, 8
 Blended elemental powder metallurgy, 50
 Bolt-loaded fracture specimen, 8
 Bomberger, Howard B., 143–158
 Brines (*see* Saturated sodium chloride brines, and Simulated rock salt brine)
 Bromide, 177

C

Carbon dioxide, 19
 Chemical composition
 Basalt groundwater, 8
 Pyrophoric film on zirconium, 126
 Simulated rock salt brine, 161
 Ti-Grade 1, 102
 Ti-Grade 2, 7, 102
 Ti-Grade 3, 102
 Ti-Grade 9, 102
 Ti-Grade 12, 7, 102, 160
 Zr 702, 205
 Zr 704, 205
 Zr 705, 205
 Chemical process equipment, 190–202
 Chloride solutions, 205
 Coating, 113–123
 Copper impurities, 204
 Corrosion, 6, 10, 31–46, 67–84, 133, 143, 203
 Corrosion coupons, 8, 135, 160
 Corrosive media, 42–43, 70, 74, 108

- Costs
 Ti alloys versus Ni alloys, 79, 110, 112
 Ti alloys versus steels, 79
 Zirconium versus impervious graphite, 87-88
 Covington, L. C., 29-47
 Crevice corrosion, 133-142, 160-174
 Cupric chloride, 205
- D**
- Dees, Don D., 133-142
 Dini, Jack W., 113-123
- E**
- Electrochemical polarization, 182-188
 Elevated temperature properties, 101-106
 Eylon, Daniel, 48-65
- F**
- Ferric chloride, 177, 196, 205
 Flue gas desulfurization, 67-73
 Froes, Frances H., 48-65
- G**
- Gas cooler condenser, 86
 Glass lined steel, 194
 Graphite (*see* Impervious graphite)
- H**
- Hanson, Brian H., 19-28
 Hastelloy B-2, 194-202
 Hastelloy C-276, 72-73, 193-194, 196, 110-112, 202
 Heat exchangers, 19, 82, 87-88
 Hot hollow cathode deposition, 119
 Hulswitt, C. E., 86-95
 Hydrochloric acid, 33, 36, 177-189, 190-196, 202
 Hydrogen chloride (*see* Hydrochloric acid)
- Hydrogen sulfide, 20-21, 24-28, 86
 Hydrometallurgy, 29-47
- I**
- IMI-125 (*see* Ti-Grade 2)
 Impervious graphite, 87-88, 93-94, 195
 Inhibitors, 32, 140, 147
 Iodide, 178
 Irradiation corrosion tests, 6, 10
- J**
- Johnson, Herman R., 113-123
- L**
- Lee, Bom Soon, 159-174
- M**
- Maguire, Michael, 177-189
 Marine applications
 Titanium, 80-84
 Titanium alloys, 80-84
 Metallic particles, 126
 Moniz, B. J., 190-202
- N**
- Nickel based alloys, 70-73, 110-112
 Nickel plating, 117, 120
 Nitrate impurities, 204
 Nuclear waste containers, 5-6, 159
- O**
- Oxide surface films, 113-114, 162, 209
- P**
- Passivation inhibitors, 144-147
 Passive films, 136, 211
 Passivity, 32, 162, 172, 180
 ph, 137, 170, 185
 Pitman, Stan G., 5-18

Pitting, 137, 154, 165, 168, 177-189
196, 200
Pitting breakdown potential, 154
Plating, 113-123
Powder metallurgy, 48-65
Prealloyed powder metallurgy, 51
Pressure vessels, 100
Pyrophoric films, 124-129

R

Ring shear tests (*see* Shear tests)
Russo, Patrick A., 99-112

S

Saturated sodium chloride brines,
134-137
Scanning electron microscopy (SEM),
159
Schutz, Ronald W., 29-47
Schwenker, Stephen W., 48-65
Scrubber systems, 67
Seagle, Stan R., 99-112
Seawater, 204
Shear tests, 115
Simulated rock salt brine, 159-174
Smith, Paul R., 48-65
Sodium chloride, 205
Soo, Peter, 159-174
Sour gas wells
 Ti-grade 2, 19
 Titanium alloys, 73-80
Stainless steel, 70
Strollo, Dominic M., 66-85
Sulfur dioxide, 88-92
Sulfuric acid, 34, 36, 87-92, 153,
194-197, 201-202, 203-212

T

Tantalum, 194
Thomas, David E., 66-85
Titanium, 29-47, 36, 48-65, 99-112
 Corrosion rates, 108, 145-149, 153,
 155

 Ignition, 37-39
 Plating, 113-123
 Solid state bonding, 122
Titanium alloys
 Densities, 76
Ti-Grade 1, 81
 Charpy impact, 105
 Chemical composition, 102
 Creep, 101, 104
 Design data, 107-111
 Toughness, 103-105
 Weldability, 107
Ti-Grade 2, 5-18, 19-28
 Charpy impact, 12, 105
 Chemical composition, 102
 Corrosion in HCl solution, 33
 Corrosion in H₂SO₄ solution, 34
 Corrosion rates, 10, 70-73
 Corrosion resistance, 33-34, 70,
 72-73
 Corrosion resistance in acids, 108
 Corrosion testing, 6, 10, 22-28
 Cracking, 17
 Creep, 101, 104
 Crevice corrosion, 134
 Density, 76
 Design data, 109-111
 Fatigue crack growth rate (FCGR),
 9, 15
 Hardness, 26
 Hydrogen uptake, 11, 27
 Slow bend, 12
 Slow strain rate (SSR), 8, 12
 Stress corrosion cracking, 20-21
 Stress rupture, 104
 Tensile properties, 24, 34, 69
 Toughness, 103-105
 U-bend specimen, 8
 Weight loss, 25
Ti-Grade 3
 Charpy impact, 105
 Chemical composition, 102
 Creep, 101, 103-104
 Design data, 109-111
 Stress rupture, 104

- Ti-Grade 3 (*continued*)
 Toughness, 103–105
 Weldability, 107
- Ti-Grade 4, 34
- Ti-3Al-15 Mo-5Zr
 Stress corrosion, 77
 Tensile properties, 77
- Ti-3Al-2.5V (Grade 9), 99–112
 Charpy impact, 105
 Chemical composition, 102
 Corrosion rates, 70–73
 Corrosion resistance in acids, 108
 Corrosion testing, 135–136
 Creep, 104
 Crevice corrosion, 133–142
 Mechanical properties, 106
 Stress rupture, 104
 Tensile properties, 69, 102–104
 Toughness, 103–105
 Weldability, 107
- Ti-3Al-8V-6Cr-4Mo-4Zr
 Density, 76
 Tensile properties, 75
- Ti-5Al-2.5Sn
 Plating, 117
- Ti-6Al-2Cb-1Ta-1Mo, 81
- Ti-6Al-2Sn-4Zr-2Mo
 Crevice corrosion, 133–142
- Ti-6Al-2Sn-4Zr-6Mo
 Crevice corrosion, 133–142
- Ti-6Al-4V (Grade 5), 34, 48–65
 Chemistry, 59
 Cleanliness effect, 48
 Corrosion testing, 135–136
 Crevice corrosion, 133–142
 Density, 76
 Fatigue, 57–59, 62
 Fatigue crack growth rate (FCGR),
 56–57
 Fracture toughness, 54
 Microstructures, 52–53, 60–61
 Mill products, 58–62
 Plating, 117
 Stress corrosion cracking, 77
 Tensile properties, 34, 55, 75–81
- Toughness, 103–105
 Weldability, 107
- Ti-6Al-6V-2Sn
 Corrosion testing, 135–136
 Crevice corrosion, 133–142
- Ti-6Al-6V-2.5Sn
 Plating, 117
- Ti-0.3Mo-0.8Ni (Grade 12), 5–18
 Charpy impact, 12
 Chemical composition, 102
 Corrosion rates, 10, 70–73, 196
 Corrosion resistance, 33–34, 71–73
 Corrosion in HCl solutions, 33
 Corrosion in H₂SO₄ solutions, 34
 Corrosion testing, 160
 Cracking, 17
 Creep, 101, 104
 Crevice corrosion, 134, 159–174
 Design data, 37, 109–111
 Fatigue crack growth rate (FCGR),
 9, 12
 Hydrogen uptake, 11, 162, 170
 Slow bend, 12
 Slow strain rate (SSR), 8, 12
 Stress rupture, 104
 Tensile properties, 69
 Toughness, 103–105
 U-bend specimens, 12
 Weldability, 107
- Ti-15Mo
 Corrosion rates, 155
- Ti-15Mo-5Zr-3Al
 Density, 76
 Stress corrosion, 78
 Tensile properties, 75
- Ti-30Mo
 Corrosion rates, 155
- Ti-50A(Ti-Pd)
 Corrosion, 35–37
- Ti-0.15Pd (Grade 7)
 Corrosion in HCl solutions, 33
 Corrosion in H₂SO₄ solutions, 34
 Corrosion rate, 196
 Corrosion resistance, 33–34, 36–37
 Tensile properties, 34

Ti-0.2Pd
 Corrosion rates, 155
 Crevice corrosion, 134
 Ti-0.2Pd-15Mo
 Corrosion rates, 155
 Transmission electron microscopy
 (TEM), 159

V

Vacuum deposition, 114

W

Webster, R. T., editor, 1, 215
 Welding wire, 191

Y

Yau, Te-Lin, 124-129, 203-212
 Yield strength, (*see* Tensile properties)
 Young, C. S., editor, 1, 215

Z

Zircadyne Grade 702 (*see* Zr 702)
 Zircaloy-2
 Nickel-plated, 120-123

Zirconium, 93-94, 113, 124-129,
 177-189
 Case histories, 201-202
 Corrosion resistance, 190-202,
 203-212
 Design properties, 87-88, 93-94
 Ignition, 126
 Oxidation, 197
 Pitting, 177-189
 Pyrophoric films, 124-129
 Hot air treatment, 128-129
 Steam treatment, 128-129
 Solid state bonding, 121-122
 Zirconium alloys, 203-212
 Zr 702, 177-189, 190-202
 Chemical composition, 205
 Chemistry, 179
 Corrosion rates, 196, 205-207,
 209-210
 Upset conditions, 209-211
 Welds, 196, 204-205
 Zr 704
 Chemical composition, 205
 Corrosion rates, 205-207
 Upset conditions, 209-211
 Zr 705
 Chemical composition, 205
 Corrosion rates, 205-207, 209-210
 Upset conditions, 209-211