

Index

A

- Aluminum (as variable, impurity, or addition), 150
- American Smelting and Refining Company (ASARCO), 3
- Anaconda Minerals Company, 7
- Annealability testing, 22, 29
- Anodes (refinery shapes), effect of composition on cathode quality, 9
- Antimony
 - Analysis for, 19, 76, 170
 - As variable, impurity, or addition, 11, 46, 72, 73, 88, 131, 150–153
- Arsenic
 - Analysis for, 19, 76, 103, 116, 170
 - As variable, impurity, or addition, 11, 46, 72, 73, 88, 131, 150–153
- ASARCO shaft furnace, 20, 131
- ASTM
 - Committee B-2, 1, 34, 179
 - Committee E-2, 146, 179
 - Committee E-3, 179
 - Standard B 115, 2, 11, 34, 130, 131, 179
 - Standard E 53, 76
 - Standard E 62, 76
 - Standard E 414, 35
- Atomic absorption analysis
 - Direct electrothermal atomization, 19
 - Direct flame, 19, 107
 - Discreet volume nebulization, 19

- General, 13, 15
- Hydride generation, 19, 103, 116

B

- Barnes, I. L., 145–154
- Benchmark Standards (*see* Standard Reference Materials)
- Beryllium (as variable, impurity, or addition), 150
- Bismuth
 - Analysis for, 19, 76, 103, 116, 158, 170
 - As variable, impurity, or addition, 11, 50, 72, 73, 88, 106, 107, 131, 150–153
- Boliden Metall, 86
- Braithwaite, J. W., 155–165
- Brenza, J. J., 130–141
- British Non-Ferrous Metals Federation, 2, 3, 16, 175
- British Standard (Draft for Development DD 78), 2, 16, 175
- Butler, D. M., 16–19

C

- Cadmium
 - Analysis for, 19
 - As variable, impurity, or addition, 131, 150
- Calcium (as variable, impurity, or addition), 150
- Cardinal, A. L., 34–43

- Cathode copper production, 8
- Cathode impurities
- Comparison with rod or bulk melt, 31-33, 94-99, 114, 115, 138, 139
 - Correlations, 113
 - Distribution in electrorefined, 14, 27, 28, 30, 31, 35, 38, 44, 46-52, 87-92, 104-108
 - Distribution in electrowon, 72, 73, 81
 - Electrorefined, 9, 11, 71, 93, 118-128, 171
 - Electrowon, 9, 75, 135
- Cathodes (deposition), nodulation effect on cathode quality, 9, 10
- Cathodes (refinery shapes)
- Grade 1 specifications
 - ASTM (B 115-82), 11, 131
 - LME contract, 11, 131
 - Sampling, general, 9, 12, 115, 179
- Chemical analysis
- Colorimetric, 19
 - Interlaboratory precision, 163-164, 178
 - Intralaboratory precision, 79, 87, 156-161, 170, 178
 - Replication required, 162
- Chemical analysis (instrumental), 13, 19, 102, 103
- Chemical analysis (wet), 107
- Chromium
- Analysis for, 19
 - As variable, impurity, or addition, 131, 150-153
- Cobalt
- Analysis for, 19
 - As variable, impurity, or addition, 131, 150-153
- Combustion analysis, 13
- Conductivity (electrical), cathode sampling for, 178
- Copper
- Analysis for, 76
 - High purity, 150
 - Pure, casting, 150-153
- Copper Development Association, 3
- Copper Refinery Pty. Ltd., 100
- Cyprus Bagdad Copper Company, 3
- D**
- Dana, R. L., 7-15
- Drilling (sampling of cathodes)
- Electrorefined, 12, 20, 26, 36, 38, 134, 137-139
 - Electrowon, 77, 83, 179
- E**
- Electrodes (deposition), stainless steel, 100
- Electrolytic refining, operating conditions, 36
- Electrolytic refining solutions, effect on cathode quality, 9
- Electrowinning, 74
- Electrowinning solutions, 75
- Elektrokoppar, 86
- Emission spectroscopy, 13, 14, 22, 27, 35, 76, 136, 156, 167, 178
- Argon plasma, 13, 27, 166, 172, 178
- F**
- Farraro, J. T., 34-43
- G**
- General Cable Company, 3
- Gills, T. E., 145-154
- Gold (as variable, impurity, or addition), 150, 153
- Gränges Metallverken, 86
- H**
- Hardness tests, 29
- Hibbeln, R. J., 1-3, 175-179

Hsu, Y. T., 25–33
 Hunter, T. C., 100–129

I

International Standards Organization
 (Technical Committee 26), 2, 19,
 108
 International Wrought Copper
 Council (IWCC), 2, 16

Iron
 Analysis for, 19, 76, 170
 As variable, impurity, or addition,
 11, 83, 131, 150–153

J

Jernkontoret, 86
 Jordan, D. E., 166–172

K

Kline, J. T., 74–84

L

Lamela, M., 44–73
 Lead
 Analysis for, 19, 76, 103, 116, 170
 As variable, impurity, or addition,
 11, 48, 72, 73, 83, 88, 107,
 131, 150–153
 Leco analyzer
 Oxygen, 107, 156
 Sulfur, 27, 136, 156
 Liquid-liquid extraction, 74
 Lithium (as variable, impurity, or
 addition), 150
 London Metal Exchange (LME), 2,
 16, 130, 179
 Ludvigsson, B. M., 85–99

M

Magnesium (as variable, impurity,
 or addition), 150

Manganese
 Analysis for, 19, 76
 As variable, impurity, or addition,
 131, 150, 151
 Mass spectroscopy, analysis by, 102
 Milling (cathode sampling), 103,
 109–110, 114, 178
 Mitchell, R. J., 100–129
 Montes, G., 34–43

N

Nassau Recycle Corporation (NRC),
 25
 National Bureau of Standards (NBS),
 2, 145, 178
 Nickel
 Analysis for, 19, 170
 As variable, impurity, or addition,
 11, 88, 131, 150–153
 Noranda Lakeshore, 74, 177

O

Outokumpu, 86
 Oxygen
 Analysis for, 107, 159
 As variable, impurity, or addition,
 11, 22, 131

P

Palacios, C., 44–73
 Palladium (as variable, impurity, or
 addition), 150
 Parr, J. C., 155–165
 Phelps Dodge Corporation, 34, 166,
 176
 Phosphorus
 Analysis for, 19
 As variable, impurity, or addition,
 131, 150
 Punching (cathode sampling)
 Electrorefined, 12, 17, 53, 55, 109,
 113, 169, 179
 Electrowon, 76, 83

Q

Quality control (*see* Chemical analysis, Cathode specifications, and Sampling)

R

Reed, W. P., 145–154
 Río Tinto Minera, 44, 176
 Roesch, C. J., 20–22

S

Sampling

Comparison of methods, 83, 114, 135, 137–139
 Patterns, 26, 27, 36, 38, 45, 53, 76, 77, 109, 134
 Precision of, 79

Sawing (cathode sampling), 12, 14, 133–134, 137–139, 178

Selenium

Analysis for, 19, 103, 116, 136, 156, 170
 As variable, impurity, or addition, 11, 51, 72, 73, 88, 108, 131, 136, 139, 150–153, 157

Silicon

Analysis for, 19, 76, 150
 As variable, impurity, or addition, 131

Silver

Analysis for, 19, 76, 107
 As variable, impurity, or addition, 11, 52, 72, 73, 87, 131, 139, 150–153, 159

Southwire process, 20

Standard Reference Materials

Copper Benchmark Series, 2, 145–153
 Analysis of, 170
 Certification, 149
 Element concentrations, 150–153
 Preparation, 147

Starbuck, F. L., 25–33

Statistical analysis

Analysis of variance (ANOVA), 37, 39–42

General examination of data, 52

Strip or section sampling of cathodes, 12, 14, 17, 45, 92, 109–110, 114, 137–139, 179

Sulfur

Analysis for, 19, 22, 76, 83, 107, 136, 160

As variable, impurity, or addition, 11, 88, 131, 139, 150–153

T

Tellurium

Analysis for, 19, 156, 158, 170
 As variable, impurity, or addition, 11, 88, 131, 150–153

Tin

Analysis for, 19, 76, 170
 As variable, impurity, or addition, 11, 48, 72, 73, 131, 150–153

Titanium (as variable, impurity, or addition), 150

Tuddenham, W. M., 1–3, 130–141, 175–179

W

Western Electric Company, 3, 20, 175

Wire and rod drawing, break rate, 22

Wire rod analysis, 94–98, 137–139

X

X-ray fluorescence analysis, 13, 156

Z

Zinc

Analysis for, 19
 As variable, impurity, or addition, 11, 131, 150–153

Zirconium (as variable, impurity, or addition), 150