

# Index

## A

ACR (*see* automatic capillary rheometer)  
 Agents reducing surface tension, 121–122  
 American National Standards Institute, 31  
 American Society for Quality Control, 31  
 Analog data, 56  
 Analysis of variance, 52  
 ANOVA (*see* analysis of variance)  
 Antioxidants, 120, 125  
   Extraction of, 126–127  
 Apparent melt viscosity, 74, 77, 81  
 Arrhenius  
   Curve, 124, 125  
   Equation, 123  
   Plot, 125, 133  
 ASTM Standards  
   D 635, 17  
   D 785, 42, 46  
   D 1238, 74, 88, 90  
   D 1248, 39, 42  
   D 1505, 39, 42, 46, 48  
   D 1693, 117  
   D 2513, 106, 107, 108  
   D 2837, 106, 107  
   D 3386, 67  
   D 3593, 51  
   D 3638, 20  
   D 3801, 17  
   D 3874, 18  
   D 4000, 42

D 4065, 84, 85, 86, 89, 91, 93, 95–97, 99, 102  
 D 4067, 43  
 D 4092, 84  
 D 6961, 67  
 E 84, 18  
 E 162, 17  
 E 177, 37  
 E 456, 37  
 E 682, 51  
 E 691, 32, 35, 37, 40, 43, 46  
 E 1456, 35  
 Autoclave tests, 122  
 Automatic capillary rheometer, 74, 75, 78, 79

## B

Barnes, John D., 31–48  
 Battelle Institute, 116, 122  
 Bell Laboratories, 117  
 Beta transition, 87, 88  
 Between-laboratory variation, 43, 45, 117  
 Bias, 38, 47  
 Bravtold, Harlan, 15–30  
 Brittle bursts, 120, 121  
 Burst strength, 129

## C

Chemical failure mechanisms-degradation, 120, 122  
 Coefficient of linear thermal expansion, 67

Column efficiency, 51  
 Complaint handling, 9  
 Complex viscosity, 88, 89, 91, 93, 95, 98  
 Component failure, 18  
 Cone and plate, 86, 87  
 Copper, 112, 122  
 Cost of quality, 7  
 Customer purchase specification, 10

**D**

Dalton, Gene, 51-64  
 Damping behavior, 87, 88  
 DeBlieu, Ivan K., 105-117  
 Degradation, 78, 87, 122  
 Degree of cross linking, 130-131  
 Detergents, 121  
 Differential scanning calorimetry, 26, 123  
 Differential thermal analysis, 123, 125  
 Digital data, 56  
 Dilatometer, 67  
 Driscoll, Stephen B., 83-102  
 DSC (*see* differential scanning calorimetry)  
 DTA (*see* differential thermal analysis)  
 Ductile bursts, 120  
 Dynamic mechanical analyses, 85  
 Dynamic mechanical properties, 84, 89, 93, 99  
 Dynamic oscillation, 85, 88  
 Dynamic torsional shear, 85

**E**

Effects  
 Chemical, 54  
 Equilibration, 55-56  
 Flow rate stability, 60-62  
 Injection, 57-58  
 Instrumental bandwidth, 58-60  
 Mechanical, 53  
 Sampling rate, 56-57  
 Temperature, 54-55  
 Viscous, 53-54

Elastic modulus, 95, 97  
 Electrical tracking, 19  
 Environmental stress crack resistance, 105, 108, 117  
 Compressed ring, 105, 108  
 ESCR, (*see* environmental stress crack resistance)

**F**

Fabricated part, 28  
 Fittings, 122  
 Flow stability, 74, 77, 79, 81  
 Follow-up service, 25-29  
*F*-statistic, 63  
 Fuel gas distribution industry, 105

**G**

Gel content, 130-131  
 Gel permeation chromatography, 51  
 Glass transition, 68, 69, 87  
 GPC (*see* gel permeation chromatography)  
 Green, Francis T., editor, 1-2

**H**

Hydrostatic pressure tests, 120, 122

**I**

Igepal 630, 108, 121  
 Impact modifier, 96, 97  
 Implied contract, 8  
 Induction period, 123, 125  
 Induction temperature, 123  
 Industry advisory conference, 20  
 Interlaboratory testing, 32, 34, 38  
 Intrinsic melt viscosity, 77, 78

**K**

Knox, Roger E., 5-14

**L**

Laboratory scale fire test, 17

Large-scale fire test, 18  
 Leakage test, 132  
 Linear tension/compression, 85  
 Linear thermal expansion, 67  
 Long term property, 20

## M

Mechanical failure mechanisms, 120  
 Melt index, 74, 90  
 Melting points, 120, 125, 131  
 Miller, Robert W., editor, 1–2, 15–30,  
 51–64, 135–138  
 Miscompounding study, 79, 80, 81  
 Mixed-bed SEC column, 62  
 Modulus, 86, 87, 88, 96, 97  
   Elastic modulus, 95, 97  
   Storage modulus, 92, 97  
 Molecular weight, 84, 87, 89, 102  
 Molecular weight distribution, 84, 87,  
 89, 102

## N

Number, average molecular weight, 62

## P

Palermo, Eugene F., 105–117  
 Parallel disk, 86, 87  
 Performance test, 22  
 Pipes  
   Bent, 121  
   Flexible plastic, 118, 119  
   Polyethylene, 105  
     Crosslinked, 127, 128, 129  
   Scratched, 121  
   Straight, 120  
 Plastic enclosures, 22  
 Plastometer, 74  
 Polymer branching, 84, 87  
 Potable water, 119  
 Product quality, 6  
 Product risk analysis, 16  
 Protocol, 40

## Q

QC circles, 84  
 Quality Assurance, 7, 8, 16, 29,  
 31–33, 66, 74, 83, 84, 102,  
 109, 120, 125  
   and the customer, 10  
   and manufacturing, 11–12  
   and marketing, 11  
   and R&D, 12–13  
   and technical service, 13–14  
 Quality control, 7, 8, 51, 73, 74, 83,  
 84, 98  
 Plastic pipes, 127–133

## R

Randomization, 37  
 Recognized component directory, 16  
 Refractive index (RI) detector, 52, 59  
 Repeatability, 32, 35–37, 38, 41, 42  
 Reproducibility, 32, 35, 37–38  
 Rheology, 84  
 Ruggedness, 32, 35, 39, 45  
 Ruggedness evaluation, 116

## S

Sampling plan, 28  
 Saved test method, 67  
 SEC (*see* steric exclusion chromatog-  
 raphy)  
 Sensitivity, 32, 33–35, 37, 39, 45  
 Shear rate, 74, 75, 78  
 Shear stress, 74, 75, 77, 78  
 Sheet molding compound, 98  
 Sholley, Charlene K., 73–82  
 Short-term property, 16  
 Skarelius, Jerker, 118–132  
 Standard deviation, 36, 44, 62, 63, 64,  
 72  
 Steric exclusion chromatography, 51  
 Storage modulus, 92, 97

## T

Tan delta peak, 87, 102

Temperature index, 123, 124  
 TEP (*see* thermal endurance profile)  
 Tg (*see* glass transition)  
 Thermal analysis, 66  
 Thermal endurance profile, 123, 124  
 Thermomechanical analysis, 67, 68  
 Thermostability, 123–126, 129  
 Three-point bending, 85  
 TI (*see* temperature index)  
 TMA (*see* thermomechanical analysis)  
 Torsional bar geometry, 87  
 Trend analysis, 52, 64  
 Turner, V. Lee, editor, 135–138

### U

Ultraviolet (UV) detector, 52, 59  
 Underwriters Laboratories, 15  
 Standards  
 UL 94, 17, 23  
 UL 746A, 16  
 UL 746B, 20  
 UL 746C, 22, 23, 29  
 UL 746D, 28

### V

Variation  
 Column and sample, 53–56  
 Data handling, 56–58  
 Day to day, 62–65  
 Instrumental contribution, 58–62  
 Viscoelastic, 85, 86  
 Viscosity, 53, 78, 79, 89, 98, 99

### W

Weight-average molecular weight, 54, 62  
 Wetting agents, 121, 129, 131  
 Widmann, Georg, 65–72  
 Within laboratory variability, 117

### Z

Z-average molecular weight, 56, 62  
 Zero defect, 6  
 Ziegel, Kenneth D., 5–14