

# Index

## A

Acclimation, 315, 320  
 Accumulation, 184-185, 188-191, 425, 460-467  
 Acetone, 517  
 Acidosis, 42, 47  
 Acute toxicity, 42-68, 90-97, 98, 112, 135, 139, 142-147, 216, 367-383, 445-457, 460, 469, 482, 509, 530  
 Adenosine triphosphate (ATP), 204, 205, 207-214, 425-440, 543  
 Age sensitivity, 315, 516  
 Agitation, 449, 455  
 Alcohols, 90, 92-94, 95  
 Algae, 7, 9, 73-88, 135, 138, 145, 153, 155, 192, 239, 445-457  
 Algal bloom, 5, 7, 9, 5-25, 173-174  
 Alkyl halides, 90, 95  
 Alternative hypothesis, 255  
 Aminodinitrotoluene, 98, 102  
 $\delta$ -Amino levulinic acid dehydratase (ALAD), 389-404  
 Aminonitrotoluene, 98, 102  
 Ammonia toxicity, 47-48, 223  
 Anionic surfactants, 282-298  
 Animal interactions, 494  
 Aquatic bacteria, 425-440  
 Aquatic toxicology, 5, 26, 42, 73, 90, 98, 111, 128, 135, 152, 171, 180, 192, 204, 239, 255, 282, 300, 315, 328, 350, 367, 389, 406, 414, 425, 445, 460, 469, 482, 494, 509, 519, 530

Arkansas River, 216-238  
 Aromatics, 445  
 Artificial substrates, 204, 205  
 Autotrophic index, 204, 207-214

## B

*Bacillus* assay, 9, 195  
 Bacteria, 171, 176, 425-440  
 Behavior, 519  
 Benthic organisms, 153, 216, 225-231, 237, 255, 258-263, 469, 482  
 Benthic subsystem, 180-191  
 Benzenes, 90, 95  
 Bioaccumulation, 184-185, 188-191, 300, 460-467  
 Bioassays, 315, 328, 445, 519  
   On-site, 216, 231-236  
 Bioavailability, 239-251, 367, 381-383  
 Biochemical toxicity test, 389-404, 425, 445  
 Bioconcentration, 135, 147, 300-310, 328, 460-467  
 Bioconcentration factor, 300, 460-467  
 Biodegradation, 282, 368, 381-383  
 Biological  
   Methods, 204  
   Organization, 111  
   Significance, 124, 129  
   Surveys, 216  
 Bioluminescence, 425  
 Biomagnification, 239, 300

Biomonitoring system, 469, 519  
 Biotransformation, 27  
 Blood, 389-404  
 Bluegill, 135, 137, 145-146, 216, 221-222, 300  
 Body burden, 184, 185  
 Branchial epithelial cells, 530, 536  
 Butylbenzyl phthalate, 509, 516-517

## C

Cadmium, 73, 84, 85, 425-440  
 Carbon dioxide transport, 45-70  
 Carbonic anhydrase, 42, 44-45, 47, 62-70  
 Catfish, 135, 137, 145  
*Champia parvula*, 73-88  
 Chinook salmon, 530-543  
*Chironomus tentans*, 469-480  
 Chloride shift, 46  
 Chlorination, 216, 233-236  
 Chlorophyll, 204, 445  
 Chromium, 469-480  
 Chronic toxicity test, 68, 73, 76-78, 113, 135, 153, 367-383, 469, 494-507  
 CLEAN ecosystem model, 449  
 Colonization, 204, 211-213  
 Community, 112, 128, 171-179, 192  
   Function 204, 406  
   Response, 153, 406-412, 414-423  
   Structure, 153, 204, 406  
 Competition, 153, 420  
 Complex industrial wastewater, 135-150  
 Complexity, 180-191, 192  
 Computer processing, 9, 20-21  
 Computer program, 255-280, 411  
 Conceptual verification, 255  
 Condensate wastewater, 135-150  
 Contaminants, 414, 461, 519  
 Copper toxicity, 48, 73, 83, 85, 204-214  
 Cost-effective monitoring, 519

Crowding, 494  
 Culturing, 495, 511  
 Cyanide, 73, 84, 85  
*Cyprinotus*, 192  
 Cystocarps, 73, 75, 79

## D

*Daphnia*, 5-25, 135, 138, 143, 147, 192, 221-222, 367, 494-507, 509-517  
 Degradation, 171, 177-178, 180, 183, 189, 239-251, 381-383, 410  
 Density dependence, 414, 449, 494  
 Depuration rates, 300  
 Detoxification, 42, 57-61  
 Di-*tert*-butylphenylphenyl phosphate, 367  
 1,4-Dichlorobenzene, 275-278  
 Dieldrin, 153-169  
 Di(2-ethylhexyl) phthalate (DEHP), 180-191  
 Dilution water, 318  
 Dimethylformamide (DMF), 510-517  
 Dinitrobenzene, 98, 101, 102  
 Dinitrotoluene, 98, 101, 102  
 Diversity calculations, 221, 379-380, 414  
 Dose response, 315, 450

## E

Early life stage, 135, 146, 147-148, 367  
 Ecological  
   Effects, 171, 180, 188-191, 216, 414-423  
   Interactions, 406-412  
   Significance, 124, 128, 153, 180, 231, 315, 445, 456-457, 480  
 Ecosystem, 5-25, 128, 406-412, 445, 350  
   Model, 153-169, 171-179, 204-214, 449, 452-453

- Response, 112, 239-251
  - Toxicity tests, 111, 216, 367-383, 406
  - Ecotoxicological research, 171-179
  - Effluent toxicity, 216, 231-236, 519-528
  - Endosulfan, 482
  - Endothall, 530-543
  - Enterobacteriaceae, 425
  - Environmental assessment, 180, 188-191, 406
  - Environmental exposure concentrations (EEC), 27, 315
  - Enzyme, 390
  - Epicenters, 205
  - Erythrocyte, 389
  - Ethanol, 517
  - Ethers, 90, 95
  - Ethylenediaminetetraacetic acid (EDTA), 74
  - Evaluation, 282-298, 439
  - Exploitation, 153
  - Exposure analysis modeling system (EXAMS), 26, 41, 255-280, 282-298
  - Exposure assessment, 282
  - External factors, 317
- F**
- Fate, environmental, 8, 26, 39, 171, 177-178, 180, 239, 282
  - Fathead minnow, 90, 98, 99, 102, 135, 137, 143-147, 216, 221-222, 367
  - Fecundity, 128-134
  - Feeding, 494, 509
  - Feral fish, 389
  - Ferguson principle, 94
  - Field
    - Response, 118, 414-423, 315, 328, 350
    - Studies, 129-133, 168, 171-179, 204, 206-207, 210, 216-238, 239-251, 367-383, 389-404, 406-412, 519, 528
  - First-order kinetic expressions, 301
  - Fish, 42-70, 90, 135, 153, 155, 216, 218-222, 239, 246, 315, 389, 414, 519, 530
  - Fish survey, 216, 237
  - Fishery potential, 216-238, 414, 423
  - Food interactions, 517
  - Freshwater biology, 5, 192, 530
  - Fugacity models, 282-298
- G**
- Genetic selection, 315, 321
  - Gill epithelium, 49-55
  - Gills, 42-70
  - Growth, 73, 79-85, 380, 445, 494
- H**
- Habitat suitability, 216-238
  - Hardness, effects on acute toxicity, 145-146
  - Hazard assessment, 5, 26, 42, 73, 90, 98, 111, 128, 135, 153, 171, 180, 192, 204, 239, 255, 282, 300, 315, 328, 350, 367, 389, 406, 414, 425, 445, 460, 469, 482, 494, 509, 519, 530
  - Hazard evaluation, 111, 258
  - Heavy metal toxicity (*see* Metals)
  - Hemoglobin, 45
  - Herbicide, 460-467, 530
  - Hierarchical assessment, 406-407
  - Histopathological analysis, 530, 536
  - Hofmeister stability series, 49, 50
  - Horokiwi stream, 130-133
  - Human exposure, 188-191, 425
  - Hyallela*, 192
  - Hydrolysis, 27
  - Hydrosols, 239, 241, 243-246
  - Hypertrophy, 530, 536
  - Hypoxia, 42-47, 65-66

## I

Indirect toxic effects, 406, 418-419  
 Industrial chemicals, 90, 95  
 Interlaboratory comparison, 482-492  
 Internal factors, 320  
 Interspecies competition, 6, 153, 420  
 Invertebrates, 135, 153, 469

## K

Kepone, 509  
 Ketones, 90, 95  
 Kinetic equation, 256

## L

Lake water, 425  
 Lake Zurich, 275-278  
 Lead, 73, 83, 85, 389-404  
*Lemna minor*, 460-467  
 Leslie matrix, 128-134  
 Lethal concentration, median ( $LC_{50}$ ),  
 57-61, 93, 95, 102, 143-147,  
 367, 469, 482, 509  
    $LC_{50}$  determination, 100-101  
    $LC_{50}$  relationship, 90  
 Life-cycle toxicity test, 73-88, 135,  
 147-148, 494  
 Life table, 128-134  
 Light intensity, 449, 455  
 Lindane, 26-41, 300-310  
 Linear alkylbenzene sulfonate (LAS),  
 282, 509  
 Luciferase assay, 425-440  
*Lumbriculus variegatus*, 135, 138, 145

## M

Mackay's fugacity model, 282-298  
 Macroinvertebrates, 216, 225, 237  
 Macrophytes, 239, 460  
 Malathion, 5, 10, 16-21  
 Marine pollution, 171-179, 519  
 Marine tests, 73, 171, 180, 482, 530  
 Mathematical model, 255-280

Maximum acceptable toxicant concentration (MATC), 73, 78, 367  
 Median lethal concentration ( $LC_{50}$ )  
 (*see* Lethal concentration, median)  
 Mercury, 509  
 Mesocosm, 171-179  
 Metabolic pathways, 98, 103  
 Metabolism, 239, 247-250  
 Metalloprotein complex, 52-61  
 Metals, 42-70, 73-88, 425-440, 469, 482  
 Michaelis-Menten kinetics, 52, 55  
 Microbes, 204-214  
 Microcosms, 5-25, 26-41, 153-169,  
 180-191, 192-203, 406  
   Design of, 27-30, 181-185  
   Medium for, 6  
   Synthetic protocol, 7, 8  
 Microinvertebrates, 153  
 Microorganisms, 153, 425  
 Midge, 135, 138, 145, 469-480  
 Milfoil, 530  
 Minimal bactericidal concentration (MBC), 430  
 Minimal inhibitory concentration (MIC), 430  
 Mixing zone, 216, 218-221  
 Mobile bioassay trailer, 216, 232-236  
 Model of acute toxicity, 42-70, 91, 105-106, 445  
 Model of pollution stress, 406  
 Model validation, 26, 27, 32-39, 255-280, 282-298, 300-310  
 Monitoring, 282, 283-284, 289-290, 519  
 Multispecies toxicity tests, 111, 367-383, 406  
 Munitions wastewater, 135-137

## N

Naphthalene, 26-41, 300-310  
 Narcosis, 90, 91

Narcotic chemicals, 90, 91  
 Narragansett Bay, RI, 180-191  
*Neanthes arenaceodentata*, 482-492  
 Neurotoxicity, 391  
 Nitroaromatic chemicals, 98-106, 135, 137, 138  
 Nitrofurans, 171-179  
 Nitrogen flux, 188-190  
 Nitrotoluene, 98, 102  
 Nitroxy free radical, 104  
 North Sea, 171-179  
 Nutrients, 5, 12, 173-174, 192, 494  
 Nutrition, 315  
 Nurturing, 495

## O

Octanol/water partition coefficient, 90, 93, 95, 104, 135, 301, 462  
*Oncorhynchus tshawytscha*, 530-543  
 On-site bioassays, 216, 231-236, 519-528  
 Optical-fiber light-interruption bio-monitoring system, 469-480  
 Organic contaminants, 239, 461  
 Ostracods, 5, 25

## P

Pentachlorophenol, 239-250  
 Persistence, 239  
 Pesticide, 482  
 Phase plan representation, 153, 159  
 pH effects on acute toxicity, 145-146, 438-439, 455-456  
 Phosphate ester, 367-383  
 Photolysis, 27, 177, 255, 263-265  
 Photosynthesis, 445-457  
 Phthalate ester, 180  
 Phytoplankton, 171, 173-174, 239-250  
 Plate counts, 439  
 Point source, 216, 294  
 Pollution stress, 204, 213, 406, 414-423, 469-480, 482

Polychaete, 482  
 Ponds, 239-250, 367-383, 406-411  
 Population, 128-134, 153, 371-372, 407, 414-423  
   Dynamics, 414  
   Response, 414, 445  
 Porphobilinogen (PBG), 389-404  
 Predator-prey interactions, 153, 420  
 Predictions, 315, 328  
 Preference-avoidance, 519-528  
 Primary production, 239  
 Protozoan, 192, 204  
 Proving, 255  
 Psuedomonadaceae, 425  
 Pulp mill effluent, 519-528

## R

Rainbow trout, 135, 137, 145  
 Rate constants, 26, 31  
 Real world, 168, 171, 216, 255, 315, 328, 350, 367  
 Reproducibility, 519  
 Reproduction, 73, 418-419, 494  
 Respiration, 42, 45, 51  
 Respiratory undulations, 469-480  
 Response time, 519  
 Rotifers, 192

## S

Scud, 135, 138, 145  
 Seasonality, 180, 188-191  
 Seawater entry test, 530, 533  
 Sediments, 26-41, 180, 192, 255-280, 282, 367, 482  
 Sensitivity analysis, 255  
 Sewage treatment, 216  
 Silver, 73, 82, 85, 482-492, 509  
 Simulation, 256, 367  
 Simplified lake and stream analysis (SLSA) model, 26-41, 282-298  
 Site-specific criteria, 43-44, 216  
 Smoltification, 530  
 Soil partition coefficient, 382, 509

Solvent interaction, 517  
 Sorption-desorption, 27, 255, 263-268, 367  
 Steady-state model, 256  
 Steady-state population biomass, 153, 156, 159-161  
 Stock recruitment, 414  
 Streptomycin, 5, 9-16, 192-203  
 Structure-activity relationships, 90-97, 98-106  
 Sublethal effects, 530, 538-543  
 Sulfite mill effluent, 519  
 Surfactant, 282  
 Survival, 494  
 Survivorship, 128-134, 414-423, 478  
 Suspended sediments, 255  
 Suspended solids, 216  
 Standard water column model (SWACOM), 449  
 Synthetic fuels, 445

**T**

Temperature, effects of on acute toxicity, 145-146  
 Temporal heterogeneity, 180  
*tert*-Butylphenyldiphenyl phosphate, 367  
 Tetrasporangia, 73, 75, 79-85  
 Thermal tolerances, 350  
 Tier testing, 111  
 Toxicity, 6, 90, 98, 221-222, 231-236, 239, 315, 328, 389, 406, 414, 445, 469, 482, 509, 511, 530  
 Testing protocols, 111, 204, 460  
 Toxic units, 142-144  
 Toxification, 42, 57-61  
 Transformation, 26, 27, 282, 367

Transport, 26, 27, 255  
 Triethylene glycol, 509, 517  
 Trinitrobenzene, 98, 102  
 Trinitrotoluene, 98, 101, 102, 135-137  
 Triphenyl phosphate, 367  
 Trophic  
 Levels, 5, 6, 192, 445  
 Relationship, 153, 157-158, 419-421  
 Status, 239

**V**

Validation of a test, 128-134, 519-528  
 Validity, 256  
 Variability, 492  
 Volatility, 256  
 Volatilization, 27, 256, 268-273  
 Volume, 494

**W**

Water column, 180, 191  
 Water quality assessment, 204, 216-238, 315, 519  
 Water quality criteria, 42-44, 68-70, 216, 328, 367, 389, 469, 510  
 Water solubility, 90, 93, 94, 95, 382  
 Water vapor exchange constants, 273-275  
 Wiggle-o-meter, 469-480

**Z**

Zone of influence, 524-527  
 Zooplankton, 171, 175