

A

Absorption, 73
 Accident, 1123
 Activation Energy, 125, 367, 497, 505, 801
 Accelerator, 917
 Adjusted Reference Temperature, 418
 Aging, 179, 209, 365, 400, 553, 619, 804
 Alloys
 Austenitic, 5, 30, 44, 71, 92, 152, 166, 310, 597, 619, 667, 690, 701, 821, 825, 856, 885, 906, 927, 941, 953, 1073, 1201
 Ferritic, 207, 492, 505, 648, 809, 1201
 Titanium, 260
 Aluminum, 971, 1075
 Aluminum Alloys, 765
 Amorphous Metals, 779
 Anneal, 295, 553, 629
 Annealed, 316, 5
 Annealing Experiments, 169, 386, 505, 626, 765, 800, 903
 ASME B&PV Code, 598
 Auger Spectroscopy, 334, 464, 895

B

Barrier Reaction, 90
 Beryllium, 735
 Bias, 1098
 Interstitial, 39, 102, 220, 234, 1010, 1023, 1059, 1105
 Vacancy, 102, 1010, 1023, 1059
 Binding Energy, 221, 994, 1024, 1059
 Binodal Cavity Distribution, 97,
 Boron, 147, 601, 856
 Burger's Vector, 73, 147, 214, 235, 1104
 Burst Test, 754

C

Carbides, 35, 170, 314, 315, 325, 828, 856
 Carbon, 39, 179, 611
 Cascade, 746
 Cavities, 76, 95, 160, 238, 254, 325, 856, 885, 933, 941, 953, 1042, 1094
 Channel Fracture, 709
 Charpy V-notch Test, 345, 352, 375, 398, 412, 413, 434, 477, 480, 505, 538, 582, 1213
 Chemical Composition, 343, 345, 348
 Chi Phase, 219
 Chromium, 207, 421, 856
 Cladding, 5, 17, 180, 311, 620, 736
 Clusters, 73, 186, 508, 722
 Cold Working, 186, 256, 295, 615, 691, 825, 1073, 1112
 Controlled Nuclear Fusion, 1140
 Copper, 345, 363, 375, 404, 412, 439, 453, 508, 972, 1054

Correlations, 486

Creep

 Biaxial, 30, 108, 122
 Coefficients, 37, 44, 128
 Coupling-Swelling, 30, 44, 129
 Hardening, 668
 In-Reactor, 30, 44, 71, 126, 1208
 Irradiation, 30, 44, 71, 108, 550, 841, 1186
 Models, 38, 44, 76, 114
 Primary, 115, 607
 Rupture, 603, 1159
 Strength, 612
 Thermal, 83, 111, 125
 Transient, 44
 Cross Sectional Observation, 930

D

Damage Function, 928, 965
 Damage Profile, 929
 Damage Profile Calculation, 929
 Defects, 73, 325, 366, 494, 505, 551, 904, 929, 994, 1054, 1089
 Defect Clusters, 73, 258, 495, 505, 667, 722, 746, 929, 1001, 1054
 Defect Trapping, 177, 221, 258, 1024, 1054
 Deformation, 668, 690, 755
 Density, 5, 17
 Dependence
 Fluence, 5, 35, 44, 170, 186, 255, 295, 343, 412, 460, 497, 667, 709, 765, 799, 815, 885, 997, 1073
 Temperature, 5, 35, 173, 186, 295, 343, 429, 461, 497, 602, 665, 706, 813, 895, 996, 1073
 Diffusion, 88, 497, 516, 746, 903, 989, 1015, 1054, 1073, 1089
 Dislocation, 99, 234, 256, 454, 690, 709, 908, 1021, 1054, 1089, 1105
 Channeling, 665
 Loop Nucleation and Growth, 40, 248, 1054, 1073, 1109
 Displacement Cascades, 965, 1054
 Dosimetry, 349, 437, 520, 920
 Dual Beam Irradiations, 941
 Ductile-Brittle Transition Temperature, 505
 Ductility, 325, 440, 617, 619, 636, 659, 702, 744, 765
 Ducts, 44

E

Effects of Chemical Composition, 421
 Electron Irradiation, 745, 906, 973
 Elongation, 440, 480, 644, 703
 Total, 604, 659
 Uniform, 659, 765
 Embrittlement, 229, 325, 343, 375, 404, 492, 505, 613, 619, 714, 736, 765

Embrittlement Relief, 475
 Energy
 Displacement, 811, 865
 Stacking Fault, 1109
 Surface, 1011, 1109
 Eta Carbide, 171
 Eta Phase, 99, 140, 189, 856
 Experimental Alloys, 619

F

Failure, 707, 1133
 Strain, 479
 Stress, 440, 506
 Fatigue, 520, 739
 Crack Growth Rates, 693, 722
 Low Cycle, 667
 Ferritic Steels, 207, 343, 407, 505, 659
 Flow Stress, 633
 Fluence Effect, 5, 44, 243, 255, 295, 312,
 321, 343, 459, 497, 533, 709, 765, 802,
 885, 1029
 Flux, Effect of, 5, 242, 295, 314, 322,
 343, 417, 497, 765, 1073
 Flux Monitoring, 476
 Fracture, 325, 582
 Mode, 465, 563, 669, 694, 723, 745, 765
 Resistance, 375
 Toughness, 380, 434, 477, 543, 714, 744,
 1208
 Frequency, 723
 Fuel Cladding, 5, 17, 180, 307, 620, 736,
 856, 1179
 Fuel Pins, 5, 17, 1179, 1200
 Fusion, 1159
 Reactors, 207, 251, 325, 941, 1140, 1159
 Products, 1133

G

G-phase, 171, 828
 Gamma Prime, 133, 139, 189, 300, 630, 836,
 856
 Gas Bubbles, 325, 628, 885
 Nucleation, 102
 Grain Boundaries, 76, 325, 614, 619, 709,
 745, 856, 885, 1031, 1105
 Growth, Irradiation, 234, 255, 275, 765

H

Hardening, 207, 327, 1054
 Precipitation, 625, 765
 Work, 717
 Hardness, 438, 441, 505, 655, 1054
 Heat Affected Zones, 343, 356, 509

Heat-to-Heat Variation, 610
 Heat Treatment, 343, 356, 375
 Helium, 92, 159, 746, 790, 856, 885, 941, 953
 Bubbles, 76, 254, 275, 332, 607, 632, 744,
 794, 884
 Effects of Dislocations, 1073
 Embrittlement, 325, 614, 625, 667, 724, 795
 Irradiation, 793, 856, 927, 941
 Pre-injected, 941
 Simultaneous injected, 941
 Swelling, 275, 331, 856, 931
 HT-9, 648
 Hydrogen, 884, 1128

I

I-creep, 41
 Impact Testing, 343, 380, 398, 438, 380, 553,
 589
 Impulse Testing, 550
 Impurities, Effect of, 5, 44, 257, 377, 393,
 464, 619, 856, 1011, 1024, 1055
 Impurity Effects in Structural Steel, 344,
 393, 421, 429, 464, 508
 Inconel 706, 139, 619
 Inconel 718, 139, 922
 Incubation Period, 5, 28, 311, 322, 856, 1018
 Interface-Precipitate, 1003
 Interstitials, Self, 903, 994, 1055
 Ion Irradiation, 1042
 Iron, 505
 Iron-Nickel-Chromium Alloys, 152, 302, 619,
 809, 941, 993, 1023
 Irradiation, 1024
 Electron, 906, 973, 999, 1028
 Heavy Ion, 139, 799, 809, 837, 856, 884,
 896, 927, 941, 953, 1028, 1073
 Neutron, 92, 108, 122, 139, 152, 167, 186,
 207, 234, 253, 260, 295, 310, 343, 381,
 392, 412, 433, 476, 492, 505, 520, 551,
 601, 619, 701, 765, 953, 973, 999, 1027,
 1054, 1073
 Proton, 841, 917
 Temperature, Effect of, 186, 207, 421, 429,
 433, 551, 572, 619, 639, 667, 707, 723,
 895, 927, 953, 997, 1073
 Annealing, 754
 Creep, 841
 Correlation, 953
 Dose Rate, 953
 Nuclear, 375

J

J_{1c}, 438, 477, 570, 715, 1208
 J_T, 447
 J_T-R Curve, 564
 J_R, 440

K

K_{IC}, 477, 485, 542, 717
 Kinetics, 505
 Kirkendall, Effect, 1008, 1033

L

Larson-Miller Parameter, 604
 Lateral Expansion, 398, 417, 441
 Laves Phase, 171, 219, 856
 Light Water Reactor, 412
 Long-Range-Ordered Alloys, 325
 Loops
 Dislocation, 214, 253, 560, 841,
 933, 1054
 Frank, 88, 140, 329, 712
 Interstitial, 214, 314, 1054
 Lower Limits, 616
 Ludwik-Davidenkov Criterion, 506

M

M₂₃C₆, 170, 212, 314, 315, 454,
 856, 884
 Martensite, 207, 653
 Mechanical Properties, 207, 328,
 479, 558, 597, 619, 636, 667,
 690, 736, 754, 765, 795, 922,
 1054, 1159
 Meechon-Brinkman Method, 512
 Microchemical Evolution, 186, 295
 Microchemistry, 152
 Microhardness, 505, 655, 795, 1054
 Microscopy
 Optical, 608, 765
 SEM, 333, 466, 607, 628, 693,
 741, 765, 1028
 TEM, 73, 95, 139, 156, 168, 209,
 235, 253, 295, 310, 325, 439,
 508, 609, 628, 695, 741, 765,
 794, 826, 841, 856, 884, 941,
 1028, 1055, 1073
 Microstructure, 139, 156, 166, 207,
 235, 253, 263, 275, 295, 312,
 346, 356, 379, 465, 586, 628,
 639, 653, 695, 765, 794, 825,
 841, 856, 884, 953, 1055, 1073
 Minor Elements, 5, 39, 158, 465,
 508, 619, 825, 856
 Molybdenum, 173, 207, 363, 922, 971
 Monazite, 799

N

Neutron irradiation, 1042
 Nickel, 173, 295, 345, 363, 365,
 376, 404, 412, 421, 424, 425,
 429, 439, 453, 841, 856, 927,
 1024
 Nickel Alloys, 841, 895, 1000
 Nimonic PE-16, 122, 139, 625
 Nickel Aluminum Silicon Alloys,
 1000
 Nickel-Silicon Alloys, 841
 Niobium, 251, 625, 966
 Niobium Alloys, 251
 Ni₃Si, 171
 Nitrogen, 612
 Nitrogen, Effect on Swelling, 906
 Notch Ductility, 375
 Nucleation, 257, 765, 1024, 1054
 Nucleation Cavities, 953
 Nucleation Theory, 1042
 Nucleation Void, 1008

O

Odette Correlation Model, 343,
 345, 365
 Overaging, 139, 412, 428, 856
 Oxygen, 257

P

Phase Stability, 141, 166, 186,
 207, 826, 856, 884, 998, 1028
 Phosphorus, 207
 PE-16, 122, 139, 619
 Plasma-Surface Interactions, 1159
 Plate, 343
 Platinum, 972
 Point Defects 207, 258, 505, 745,
 994, 1031, 1054, 1089, 1106
 Poisson's Ratio, 717
 Positrons, 440, 457
 Precipitates, 139, 166, 186, 207,
 240, 295, 329, 454, 608, 629,
 765, 828, 856, 884, 1002, 1116
 Pressure Vessel, 343, 375, 392,
 412, 433, 464, 475, 486, 505,
 520, 550, 582
 Pressure Vessel Steel
 Surveillance Samples, 505
 Pressurized-Tube Creep Tests, 92,
 108, 122

P

Proton Irradiation, 917
 Pulsed Irradiation, 941

R

Radiation Damage, 1042, 1159
 Radiation Hardening, 212
 Radiation-Induced Precipitation, 1002
 Radiation-Induced Segregation, 985
 Radiation Softening, 212
 Radio Active Waste, 800
 Composition, 552
 Radiation Effects, 556, 841, 906
 Rate Theory, 512, 765, 986, 1013, 1025, 1054, 1114
 Reactor Light Water, 412
 Reactors, 1128
 ATR, 72
 CDFR, 1199
 DFR, 167, 209
 EBR-II, 18, 44, 72, 92, 158, 188, 235, 295, 691, 702, 856, 953, 1073
 HFIR, 651
 HFR, 600, 666, 721, 765
 ORR, 154, 326
 Phenix, 5
 SRN, 598
 TMI, 1123
 Rapsodie, 5, 32, 1078
 Siloe, 1075
 Recombination, 746, 1014, 1024, 1054, 1105
 Recovery, 216, 619, 765
 Recrystallization, 191, 829, 1201
 Reduction Factors, 617, 669
 Reference Temperature, 413
 Reference Temperature, Adjusted, 418
 Resolution, 1029
 Ring Compression Test, 619
 RINS-II, 1055
 Risk Assessment, 1132

S

Saturation, Irradiation Effect, 425, 430
 Segregation, Solute, 178, 187, 207, 272, 295, 319, 464, 895, 985, 1008, 1023
 Shear Modulus, 1009, 1026
 Sigma Phase, 171, 219, 329, 332, 856
 Silicon, 5, 173, 187, 207, 295, 765, 825, 856, 1023
 Simulation
 Fusion Reactor Irradiation, 92, 252, 275, 648, 884, 941, 953, 963
 Neutron Irradiation, 275, 999, 1140
 Sinks, Point Defect, 234, 258, 513, 746, 1014, 1031, 1089, 1105
 Spectra
 Fast Reactor, 5
 Half-Nelson, 167
 Spectral Effects, 275, 356
 Stainless Steels, 152, 1042
 304, 598, 665, 721, 907, 922, 980, 993, 1028
 316, 5, 17, 44, 92, 108, 166, 186, 275, 295, 310, 636, 690, 701, 884, 927, 1074, 1201
 316L, 1027, 1077
 321, 1078
 DIN 1.4948, 599, 662, 721
 DIN 1.4970, 37, 825
 DIN 1.4981, 30
 Pure Austenite, 953
 FV548, 166, 1201
 17Cr17Ni2.5Mo, 941
 FV448, 208
 Steel Impurities, 375
 Step Height Measurements, 811, 856
 Strain
 Creep, 44, 108, 122, 606
 Hoop, 755
 Range, 666
 Rate, 550, 614, 669, 709, 765
 Uniform Plastic, 765, 921
 Stress
 Effects on Dislocations, 1073
 Hydrostatic, 506
 Maximum Fiber, 737
 Residual, 44, 746
 Rupture, 605, 756
 State, 507, 703
 Yield, 479, 483, 506, 535, 602, 639, 765, 1054

S

Structural Steels, 1159
 A 212B, 506
 A 302-B, 346, 375, 464, 508, 572
 A 508, 393, 435, 573
 A 533-B, 343, 375, 435, 464,
 506, 573
 Annealing, 457, 505, 758
 Yield Strength, 506, 717
 Super-Alloys, 619
 Temperature Dependence, 941
 Supersaturation, 765
 Swelling, 312, 317, 1159
 Creep, 44, 73, 156
 Effect of Stress, 33, 295, 1189
 Helium Effect, 92, 159, 255,
 275, 884, 941, 953
 Theory, 275, 1098
 Titanium Alloys, 263
 Switching Resistance, 207

T

Tantulum, 922
 Tension Test, 381, 438, 535, 558,
 602, 637, 658, 757, 765, 795, 920
 Texture, Crystallographic, 237,
 737, 969
 Thermal Transients, 1209
 Titanium Alloys, 263
 Transient Test, 637, 754
 Transition Temperature, Nil-
 Ductility, 343, 413, 418, 440
 505, 540, 1054
 Transition Temperature Shift, 412,
 418
 Trapping, Defects, 177, 221, 1024,
 1068
 Tubing
 Pressurized, 30, 92, 296

U

Ultimate Strength, 328, 440, 479,
 483, 612, 659, 703, 754, 795
 Upper-Shelf Energy, 400, 441, 481,
 484, 505, 572
 Reduction, 412, 417, 418, 427,
 430
 Upper Shelf Toughness, 438, 446

V

Vacancies, 78, 258, 505, 903, 994,
 1054, 1089, 1105
 Vanadium Alloys, 970
 Voids, 166, 186, 254, 295, 316,
 809, 824, 856, 884, 907, 933,
 941, 953, 1042, 1105
 Nucleation and Growth Models,
 35, 275, 1008, 1025, 1054
 Varsik and Byrne Chemistry
 Relationship, 343, 345, 348, 363

W

Welding Flux, 426
 Welding Procedure, 426
 Welds, 343, 392, 412, 413, 434, 483
 505, 572, 600
 Wrapper Tube, 1185

X

X-Ray, 806

Y

Yield Strength, 328, 506, 554,
 659, 703, 1054

Z

Zircaloy-2, 735
 Zirconium Alloys, 234, 745