

Index

A

- Absorption-related mechanisms, 34
- Accelerated test methods, 33, 125, 325-339
- Admiralty Metal, 400, 401-411
- Aging
 - Conditions, 186, 189-200
 - Treatments, 212-215, 220
- Aircraft components
 - Alloys used, 52-71, 174
 - Service failures, 63-69
 - Service life extension, 69-70
- Alloys
 - Aluminum (*see* Aluminum alloys)
 - Brass, 127, 288-309
 - Cadmium, 58
 - Cast iron, 130-131
 - Cast Ni-Al bronze, 20, 24-25
 - Chromium plate, 68-69
 - Copper, 289, 308, 402
 - Hastelloys, 284
 - High-strength, 45
 - Inconel 600, 310-322
 - Iron-based, 42
 - Magnesium-bearing, 184, 186, 188, 194, 199, 200
 - Nickel-base, 284, 285
 - Steel (*see* Steel)
 - Titanium (*see* Titanium alloys)
 - Turbine blading, 504
 - X-2020, 174
 - Zircaloy, 150-168, 181
- Alternate-immersion tests, 177-179, 184-185
- Aluminum alloys, 42, 133
 - Aircraft components, 174, 514-515
 - Aging, 212-215, 220
 - Applications, 52
 - Compliance, 135-136
 - Corrosion fatigue, 522, 534-547
 - Crack growth, 132, 144, 145, 148
 - Fracture toughness, 131, 136-142, 175, 177
 - High-strength cyclic SCC, 361
 - Slow strain rate testing, 202-239, 242-255
 - Stress corrosion cracking, 53, 117-125, 128-148, 173-200
 - Susceptibility parameters, 209
 - Tempering, 122-124
 - Types
 - AA 7475-T6, 177, 178, 184
 - Al-Cu-Mg, 202-239, 522
 - Al-Li-Cu, 173-200
 - Al-Mg, 202-239
 - Al-Zn-Mg, 128-148, 202-239, 534-547
 - Al-Zn-Mg-Cu, 202-239, 522
 - Cast 7075-T6, 117-125
 - High-strength 7000 series, 52-53, 70, 177, 534-547
 - P/M Al-Li-Cu, 184
 - Series 2000, 52-53, 70, 131
 - Type 2014, 63-64, 233, 236
 - Type 2024, 233, 236
 - Type 2219-T851, 522, 524, 530
 - Type 5056A Rivet wire, 221, 225
 - Type 5083 plate, 231-235
 - Type DTD 5070A, 522, 524, 530
 - Type 5182 sheet, 222-225
 - Type 7010 fine-grain sheet, 219-221, 225
 - Type 7010 plate, 229-231

- Type 7017-T651, 534-547
 Type 7049-T651, 204
 Type 7075-T-76, 53
 Type 7075-T651, 132-133, 136, 144-145, 148, 204, 208, 535, 537, 540
 Type 7090, 118-119, 121-122
 Type 7178-76, 55
 Type 7179-T651, 204
 Type 7475-T651, 514-531
 Weldable plates, 226-229
 X-7091, 121
 Water vapor effects on, 514-531
 Aqueous ammonia environment, 400-411
 Anderson, D. R., 98, 113
 Andresen, Peter L., 271, 283, 287
 Aqueous environments, 443-466
 Low-temperature, 256-269, 310-322
 Aqueous marine environments (*see also* Seawater environments), 98, 416-424
 ASME Boiler and Pressure Vessel Code
 Section VIII, 272
 Section XI, 444, 454, 458
 ASTM Committee E-24 on Fracture Testing, 75, 77, 82, 416, 417, 424
 ASTM Committee G-1 on Corrosion, 75, 82, 343
 ASTM Joint Task Group E24.04.02/G01.06.04 on Test Methods for Measurement of K_{Isc} and SCC Growth Rate, 75
 ASTM Method D 888 (indigo carmen technique), 501
 ASTM Method E 83, 472
 ASTM Method E 602, 117
 ASTM Method F 519, 56
 ASTM Practice E 104, 57
 ASTM Recommended Practice G 1, 183
 ASTM Recommended Practice G 5, 182, 183, 184
 ASTM Recommended Practice G 44, 58, 179
 ASTM Specification A 469, 435
 ASTM Specification A 533, 427
 ASTM Specification D 1141, 225, 420
 ASTM STP 425, 19
 ASTM STP 665, 19
 ASTM Task Group E24.04.05 on Fatigue Crack Growth Rate Testing in Aqueous Environments, 416, 420, 424
 ASTM Task Group E24.04.10 on Non Visual Methods of Crack Length Measurement, 424
 ASTM Test E 399, 100, 117, 133, 136, 137, 147, 179, 385, 472
 ASTM Test E 399-78a, 517
 ASTM Test E 647, 416, 417, 424, 437, 444, 485, 491, 496
 Section 7.2, 495
 Section 8.6.2.3, 494
 Automated corrosion fatigue crack growth rate (FCGR) testing, 426-442
 Automated data acquisition system (*see also* Microcomputer data, acquisition system), 432, 434-435
- ## B
- Bandy, Rabindranth, 310
 Barlo, Thomas J., 368
 Battelle Columbus Laboratories re-search program, 368
 Beavers, J. A., 399, 400
 Berge, P., 320
 Bernstein, I. M., 114, 127
 Berry, J. T., 130
 Bianci, G., 283
 Big Rock Point Reactor fuel rod, 166

Bogar, F. D., 283
 Boiling water reactor (BWR) environments, 444
 Bond, Thomas, L., 128
 Bradshaw, F. J., 522, 524, 530
 Brass (70/30), 127, 288-309
 Brittle-film model, 35, 40
 Brown, A. R. G., 208
 Brown, B. F., 81, 352, 385
 Bruemmer, Stephen M., 256
 Buhl, H., 203, 233

C

Cadmium plating, 58
 Campbell, W. R., 150
 Cantilever-beam specimen tests, 76
 On C-Mn steel, 370-372, 374
 On HY-130 steel, 385, 388, 389, 397
 SCC tests, 103-112
 Carbonate/bicarbonate environment, 369, 377-378, 381
 Cast iron, fracture toughness, 130-131
 Cast Ni-Al bronze, 20, 24-25
 Caustic environment, 341-365
 Ceschini, Louis J., 426, 470
 Chloride environments, dilute, 257-269
 Chromium plate grinding, 68-69
 Clark, W. G., Jr., 99, 325, 333
 Compact specimen tests, 104, 105
 Computerized data reduction procedure, 435
 Computerized testing (*see* Automated corrosion fatigue crack growth rate testing; Automated data acquisition system; Microcomputer data acquisition system)
 Conn, A. F., 498
 Constant axial load (CAL) tests, 257-258, 262-263, 267-269

Constant-deflection tests, 134, 179
 Constant ΔK test method, 443-466
 Constant extension rate (CER) tests, 271, 272
 Corrosion fatigue testing, 353-356
 Inconel 600, 311, 312, 313, 314-322
 Low-temperature water environments, 257-262, 268
 SCC testing, 344-349, 352, 353
 Constant-load tests, 134-135, 179
 Copper alloys, 289, 308, 402
 Cu-Zn, 297
 Corrosion fatigue
 Aluminum alloys, 534-547
 Hydrogen embrittlement, 542-545
 Mechanisms, 32-47
 Stress corrosion, 537-538
 Corrosion fatigue strength, 497-512
 Corrosion fatigue tests, 353-362, 497-512
 Corrosion product buildup, 417, 422-423
 Corrosive environments, 245, 417, 420-421, 470-483
 Cowan, R. L., 321
 Crack closure, 186, 422, 424, 480
 Crack depth, 34, 153-158
 Crack-front markings, 400-402, 404-407, 410
 Crack growth (*see also* Fatigue crack growth)
 Slow, 199
 Stage I, 466
 Stage II, 318, 319, 400-405, 408-411, 465-466, 537, 544, 545
 Stage III, 405
 Unstable, 137, 197, 199, 200
 Crack growth mode, 298-299, 302, 308
 Changing, 298, 307-308, 404, 406-407
 Intergranular, 355, 359, 401
 Transgranular, 355, 359, 399-401

- Crack growth rate (*see also* Crack velocity; Fatigue crack growth rate)
 Changes, load and potential, 394, 396, 397
 Crack tip elastic strain energy, 160-162
 Determining, 465-466
 Iodine concentration dependence, 159-160
 Material history effects, 453-460
 PWR environment, 438-440
 R-ratio effects, 460-461
 Stress intensity effects, 90, 91, 95, 96
 Temperature dependence, 159
 Tests, automated, 426-442
 Transient effects on, 417, 420
 Crack initiation (*see also* Stress corrosion cracking initiation), 276, 318
 Environment impurities effects, 279-280
 Grain boundaries, 296-297, 307, 308
 Mechanism, 33-34, 44
 Mode, 298-299, 302, 308
 Stress for, 292-293, 295-296, 308
 Surface defects, 268, 279
 Temperature effects, 277, 278
 Crack length
 Compliance measurement, 463, 467-469, 473-474, 477
 Measurement in PWR environment, 438, 442, 447, 450, 452, 462
 Measurement interval, 494-495
 Measurement procedures, 417-420
 Versus cycles, 457-460, 478
 Versus time, 92, 93
 Crack opening displacement (COD) method, 418-420, 424, 485, 488-491
 Crack propagation mechanism, 34, 299-306
 Rate, 35-36, 41
 Crack tip, 138, 153, 381
 Behavior, 352-353
 Dissolution, 22
 Elastic strain energy density, 160-162
 Film rupture, 307
 Filming, 16-18
 pH, 352, 459, 460
 Potential versus surface potential, 15, 17, 19
 Strain rate, 42, 45, 345, 545-546
 Crack velocity, 28, 319, 540
 Admiralty Metal, 405-411
 Beam deflection rate, 29
 Critical, 542
 Determining, 405
 Double torsion testing, 143-146
 Stage II, 318, 319, 537
 Crack velocity/stress intensity relationship, 20, 350, 538, 545
 Cracking, 10, 381
 Environmentally assisted (EAC), 341-365
 Grind, 67-69
 Hydrogen-induced (*see also* Hydrogen embrittlement), 9-10, 13, 19, 22, 23
 Cragnolino, Gustavo, 287
 Crescimanno, P. J., 150
 Crevice corrosion tests, 263-267
 Crooker, T. W., 415
 Cyclic deformation behavior, 353, 354
 Cyclic loading tests (*see also* Loading mode), 24-30

D

- Davies, D. E., 208, 233
 Dean, Sheldon, W., Ed., 1, 551
 Deflection-pulsing tests, 400

de Jong, H. F., 206
 DeMiglio, Daniel S., 443
 Dicus, Dennis L., 513, 532
 Diegle, R. B., 41
 Dissolution, 10, 117
 Anodic, 115, 123-125, 344, 530, 532
 Cracking mechanism, 13, 16, 344
 Divine, James R., 256
 Doig, P., 352
 Donati, J. R., 320
 Doruk, M., 42
 Dorward, R. C., 132
 Double torsion test method, 128-148
 Dowling, N. E., 439
 Ductile-alloy/aqueous-environmental systems, 34-43
 Ductile failure, 15, 22
 Ductile fracture mechanics technology, 98-112
 Ductility, loss of, 203-205, 247, 249-251

E

Edeleanu, C., 297
 Elastic-plastic fracture mechanics (EPFM), 350
 Electrochemical conditions, 188-189, 191, 194, 199, 200, 352
 Electrochemical control effects, 508-510
 Electrochemical potential effects, 12, 17, 344, 353, 385, 394
 Engineering design, laboratory test application, 52-71
 Engineering materials, fatigue limits, 504-505
 Environment effects (*see also* specific types of environments), 8
 Aluminum alloys, 206-207, 227-229
 Corrosive, 417, 420-421
 Impurities, 279-280, 283, 285
 SCC initiation, 271-285

Environment-enhanced fatigue crack growth rate testing, 325-339
 Environment-sensitive fracture test methods, 5-30
 EPRI test, 159
 European Federation of Corrosion, working party, 30
 Evans, A. G., 130

F

Fabis, T. R., 470
 Failure, ductile (*see also* Service failure), 260, 262, 263
 Failure time, 153-158, 164-168
 Faraday's law, 352, 353
 Fatigue crack growth
 Behavior of aluminum alloys, 518-524
 Microcomputer data acquisition system, 484-496
 Stages, 64
 Water environments, 443-466
 Water vapor, 514-531
 Fatigue crack growth rate
 Air environment, 477-479
 Computer-controlled tests, 470-483
 Marine environment, 416-424
 Wet hydrogen environment, 479-483
 Fessler, Raymond R., 368
 Film formation, 22, 189, 283-285, 287
 Film rupture, 344
 Flaw size, critical, 197, 199, 200
 Flewitt, P. E. J., 352
 Floreen, S., 115, 124
 Ford, F. P., 32, 257, 279, 346
 Forty, A. J., 297
 Fractography, 296-299
 Fracture mechanics model, 150-168
 Fracture mode transition (*see also* Crack growth mode), 538-546

Fracture morphology, 524-527
 Fracture toughness, 100, 136-142, 148
 Frequency effects, 358-364, 521-522, 531
 Aggressive environments, 480-483
 Fuel element cladding, 150, 163
 Fujii, C. T., 383

G

Galvin, Ray P., 173
 Geometrical discontinuities, 13-19
 Gill, S. J., 415
 Goldberg, I., 150
 Gordon, G. M., 321
 Gordon, R. S., 139
 Grain boundary effects, 410, 411, 546
 Grain size effects, 300, 302, 303, 306-307
 Grauer, R., 204, 210
 Gray, J. A., 208
 Green, J. A. S., 115, 121
 Greenfield, D. C. L., 208, 210
 Greenwall, B. S., 381
 Gudas, J. P., 98, 100, 113

H

Hanlein, S. L., 500
 Hardie, Donald, 207, 208, 534
 Hasse, K. R., 132
 Hastelloy C, 276
 Hastelloy G, 284
 Hayden, H. W., 115, 124
 Holroyd, N. J. H., 202, 207, 241, 288, 534
 Hudak, S. J., Jr., 85, 86, 102, 329, 337
 Humidity, 252-253
 Hydrogen charging, 208-209

Hydrogen embrittlement, 10, 24
 Aluminum alloys, 123-125, 204, 527, 530-533
 Corrosion fatigue, 542-545
 Loading mode, 115, 117, 123
 Mechanism, 204, 539
 Model, 35-41, 45
 Particle overaging, 122
 Water vapor environment, 527, 530-533
 Hydrogen entry, 22, 545, 546
 Hydrogen environment, wet, 479-483
 Hydrogen recombination "poison," 115, 118
 Hydrogen sulfide gas environment, 329-339

I

Inconel 600, 310-322
 International Committee on Cyclic Crack Growth Rates (ICCGR) round robin, 417, 455-459
International Metallurgical Reviews, 174
 Iodine SCC propagation in Zircaloy tubing, 150-168
 Iron, high purity, 344-345, 346, 356, 357
 Iron-based alloys, 42
 Iron-caustic systems, 341, 344-347
 ISO TC 156 Working Group standards, 30

J

J-integral elastic-plastic fracture mechanics approach, 99-103, 105, 107-113
 Johnson, A. Burton, Jr., 256
 Jolliff, J. V., 498

Jones, Russell H., 256
 Joyce, J. A., 100

K

Kermani, M., 306, 410
 Kies, J. A., 87
 K_{Isc} test methods, 75-79, 99, 384
 Khobaib, M., 242
 Kikukawa, M., 498
 Kojima, Y., 203
 Kreyens, P. H., 158, 159, 163

L

Landes, J. D., 99, 470
 Langenbeck, S. L., 52
 LaQue Center for Corrosion Technology (LCCT), 103, 484
 Leax, T. R., 470
 Leis, B. N., 341
 Lewis, J. E., 165
 Liaw, Peter K., 426, 470
 Life prediction, 363, 365, 470
 Methodology, 338-339
 Light Water Breeder Reactor Project (LWBR), 152, 163
 Light water reactor pressure vessels, 443-444
 Linear-elastic behavior, 495-496
 Linear elastic fracture mechanics (LEFM) analysis, 43, 158, 163, 484
 Aircraft components, 64-66
 Crack growth model, 165, 168
 Crack tip strain rate, 345, 346, 350, 352
 SCC testing, 98-99, 106, 109, 112
 Liquid diffusion rate, 40-43, 44
 Lisagor, W. Barry, 80
 Lithium hydroxide additions, 316, 317
 Load change effects, 393-397

Load-pulsing technique, 399-411
 Loading mode
 Cyclic, 361-362
 Effects, 337-338, 375, 387-388, 390-393
 Mixed, 120, 123
 Mode I, 115, 117, 119, 120, 123-127
 Plane-strain fracture toughness, 137, 146-148
 Mode II, 115
 Mode III, 115, 117-119, 124, 125, 127
 Sequential, effect of, 384-397
 Testing, 114-125
 Lockheed Design Handbook, 54
 Lockheed laboratory test program, 55-63
 Logsdon, William A., 426
 Lunde, L., 150, 152
 Lynch, Charles T., 242

M

Macdonald, B., 162
 Magnesium concentration effects, 216, 219, 237
 Additions, 184-188, 194, 199, 200
 Magnesium oxide films, 237
 Magnesium oxide flaws, 226, 227
 Maitra, S., 204, 206, 210, 236
 Mandel, J., 76
 Manning, P. E., 283
 Marcus, H. L., 527
 Marine environment (*see* Aqueous marine environments; Seawater environments)
 Mason, N. P., 499
 Material/environment combinations, screening, 506-508
 Material variables, effects, 271-285
 History, 453-460
 McCabe, D. E., 337

Metallography, 296-299
 Microcomputer data acquisition system, 484-496
 Mierke, G., 207
 Miller, A. K., 151
 Modified compact bolt loaded specimens, 82-90
 Monotonic loading tests, 24-30
 Navy standard test method, 416-424

N

Nelson, Howard G., 173
 Neppiras, E. A., 499, 500
 Newman, J.C., Jr., 517
 Newman, Roger C., 127, 310
 Nickle addition effects, 7-8
 Nickel-base alloys, 284, 285
 Nielson, N. A., 498
 Nondestructive inspection (NDI) techniques, aircraft components, 66, 69
 Novak, Stephen R., 75, 85, 86, 390
 Nuclear industry
 Components, 427-442
 Fatigue crack growth studies, 417
 Reactor crack growth, 443-444
 Nutting, J., 297

O

Olandor, D. R., 163
 Outwater, J. O., 129, 130, 147
 Overaging, 213, 216, 219, 231
 Oxide rupture rate, 40-43, 44

P

Parkins, R. N., 5, 203, 279, 288, 344, 381
 Passivation rates, 36-40
 Peehs, M., 151, 152
 Pengra, J. J., 52
 Percent elongation, 246-247, 249-251
 pH changes, 320, 321

pH effects, 14-15, 283, 284, 288
 Pipeline Research Committee of the American Gas Association, 368
 Pipelines, buried, 368-369
 Piper, D. E., 535, 536
 Pitting, 119, 200
 Alloy microstructure, 192-194, 198
 Intergranular, 195, 197
 Morphology, 509-511
 Potential, 10, 283-284
 Pizzo, Patrick P., 173
 Plane-strain conditions, 146-147
 Potential (*see also* Electrochemical potential effects)
 Changes, 384-397
 Effects, 11-13
 Poulou, P. K., 146
 Povich, M. J., 257
 Powder metallurgy (P/M) technology, 174-175, 184, 193
 Pre-charging effects, 208-209
 Precracked geometry
 Effects, 80-96
 Testing method, 23-24, 350-353, 357-362
 Use of, 30
 Pre-existing active-path mechanism, 34
 Pre-exposure effects, 208-209
 Pressurized water reactor (PWR) environments
 Breakdown, 430
 Corrosion fatigue crack growth in, 426-442, 444
 Fuel piping system failure, 257
 Pugh, E. Neville, Ed., 1, 128, 390, 400, 551

R

Rising load accelerated K_{Isc} testing procedure, 99
 Ritchie, R. O., 478, 480

Roberge, Réal, 310
 Roberts, J. T., 163
 Rolfe, S. T., 390
 Rosenbaum, H. S., 165
 Roth, Lewis D., 497
R-ratio effects, 460-461
 Rudd, George E., 426
 Rungta, Ravi, 341

S

Salt effects, 250-253
 Sanders, T. H., Jr., 174
 Saxena, A., 85, 86, 102, 329, 478
 Scamans, G. M., 202, 241, 544
 Scott, P. M., 545
 Scully, J. C., 306, 410
 Seawater environments (*see also*
 Aqueous environments; Aqueous
 marine environments)
 Bronze, 20, 24-25
 Titanium testing, 103-112
 Service failure
 Aircraft components, 63-69
 PWR pipes, 258-260
 Service life extension, aircraft com-
 ponents, 69-70
 Shann, S., 163
 Shih, T. T., 325
 Shot-peening, 279, 285
 Sih, G. C., 162
 Simenz, R. F., 52
 Singbeil, D., 42
 Single-edge-cracked cantilever bend
 specimen, 80, 84-85, 87-88,
 90-93
 Slattery, P. W., 399
 Slip-dissolution model, 35-37, 40
 Slow crack growth tests, 179, 185-
 188
 Slow strain-rate tests, 181, 188-194,
 197, 199, 344
 Aluminum alloys, 202-239, 242-
 255
 Applicability, 43
 Controlled-atmosphere, 242-255
 Criticism of, 23-24
 70/30 brass, 288-309
 Steels, 7-8, 13-15, 271-285
 Stress corrosion, 202-239
 Validity, 44-45
 Smith, H. R., 535, 536
 Smith, J., 399
 Smooth specimen tests, 344-349,
 353-357
 Solomon, H. D., 279
 Solution (*see also* Environment
 effects)
 Composition effects, 6-11
 Conductivity effects, 280-282, 284
 Geometrical discontinuities, 13-19
 Specimen configuration effects, 80-
 96, 387-390
 Speidel, M. O., 132, 534
 Sprowls, D. O., 132
 Staehle, R. W., 278
 Starke, E. A., Jr., 174
 Static versus dynamic tests, correla-
 tion, 319-321
 Steel-caustic systems, 341-365
 Steels
 Aircraft components, 55
 AISI Type 300M, 56, 59, 60, 63
 AISI Type 403, 502-512
 AISI Type 4340, 56-67, 76, 80-96,
 99, 118, 125, 326-339
 ASTM A 469, 435-437
 ASTM A 471 turbine disk, 350,
 351, 358, 360, 362
 ASTM A 533, 435-437, 439-442
 C-Mn, 8, 16-18, 27
 C-Mn API line-pipe, 369-381
 Carbon, 46
 Corrosive environment, 471-483
 Cr-Mo, 44, 45
 Crack propagation rate, 42-43
 Fracture behavior, 71
 HY-103, 380-397, 420, 423-424
 Hydrogen sensitivity, 118, 125,
 479-480

- K_{Isc} measurement procedures, 75-79
 Low-strength, 479-480
 Maraging, 13-15, 124
 Mild, 11, 13, 42-45
 Nitrate solution, 127
 Pressure vessel, 435-442
 Prestressing, 8, 10
 SCC behavior of, 59, 62, 384-397
 Type 304, 271-285, 400, 401, 471-483
 Sensitized, 46, 256-269, 317, 321
 Type 310, 400, 410
 Water environments, 44, 45
 Stewart, A. T., 478, 480
 Stoltz, R. E., 208
 Strain, 153
 Elastic strain energy density, 160-162
 Strain-assisted active-path mechanism, 34-36
 Strain rate
 Aluminum alloys, 203-205
 Crack initiation, 282, 284, 295, 298, 300, 302-306
 Crack propagation, 41
 Crack tip, 42-45
 Effects, 19-24, 293, 346
 Stress
 Cyclic, 368-381
 Fluctuating, 374-376, 380
 Relief effects, 505-506
 Stress corrosion
 Corrosion fatigue, 537-538
 Evaluation, 98-112
 Mechanisms, 32-47
 Resistance, 223, 231, 238
 Stress corrosion behavior test methods, 173-200
 Stress corrosion cracking (SCC)
 Growth (*see also* Crack growth; Fatigue crack growth), 128-148
 Initiation, 271-285, 288-309
 Intergranular, 11-12, 14-15, 27
 Resistance, 256-269
 Loading mode testing for, 114-125, 384-397
 Potential change effects, 384-397
 Test methods, 152, 153, 310-322, 343-353
 Threshold effects, 387-390
 Velocity, determining (*see also* Crack velocity), 399-411
 Stress corrosion tests
 Accelerated, 43, 46
 High-humidity, 60-61
 Specimen configuration, 88-93
 Stress intensity
 Crack growth rate, 90, 91, 146
 Crack initiation, 80-96, 288-289
 Critical, 137, 148
 Displacement expressions, 85-88
 Versus time to failure, 92, 93
 Surface conditions effects, 208, 268, 279
 Surface-energy related models, 34-35
 Surface flaw depth, initial, 163-164
- T**
- Tada, H., 85, 87, 88
 Takahashi, T., 203
 Telsersen, A., 42
 Temperature effects (*see also* Aqueous environments, low-temperature), 159, 277, 278, 284-285
 Tetrathionate effects, 313-314, 316, 321, 322
 Thiosulfate effects, 311-314, 316, 317, 320-322
 Thompson, Anthony W., 114, 127
 Three Mile Island Unit I failure, 258
 Threshold-stress determination, 368-381

Tien, J. K., 499, 542
 Time effects, 19, 21, 188, 190
 Time-to-failure versus stress intensity, 87, 92, 93
 Tipton, David G., 484
 Titanium alloys
 Crack propagation rate, 42
 Fracture toughness, 109-111
 SCC susceptibility 99-112
 Testing, 81
 Ti-6Al-4V, 99, 504
 Ti-7Al-2Cb-1Ta, 99-112
 Trantina, G. G., 130
 Tromans, D., 42, 297
 Truswell, A. E., 545
 Tseng, A. A., 130
 Turnbull, A., 14, 43

U

U-bend tests, 257, 263-269, 313-314, 320-321
 Ugiansky, G. M., Ed., 1, 210, 233, 551
 Ultrasonic fatigue testing techniques, 497-512

V

Van Der Sluys, William A., 443
 Van der Velden, R., 359
 Vermilyea, D. A., 41

Videm, K., 151, 152
 Virkar, A. V., 139

W

Water environment (*see* Aqueous environments; Aqueous marine environments; Seawater environments)
 Water vapor effects, 514-531
 Wei, Robert P., 75, 152, 522, 530
 Welded joints testing, 203
 Wheeler, C., 522, 524, 530
 Wiedmer, E., 204, 210
 Willertz, Lothar E., 497, 499
 Williams, D. P., 130
 Williams, J. C., 124
 Wood, J. C., 163

Y

Yaggee, F. L., 153, 159, 163
 Yeske, Ronald A., 113, 128, 240
 Yield strength effects, 334-339
 Yoder, G. R., 415
 Yu, J., 288

Z

Zinc effects, 385, 388
 Additions, 221, 223, 225
 Zircaloy-4 alloy plates, 181
 Zircaloy tubing, 150-168