

Index

A

Adamson, R. B., 1, 427, 837
 Ambler, J. F. R., 653
 Anisotropy, 133, 269
 Anneal hardening, 176

B

Baro, G., 200
 Baty, D. L., 306
 Biaxial tube tests, 136
 High temperature, 734, 780
 Brown, R., 57
 Brun, P., 37
 Burman, D. L., 780
 Burst testing
 High temperature, 695, 709

C

Cantilever beam test, 653
 Causey, A. R., 269
 Chapman, O. J. V., 343
 Chapman, R. H., 693
 Cheadle, B. A., 88, 210
 Choubey, R., 176
 Chung, H. M., 793
 Clayton, J. C., 572
 Clevinger, G. S., 306
 Coleman, C. E., 210, 675
 Compression testing, 178
 Corrosion
 Impedence measurements, 531
 In-pile, 483, 554
 Out-of-pile, 483, 507, 519, 554

Cox, B., 675

Crack

 Hydrogen assisted, 627, 653, 675
 Initiation, 595, 627
 Propagation, 595, 627, 653, 675
 Creep, 157, 167, 269, 343
 High temperature, 780
 Creep compliance, 369
 Crowley, J. L., 693

D

Darby, E. C., 376
 Davis, D. D., 780
 Dietrich, M. R., 306

E

Einzig, R. E., 595
 Electrolytic deposition, 33
 Electron-beam melting, 57
 EXCEL, 210, 427
 Extraction
 Caustic fusion, 23
 CESUS process, 41
 Chlorination, 21, 27
 Direct, 39
 Distillation, 15
 Electrowinning, 31
 History, 5
 Hydrostatic, 73
 MIBK-Thiocyanate process, 24,
 37
 Purification furnace, 13
 Ratio, 77, 227
 Reduction furnace, 7

Extraction (*continued*)

Salt distilling furnace, 9
 TBP-Nitric acid process, 24
 Zr-Hf separation, 23, 37, 45

J

Jiaqi, D., 73
 Jie, Z., 73
 Jonas, J. J., 176

F

Fidleris, V., 427
 Fleck, R. G., 88, 409
 Flow softening, 176
 Fracture toughness
 Hydride orientation, 81
 Franklin, D. G., 1, 837
 Fuel storage, 595
 Fujii, N., 125
 Fukita, K., 244
 Furuta, T., 734

K

Kakuma, T., 244
 Katoh, Y., 45
 Kawasaki, S., 734
 Kerwin-Peck, D., 810
 Kimpara, M., 244
 Knorr, D. B., 627
 Komatsu, M., 125
 Konishi, T., 256
 Kroll process, 5
 Kubota, H., 125

G

Garde, A. M., 289, 483
 Garzarolli, F., 289, 483
 Growth, 343, 376
 Cold work, effect of, 289, 306,
 427, 452
 Dislocation density, effect of, 409
 Grain shape, effect of, 409
 Grain size, effect of, 398
 Texture, effect of, 398

L

Leger, M., 409
 Leistikow, S., 763
 Lithium hydroxide
 Corrosion, effect of, 519
 Load-change tests, 167
 LOCA, 134
 Bundle tests, 693
 Deformation, 709
 Hydrogen, effect of, 793
 Mechanical properties, 734
 Very high temperature, 747, 763,
 780, 793, 810
 Zircaloy-steam reaction, 747, 763,
 793
 Zircaloy-UO₂ reaction, 747, 810
 Longest, A. W., 693
 Lutz, R. D., 780

H

Hafnium separation (*see* Extraction)
 Hagen, S., 747
 Hardness Brinell, 10
 Hindle, E. D., 133
 Hochreiter, L. E., 780
 Hofmann, P., 810
 Holt, R. A., 269
 Honji, M., 256
 Hydriding, 210, 380, 554, 572
 High temperature, 734

M

MacEwen, S. R., 269
 McDonald, S. G., 519
 McElroy, R. J., 343
 Manzel, R., 289
 Miller, A. K., 595

I

Iphorski, M., 210

Minty, D. C. C., 376
 Mitchell, A., 57
 Miyazaki, H., 45
 Moulin, L., 37, 225

N

Nagai, N., 244
 Nicoll, A. R., 200
 Nikolopoulos, P., 810

O

Okubo, T., 157
 Oxide (and oxidation)
 Composition, 483
 Density, 483
 Dielectric constant, 549
 High temperature, 734, 793
 Porosity, 531
 Specific heat, 483
 Thermal conductivity, 483

P

Papazoglou, T. P., 306
 Pavinich, W. A., 306
 Pelloux, R. M., 627
 Peltier, J. M., 627
 Peters, H. R., 507
 Pole figure, 245, 312, 413, 633
 Price, E. G., 88

Q

Quality control, 125

R

Recrystallization, 106, 200, 225
 Reschke, S., 225
 Rizkalla, A. S., 176
 Rogerson, A., 394
 Rosecrans, P. M., 531

S

Sabol, G. P., 519
 Sagat, S., 709
 Schaa, A., 106
 Seeger zones, 460
 Sheldon, B. E., 343
 Sheppard, K. D., 519
 Sills, H. E., 709
 Smerd, P. G., 289, 483
 Stehle, H., 483
 Steinberg, E., 106
 Stephens, W. W., 5
 Strain hardening, 170
 Stress-corrosion cracking, 157, 595,
 627
 Stress relaxation, 160, 272
 Suzuki, H., 157

T

Takahashi, M., 45
 Tanaka, Y., 125
 Tasooji, A., 595
 Tenckhoff, E., 225
 Tensile testing, 134, 203, 215, 576
 Texture, 134, 229, 244, 256, 387, 429,
 595, 627
 Thomas, G. R., 793
 Thouvenin, P., 37
 Tieqi, Y., 73
 Tucker, R. P., 427

U

Uetsuka, H., 734
 Ultrasonic velocity, 256
 Urbanic, V. F., 554

W

Walsworth, J. A., 709
 Weidinger, H. G., 106
 Wessjohann, H. G., 200
 Wenxian, H., 73
 Willard, H. J., 452

Williams, J., 376
Worswick, D., 133

Y

Yan, L., 73
Yield strength
 Zircaloy-4, 109, 205
Yunxia, Z., 73

Z

Zhenhe, L., 73
Zircaloy-2
 Corrosion, 531
 Cracking, 675
 Creep, 157, 343
 Growth, 343, 376, 394, 427, 452
 Hydriding, 210, 554, 572
 Mechanical properties, 134, 572
Zircaloy-4
 Cold work, 106
 Corrosion, 483, 507, 519, 531
 Creep, 157, 289, 306
 Growth, 289, 306, 427, 452
 Heat treatment, 106

Mechanical properties, 106, 134
Recrystallization, 200
Texture, 306
Ultimate tensile strength, 306
Yield strength, 205, 289

Zirconium

Electron-beam melting, 57
Growth, 394
Purity, 41, 51, 59
Separation (see Extraction)
Zirconium tetrachloride, 7

Zr-2.5Nb

Corrosion, 653, 675
Cracking, 92, 554
Creep, 99, 269
Dislocation density, 98
Flow softening, 176
Flow stress, 181
Growth, 100, 409, 427
Hydriding, 77, 92, 210, 554
Hydrostatic extrusion, 73
Mechanical properties, 76, 93
Pressure tubes, 88
Purity, 92
Texture, 98

ZrN, 59