

Index

A

- Acid rainfall, 229, 304
- Acoustic radar, 81
- Acoustic sounders, 222
- Adaptation to ozone, 602
- Adiabatic, 423
- Aerosols, 68, 144, 150, 207, 226, 227, 230, 431, 442, 461, 462, 467, 499
- Agreements, international, 27-29
- Agung eruption, 491-494, 499
- Air basins, 366, 537, 600
- Air mass, 447
- Air monitoring
 - Oxidant, 367, 368, 374, 537
 - Ozone, 367, 368
- Air pollution
 - Classifications of stability for, 222
 - Control legislation, 311-332
 - Effects on climate, 224-231
 - Studies, emphasis in, 55
 - Photochemical, 407
 - Potential of new or altered site, 213
 - Total environment context, 56
- Air quality
 - Atmospheric pressure, 70, 71
 - Humidity, 68
 - Indexes, 538, 539, 541, 547
 - Instrument exposure, 71
 - Management, 330
 - Models, 235-335
 - Oxidant, 539-553
 - Precipitation, 70
 - Prediction schemes, 280-287
 - Standards derived from animal studies, 598
 - Visibility, 71
- Aircraft, 479, 480
- Albedo, 129, 133, 134, 226, 228
- American Meteorological Society, 58, 334
- American Society for Testing and Materials (ASTM), 8-11, 58
- Analysis of variance, 544
- Anemometers, 60-64, 76, 81, 209
- Animal models, effect of ozone on, 578
- Anthropogenic ozone, 365, 382, 447, 468, 496, 506, 519, 524, 533, 535
- Anticyclonic systems, 447, 451, 455, 456
- Applied
 - Climatology, 612
 - Meteorology, 612
- Atmospheric
 - Chemistry, 229
 - Electricity, 229
 - Ozone, 462, 480
 - Reactive pollutant model, 276-303
 - Scales
 - Time (period), 56, 57
 - Length (wavelength), 57
 - Stability systems, 214-217, 219, 221, 222
- Autocorrelation, 164

- Automation
 Aviation weather observations, 37, 39, 41-46, 48-51
 Basic principles of, 38
 Surface observation, 37
 Testbed for automated observations, 39, 40
 Visibility, 36
 Averaging time, 75
- B**
- Background
 Ozone, 366, 382, 506, 513
 Pollutant, 10
 Backscatter, 38, 133-135, 141, 143, 161, 344, 496
 Bacteria, decrease of clearance caused by ozone, 588
 Balance equation, 318
 Barometer, 6, 7, 70, 71
 Barrier flow experiment, 321-327
 Bay area (San Francisco), 207, 295, 296, 550
 Best available control technology, 279
 Best practical means, 330
 Biochemical effects of ozone, 589-591, 599, 601, 603
 Bivane, 64
 Boundary layer (atmospheric, planetary) (PBL), 79, 80, 200, 202-204, 209, 241-243, 248, 258, 270, 309, 313-315, 321, 327, 422, 442
 Box models, 268
 Brewer-Dobson theory, 502
 Brewer/Mast ozonesonde, 348
 Brewer spectrometer, 342
 Brookhaven (BNL) stability (gustiness) classifications, 215-217, 219, 221, 255
 Budget
 Mass, 507
 Ozone, 480-483, 507
 Radiation, 83, 133, 143
- C**
- Calibration
 Instruments, 564
 Low gas concentrations, 563-571
 Measurement systems, 75
 Services at the National Bureau of Standards (NBS), 14
 Thermometer, 7
 California air basins, 366, 536-544, 549-553, 600
 Camera, meteorological satellite, 93
 Carbon dioxide (CO₂), 227, 228, 305
 Carbon monoxide (CO), 254, 262-264, 267, 268, 270, 272, 288, 368, 373, 374, 376, 381, 408, 409, 461-463, 466, 471, 477, 555-561
 Ceiling height, 44, 45, 47, 48
 Ceilometer, 38, 39, 45
 Central Valley (Calif.), 550-553
 Chappius bands, 347
 Charcoal filtration, 371, 373
 Chemical
 Kinetic model, 408
 Kinetics calculations, 277
 Mechanisms in polluted atmospheres, 284, 285
 Transformation, 283
 Chemiluminescent, 285, 348, 467, 555
 Chromatography, 467, 563, 566, 569
 Chromosomal effects of ozone, 592
 Circulation
 Meridional, 507, 509
 Clean Air Act, 263, 278, 329-335, 365, 445
 Climate, 224-231
 Climate Research Program, 138, 141, 146, 151
 Climatology, 612

Cloud

- Atlas, 8
- Cover, 228, 229
- Observations
 - Amount, 41
 - Height, 41, 110, 112
 - Number of layers, 43
 - Satellite, 110-112
 - Sky cover, 44
- Tracking, 112, 113
- Coastal zones, 199-212
- Coherent radar, 160
- Cold fronts, 390, 392, 394
- Computing facilities, National Center for Atmospheric Research (NCAR), 184-193
- Concordance, 547
- Condensation nuclei, 461-463, 466, 471, 477
- Convection, 235, 250, 251, 254, 480
- Convective mixing depth, 242
- Coriolis parameter, 236
- Cost benefit, 330
- Crosswind spread of pollutant, 241, 243, 245, 246, 257
- Cumulus convection, 480

D

Data

- Analyses of ozone concentrations, 408-413, 419
- Formats, 188-189
- Processing and storage, 183-195
 - National Center for Atmospheric Research (NCAR), 183, 184, 192
 - National Oceanic and Atmospheric Administration (NOAA), 193
 - National Climatic Center, 193
- Reduction, 191-192
- Retrieval, 183, 186-187
- Sets, 192-193

Definitions, standard

- Cloud type, 8
- Wind direction, 7
- Delta-T stability classification, 216, 217, 219
- Dew point, 24, 25, 68, 69
- Diffusion, 55, 56, 199, 205, 207, 210, 211, 235, 249, 262, 264, 273, 296-298, 307, 312
- Eddy, 235-237, 248, 254, 283, 295
- Turbulent, 276, 280, 283
- Diffusivity, 283, 294, 295
- Digital processors, 160
- Dilution, 282, 565
- Dispersion, 56, 213, 235, 237, 240, 246, 253, 282, 294
- Crosswind
 - Laboratory modeling of, 246, 247
 - Second-order closure modeling, 247, 252
 - Estimates, 213-215, 221
- Dobson network, 491-505
- Dobson spectrometer, 133
- Dobson spectrophotometer, 341, 342, 345
- Doppler
 - Pulsed, 166, 177
 - Radar, 159-182
 - Shift, 172
 - Spectrum, 162-165, 169, 170, 179
- Dynamic compliance, 577
- Dynamic response, 75

E

- Earth radiation budget, 133, 141, 143
- Eddy
 - Diffusion, 235-237, 248, 254, 283, 295
 - Diffusivity, 236, 237, 283, 295
 - Large-scale, 507
- Electrical conductivity, measurement of, 230

Electricity, atmospheric, 229
 Electrochemical concentration cell (ECC), 348
 Electrochemical ozonesonde, 347
 Electromagnetic radiation (EMR), 83-155
 Microwave, 86
 Molecular transitions, 86
 Rotational transitions, 86
 Spectrum, 84, 86, 87, 91
 Transmittance, 86, 90
 Emissions, 263, 264, 281, 295, 296, 329
 Dynamic, 279, 280, 292
 Indexes, 539, 541, 549, 550
 Inventories, 297-298, 300, 307, 331
 Primary pollutant, 278
 Standards, 330
 Taxes, 330
 Empirical quantile-quantile (EQQ) plots, 409-412, 415
 Emulsions, 87
 Environmental Protection Agency
 Development of EPA guidelines, 331-334
 Guideline for management of air quality, 329-335
 Institute for Air Pollution Training, 56
 Monitoring and Data Analysis Division, 536
 New England Ozone Study, 436
 Sourcebook, 298
 Episodes, ozone, 445-456, 523, 533
 ESSA satellite, 90
 Eulerian flow, 242, 244

F

Fallout, 506, 513-518
 Federal Motor Vehicle Emission Control Program, 446
 Feedback, 563-571

First GARP Global Experiment (FGGE), 184, 185
 First-order system, 76
 Fluorocarbons, 368, 494, 496, 499, 504, 505, 563, 564
 Flux, mass, 252, 507, 511
 FM-CW radar, 159, 171-173, 177
 Forced expiratory volume, 576
 Forced vital capacity, 577
 Fossil fuels, 227, 228
 Friction velocity, 236
 Front, 375, 377, 378, 381, 389, 390, 392, 394, 402, 405, 510
 Froude numbers, 323
 Fuego eruption, 491-493, 504
 Fumigation, 207, 210

G

Global Atmospheric Research Program (GARP), 138, 184
 Global Atmospheric Research Program (GARP) Atlantic Tropical Experiment (GATE), 184
 Global Atmospheric Sampling Program (GASP), 461-477, 480
 Gaussian
 Hill, 325
 Distribution, 238, 240, 241
 Plume model, 210, 237, 238, 251, 255, 263, 273
 Global Data Processing System (GDPS), 28
 Global Observing System (GOS), 28
 Global Ozone Network, 341, 342, 350
 Global Telecommunications System (GTS), 29
 Gradient transfer, 237, 248, 256
 Grid models, 271, 273, 296

Guidelines, EPA, 329-335
 Guidelines to air quality instruments
 59, 70

H

Hartley bands, 346
 Hay-Pasquill hypothesis, 244
 Health, human
 Effects of ozone on, 597-605, 619
 Heinz bodies, 590
 High pressure systems, 390, 392, 393,
 405
 Huggins ozone absorption bands,
 341, 342, 344, 345
 Humidity
 Calibrations, 24, 26
 Fixed points, 23, 26
 Gravimetric hygrometer, 24
 Measurement instruments, 23, 24
 Measurement techniques, 68
 Microwave hygrometers, 26
 Precision generators, 25, 26
 Sensor, 68
 Services of the National Bureau of
 Standards (NBS), 26
 Standards, 23
 Units of, 23
 Hurricane, 124
 Hydrometeors, 161, 165
 Hydrocarbons, 285, 286, 288-290,
 382, 407, 416, 531, 533,
 539, 549, 553, 555
 Hygrometer, 24, 26

I

Ice analysis, 115, 119-124
 Image tubes, 87
 Indexes

Air quality, 541, 547
 Emissions, 539, 549, 550
 Inert substances, modeling, 262-275
 Integral or box models, 268
 RAM, the EPA urban model, 269
 Urban diffusion model, 270
 Three-dimensional grid models,
 271
 Two-dimensional grid models, 271
 Trajectory models, 271
 Infrared
 Method, 344
 Radiometers, 83, 90, 95, 102
 Radiation, 88, 89
In situ observations, 347
 Instrumentation
 Meteorological (see Meteorolog-
 ical instruments)
 Satellite (see Satellite)
 Integral models, 268, 269, 273
 International agreements, 27-29
 International Council of Scientific
 Unions (ICSU), 138
 International Geophysical Year,
 227, 350
 International Meteorological Orga-
 nization (IMO), 29
 International Ozone Commission
 (IOC), 342
 International Practical Temperature
 Scale (IPTS), 17, 19, 21
 Inversion
 Layers, 525
 Mathematical, 102
 Nocturnal, 524, 525, 530, 531
 Subsidence, 538, 550, 552
 Ion spectrum, measurement of, 230
 Isentropic
 Charts, 423
 Surface, 423, 440, 442, 510
 Trajectories, 422, 423, 429, 431,
 435, 436, 441, 442, 533
 Isopleth maps, ozone, 449, 452, 453,
 528, 529

K

- Klucke and Paetzold ozone instrument, 349
- Komhyr electrochemical concentration cell, 348

L

- Lagrangian
 - Auto-correlation function, 244
 - Correlation coefficient, 236
 - Photochemical model, 293, 294
 - Similarity theory, 235, 242-244, 248
 - Time scale, 236, 243
 - Trajectory models, 296
- Lake breezes, 205, 208, 209, 308
- LANDSAT, 90, 95, 127-130
- Land-use planning, 279
- Layers
 - Boundary (see Boundary layer)
 - Mixed (see Mixed layer)
 - Stable (see Stable layer)
- Legislation, air pollution control, 311-332
- Length scales, meteorological, 308
- Limb radiance infrared radiometer (LRIR), 135, 346, 350
- Los Angeles Air Basin, 264, 288, 289, 295, 409, 419

M

- M-83, 341, 342
- Marine layer, 551
- Mass budget, 507
- Matthews filter-type instrument, 342
- Measurement
 - Air quality, 299
 - Airflow system, 463, 464

- Application, 75
- Atmospheric quality factors, 74, 75
- Averaging time, 75
- Constituent instruments, 465-467
- Data acquisition/control, 465
- Dynamic response, 75
- Electromagnetic radiation, 83-155
- Emissions inventories, 297, 298
- Evaluation procedures for tropospheric ozone budget, 480-482
- Filtering, 78
- First-order system, 76
- Frequency, 77
- Humidity, 23, 24, 68
- In situ*, 462, 466
- Meteorological, 298, 299
- Meteorological and support data, 468
- Pressure, 15, 70, 71
- Smoothing, 77
- Transient response quantification, 75-77
- Mesoscale, 308-311, 314-327
- Meteorological instruments, 55-73, 298, 299, 610
 - Criteria for selecting sensors, 57
 - Dynamic response, 75
 - Exposure, 71
 - First-order, 77
 - Guidelines for, 59, 60
 - Humidity, 23-26, 55, 59, 68, 69
 - Precipitation, 55, 70
 - Pressure, 15, 55, 70, 71
 - Primary and secondary, 56
 - Satellites, 83-155
 - Second-order, 76
 - Solar radiation, 55, 65, 68
 - Systems approach, 56
 - Temperature, 5, 6, 20, 55, 64, 65-67

- Terminology, 57, 58
- Transient response, 75-77
- Turbulence, 55
- Visibility, 35-38, 55, 71
- Wind, 55, 60-64, 76
- Meteorological measurement terminology
 - Glossary of meteorology, 57
 - Guide to meteorological instrumentation and observing practices, 57
 - International System of Units (SI), 58
 - Related to components of a measuring system, 57
 - Related to the measuring process, 58
 - Standards for surface measurement
 - Prescribed techniques, 58
 - Need for standards and guidelines, 58
- Meteorological variables, importance of in sampling
 - Air history, 8
 - Instrument specification, standard methods for measuring, 9
 - Pressure, 8
 - Site selection, standard criteria for, 9
 - Temperature, 8
- Meteorology
 - Applied, 612
 - Operational, 27, 29, 31, 33
- Methane (CH₄), 376, 381
- Metrology, 13
- Metromex Project (St. Louis), 226
- Microfilm, 183
- Midmaximal expiratory flow rate, 577
- Mixed layer, 235, 250-252, 254, 304, 305, 309-313, 315
- Mixing depth, 236, 262, 265
 - Convective, 242
- Mixing ratio, ozone, 340, 423, 466, 471, 511
- Modeling
 - Air quality, 235-261, 262-275, 613
 - Laboratory, 246, 247
 - Ozone concentrations, 413
 - Second-order closure, 247, 252
- Models
 - Advection, 294
 - Air quality, 235-335
 - Atmospheric diffusion in coastal zones, 210
 - Gaussian plume, 210, 237, 238, 251, 255, 263, 273
 - Grid, 271, 273, 296
 - Inert substances, 262-275
 - Integral, 268, 269, 273
 - Lagrangian, 293, 294
 - Mathematical, 278
 - Mesoscale, 314-327
 - Meteorological, 304-328
 - Mixed layer, 309-313
 - Numerical, 293, 296
 - Photochemical, 293, 296-298, 301
 - Reactive, 276-303
 - Real data forecast on the meso- α scale, 316-318
 - Rollback, 287-290, 292, 297, 300
 - Simulation, 276, 287, 390
 - Simulation of light flow on the meso- β scale, 319-321
 - Simulation of stable flow over complex terrain, 321-325
 - Smog chamber, 291-293
 - Statistical, 287-290, 301
 - Time series, periodic, 417
- Molecular transitions, 86
- Monin-Obukhov
 - Length, 236, 249, 267
 - Universal function, 236

Morphological effects of ozone, 578
 Mutagenic effects of ozone, 591

N

National Aeronautics and Space Administration (NASA), 25, 109, 145, 146, 461-463, 465, 466, 469, 473, 476, 477, 480

National Ambient Air Quality Standards (NAAQS), 277, 389, 390, 394, 523, 533, 535, 539

National Bureau of Standards (NBS), 13, 14, 16, 17, 20, 24-26

National Center for Atmospheric Research (NCAR), 8, 183, 185

 Computing Facility, 184-193

National Oceanic and Atmospheric Administration (NOAA), 58, 109, 141, 265

National Weather Service (NWS), 70, 159, 266, 402, 404, 447

New York State, ozone measurements, 523-535

Nitric oxide, (NO), 366, 382, 465, 492, 503, 531, 553, 566

Nitrogen dioxide, (NO₂), 285, 286, 288, 290, 292, 299, 366, 382, 555

Nitrogen oxides (NO_x), 288-293, 366, 368, 373, 374, 378, 382, 384, 393, 394, 407, 416, 418, 419, 467, 539, 549, 550, 553

 Emissions, 393, 394

Nitrous oxide (N₂O), 563, 564, 566-570

Nocturnal inversion layers, 448

Nondivergent, 317

Nuclear tests, 492, 494

Nuclei

 Condensation, 226, 461-463, 466, 471, 477

 Freezing, 226

O

Obscuration, 42

Observations

 High oxidant, 422

 Human, 43, 44, 46-48

In situ, 347

 Instrumental, 36, 37, 39, 41, 43-48, 50, 51

Occlusion, 346

Optical

 Filter instrument (M-83), 341

 Ozone measurement, 340, 349

Oxidant episodes

 Santa Ana, 369-371, 373

 Santa Rosa, 380

 Sea breeze fronts, 375-377

 Southeast wind, 374

Oxidants, 365-367, 451, 456, 539-553, 556, 600

 Photochemical, 389, 445, 446

 Trends, 536-551

Ozone, 11, 235, 276, 285, 286, 291-293, 306, 339-605, 609, 615-620

 Adaptation to, 602

 Air-mass-wide elevated concentration, 456

 Analogy to X-rays, 591

 Analyzers, 371

 Animal models, effect on, 578-589

 Anthropogenic, 365, 374, 382, 496, 506, 519, 524, 533, 535

- Atmospheric, 337-605
 Background, 366, 382, 506, 513
 Bacteria clearance, decrease of, 588
 Biochemical effects, 589-591, 601, 603
 Budget, 480-483, 507
 Carbon monoxide and particulate matter concentrations, 555-561
 Carcinogenesis, 591
 Chromosomal effects of, 592
 Chronic exposure to, 578
 Concentration
 Distribution, 407
 Measurement, 425
 Related to meteorological conditions and emissions, 414-416
 Cytogenic effects, 591
 Data analysis, 408-413, 419
 Data base, 471, 473
 Data storage and analysis, 193
 Dilution, 563
 Distribution in a high pressure system, 447, 456
 Dobson network, 491-505
 Dose, 597
 EPA New England Ozone Study, 436
 Episodes, 445, 447-456, 523, 533
 Exposure level, 575
 Exposure with other gases, 603
 Fluorocarbon comparison, 496, 504
 Global distribution, 350, 352, 461-477, 479, 480, 482, 493, 496, 497
 Global ozone network, 341, 342, 350
 Half-life, 448, 616
 High concentrations of, 390-392, 394, 402, 405, 411, 455, 456, 533
 Huggins absorption bands, 341, 343-345
 Human exposure, experimental approaches to, 598-600
 Human health, effects on, 597-605, 619
 In
 Air masses, 448
 Area ahead of cold fronts, 392
 Boundary layer, 421, 442
 Northeast Quadrant of the United States, 447, 451
 Urban plumes, 448, 530
 Indexes, 541, 547
 Intrusion from the stratosphere, 390, 421, 506
 Inversion layers and, 525
 Isoleths, 136, 137, 291-293, 447-449, 451-453, 456, 528, 529
 Latitudinal distribution, 352-354, 484-487, 512
 Lung tissue, effects on, 575
 Mapper system, 143
 Measurement
 Aircraft, 461
 Backscatter (BUV), 344
 Chemical, 345, 347, 348, 555
 Comparisons, 349
 In situ, 345, 347, 463, 466, 615
 New York State, 523-535
 Optical, 339-347, 350
 Remote, 345
 Tropospheric ozone budget, 480-482
 Umkehr, 345, 349, 361, 491, 492, 496, 499, 503-505
 Mixing ratio, 340, 423, 466, 471, 511
 Moodus Ozone Conference, 446
 Morphological effects, 575, 578-588, 594
 Mutagenic effects, 591

- Natural sources, 366, 506
- New York State measurements, 523-535
- Nonanthropogenic, 366-384
- North temperature latitude regions, 492
- Observing sites, 351
- Occupational exposure to, 578
- Peak-hour concentrations, 394
- Photochemical, 340, 366, 382, 391, 405, 418, 446, 506, 536, 445
- Precursors, 291, 382, 393, 394, 402, 405, 448, 456, 533, 535-537, 539
- Production, 366, 390, 405, 408, 530
- Pulmonary function, effects on, 575, 576-580, 588, 593
- Radioactive fallout, correlations with, 513-518
- Residence time, 507, 513
- Respiratory physiology and, 599, 601
- Rural, 523, 524
- Seasonal distribution, 353, 359, 360, 361, 479, 484-487, 496, 499, 512
- Source, 340, 378, 384, 390, 392, 418, 423, 448, 456, 485, 506, 533, 549, 555
- Statistical modeling, 417
- Stratospheric, 228, 378, 380, 422, 425, 429, 431, 435, 440, 442, 484, 499, 506, 530, 533, 563
- Synthesis, 489
- Temperature correlation, 501-504
- Teratological effects, 591, 594
- Threshold concentrations, 597
- Thunderstorm, 378
- Total amount, 133, 135, 340, 344, 474, 476, 477, 491-505
- Toxicity, 600-604
- Toxicology, 575-605, 619
- Transgression velocity, 513
- Transport of, 340, 389-405, 421, 435, 440, 442, 445, 448, 454-456, 468, 535, 555, 615
- Trends, 355, 356, 491-505, 536, 539, 541-545, 617
- Tropospheric budget, 480-482
- Tropospheric concentrations, 421-443
- Urban, 447, 523, 524, 533
- Vertical column, 340, 472-473, 491
- Vertical distribution, 340, 356, 358, 359, 421, 426, 430, 432, 437, 480, 525
 - Average, 356-361
 - In situ* measurements
 - Chemical, 347
 - Chemiluminescent detector, 348, 446
 - Comparison of, 349
 - Electrochemical, 347, 348
 - Optical methods, 349, 350
 - Related to general circulation of the atmosphere, 340
 - Remote systems measurement
 - Ground-based, 345
 - Satellite observation, 346
 - Theory of, 340
- Water vapor, 227, 461, 462, 467, 473, 477, 501-504
- Weather fronts and, 389, 392
- Weekly variation, 407-413, 418, 419
- Ozonesonde, 347, 348, 422, 423, 425, 426, 429, 430, 432, 442
- Ozonogram, 423, 425, 426, 429, 430, 432
- Ozonosphere, 365, 384

P

- Parabolic equation of diffusion, 239
- Particulate matter, 555-561
- Particulates, 226, 230
- Pasquill-Gifford stability classes, 215, 216, 254, 255
- Permeation systems, 563-571
- Peroxyacetyl nitrate (PAN), 368, 374, 380
- Photochemical, 340, 445, 446, 506, 536
 - Air pollution, 407
 - Diffusion models, 299
 - Reactions, 492, 506
 - Smog, 442
 - Theory, 499, 504, 505
- Photometers, 87
- Planetary boundary layer (see Boundary layer)
- Plan-position indicator (PPI), 168, 171, 172
- Platinum resistance thermometer, 20, 65
- Plumes, 81, 241, 265, 270, 271
 - Pollutant, 8, 225
 - Steam, 227
 - Urban, 446, 448, 455, 456, 530, 533
- Pollutant
 - Crosswind spread of, 241, 243, 245, 246, 257
 - Plumes, 8, 225
- Pollution, 224, 225, 227
 - Concentration, estimation
 - Pasquill-Gifford, 254, 255
 - Smith-Singer, 254, 255
- Potassium iodide method for oxidants, 367
- Potential temperature, 423, 443
- Precipitation, 55, 70, 185, 225, 229, 322
- Precursors
 - Ambient concentrations, 291
 - Oxidant, 536, 537
 - Ozone, 382, 393, 394, 402, 405, 448, 456, 533, 535-537, 539
- Predicted
 - Boundary layer depth, 324
 - Precipitation, 322
 - Pressure, 324
 - Vector wind, 323
 - Wind speed, 320
- Pressure
 - Altitude, 443
 - Atmospheric
 - Mercurial barometer, 70
 - Microbarograph, 70, 71
 - Precision barometer, 71
 - Conversion factors, 15
 - Definition, 15
 - Gages, 16, 17
 - Manometers, 16
 - Measurement, 15, 70, 71
 - Measuring systems, 15
 - Pressure and Vacuum Section at the National Bureau of Standards, 14
 - Standards, 14-18
- Processing techniques, determination of
 - Cloud amount, 41
 - Cloud height, 41
 - Sky condition during obscuration, 42
 - Visibility, 42
- Production of ozone, 366, 390, 405, 408, 530
- Propeller anemometer, 60-64
- Psychrometer, 23
- Publications, WMO, 30, 32, 33
- Pulmonary function, effects of ozone on, 575-578

Q

Quasibiennial oscillation (QBO),
355, 491, 493, 494

R

Radar, 87, 90, 159-182
Acoustic, 81
Coherent, 160
Doppler, 159-182
FM-CW, 168-174, 177
Satellite, 87, 90, 143
Radiation
Balance, 134
Budget, 83, 133, 143
Electromagnetic (EMR), 83-155
Infrared, 88, 89
Shields, 65-67, 78
Solar, 55, 65, 66
Radioactive fallout, 513-515, 519
Radiometer
Infrared (IR), 83, 90, 95, 106
Limb radiance infrared (LRIR),
135, 136, 346, 350
Scanning, 93-95, 109, 143
Rain gage, 229
Rainfall, 121, 125
Range gate, 167
Range height indicator (RHI), 168,
171
Raobs, 106, 108
Rawinsonde, 422, 423, 429, 437,
440, 443
Reactive pollutant models, 276-303
Numerical photochemical/diffusion
models, 293-297
Smog chamber models, 291-293
Statistical and rollback models,
287-290, 292, 297, 300
Reflectivity, 175
Regener ozonesonde, 348
Remote observing, 159

Remote sensing, 85
Representativeness of data, 74, 75,
79, 80
Residence time, 507, 513
Respiratory physiology, effects of
ozone on, 599, 601
Richardson's number, 236
Rollback models, 287-290, 292, 297,
300
Rotational transitions, 86
Roughness, 200, 244, 267
Length, 236
Runway visibility (RVV), 35-37
Runway visual range (RVR), 35-37
Rural ozone, 523, 524

S

Saltzman method, 368
Samples, whole air, 467
Santa Ana winds, 366-369, 376
Santa Rosa, 380
Satellite
ATS, 90, 92-95, 98, 102
ESSA, 90, 92-95, 109, 129
Geostationary, 90, 92, 138, 185
Instrumentation
Altimeter, 143
Cameras, 93
Emulsions, 87
Image tubes, 87
Photometers, 87
Radars, 87, 90, 143
Radiometers, 87, 143
Scanners, 87, 90, 93-102, 109,
143
Scintillation counters, 87
Spectrometers, 87, 104
ITOS, 90, 92, 93, 109, 129
LANDSAT, 90, 95, 126-130
Meteorology, 121-138
NIMBUS, 90, 92-96, 98, 99, 104,

- 105, 107, 126, 133, 135-137, 140, 145, 146, 185
- NOAA, 90, 92, 93-96, 98-101, 105, 109, 129, 139
- Ozone measurements, 344, 346
- Polar, 90, 185
- Programs, environmental, 109
- SMS/GOES, 90, 92, 102, 106, 109, 140, 185
- Sounders, 102-109, 143
- Wind observations, 110, 112-114, 116
- Scanners, 87, 90, 93-102, 109, 143
- Sea breeze, 199, 205-209, 308, 375, 376, 378
- SEASAT Program, 141, 143, 145
 - Sensor applications, 143, 144
- Second-order
 - Closure models, 247, 252, 253
 - Equations, 237
 - System, 76
- Sensors, 20, 60, 61, 75, 76, 78, 85, 159
- Shuttle (Space), 145, 146, 149
- Sigma Y (σ_y), 237, 243, 246, 255-257, 259, 263
- Sigma Z (σ_z), 237, 241, 248, 249, 254, 255, 258, 259, 263
- Signal processing, 166-176
- Similarity, 235, 242-244, 248-250
- Simulation models, 276, 287, 390
- Sky cover, 44-47
- Skylab, 126
- Smith-Singer stability curves, 254, 255
- Smog, 289, 291-293, 442, 552
- Smoothing
 - Amplitude and phase change of sinusoidal variation, 77
 - Computation, 77
 - First-order time-constant system, 75-77
 - Length of sensor system, 77
- Snow cover, 129-131
- Soil moisture, 126-128
- Solar proton event, 492, 499, 503
- Solar radiation, 55, 58, 59, 65, 68, 216, 225, 226, 421, 496, 556
 - Action of on oxygen, 421
 - Objective measurements
 - Pyranometers, 65
 - Radiometers, 65
 - Sun photometer, 68
 - Pasquill's classification, 65
 - Shield, 65-67, 78
- Sounders, 102-109, 143
 - Acoustic, 222
- Source
 - Individual, 235-261
 - Line, 241
 - Mobile, 297
 - Multiple, 263
 - Point, 281
 - Stationary, 295, 297
 - Urban, 281
- Spacefab, 145, 149, 150
- Spectrometer, 87, 104, 342
- Stability, 213-223, 267, 268
 - System (classifications), 213-223
- Stable layer, 442
- Standards, 7-11, 26, 29-31, 33, 330
 - Federal air quality, 277, 365, 506, 515, 519
 - Humidity, 23-26
 - International weather reporting, 8
 - Meteorological, 5, 7, 27, 610
 - National Ambient Air Quality Standards (NAAQS), 539, 540, 552
 - National Bureau of Standards (NBS), 13
 - Pressure, 14-18
 - Temperature, 17, 19-22
 - Transfer, 16
 - World Meteorological Organiza-

- tion (WMO) meteorological, 8, 27, 30, 58
 - World Meteorological Organization (WMO) primary ozone, 342
 - STAR, 215-217, 219, 221
 - Statistics
 - Computing upper quarter means, 419
 - Modeling of ozone concentrations, 413
 - Time series model, 417
 - Stoichiometric coefficient, 284
 - STORMSAT, 145, 147, 151
 - Stratosphere, 378, 476, 484, 499
 - Annual mass flux, 507, 511
 - Exchange between hemispheres, 508
 - Vertical transport, 555
 - Stratospheric
 - Aerosol and Gas Experiment satellite system, 347
 - Mass budget, 507-513
 - Ozone, 228, 378, 380, 422, 425, 429, 431, 435, 440, 442, 484, 499, 506, 530, 533, 563
 - Tropospheric exchange, 480, 484, 533
 - Water vapor, 501-503
 - Strontium-90, 507, 513-518
 - Sulfate, 286, 476, 477
 - Sulfur dioxide, 262, 263, 265, 266, 285
 - Sunlight, spectral characteristics of, 86, 88
 - Suspended particles, total, 262
 - Suspensoids, 227
 - Synoptic scales, 308
 - System parameterization, 287
- T**
- Taylor
 - Statistical theory, 235, 237, 238
 - Theory of diffusion, 242, 243
 - Technical
 - Communications, 28
 - Regulations, 27, 30-33
 - Temperature, 5, 6, 20, 55, 64, 65-67, 225, 228, 230
 - Discontinuities, 206
 - Equatorial tropopause, 501, 502
 - International Practical Temperature Scale (IPTS), 17, 19, 21
 - "Josephson Phenomena," 22
 - Lapse time, 443
 - Ozone correlation, 501-504
 - Platinum wire sensors, 65
 - Potential, 423, 443
 - Satellite, 114, 115, 117, 118
 - Sensors, 20
 - Soundings, 299, 422, 425
 - Standards, 17, 19-22
 - Superconducting tunnel junctions, 22
 - Thermistors, 65
 - Thermocouple, 20, 64, 65
 - Thermometry, 20-22
 - Terpenes, 531, 533
 - Testbed for automated observations, 39-41
 - Testing services at the National Bureau of Standards (NBS), 14
 - Tethersonde, 81
 - Thermistor, 65
 - Thermocouple, 20, 64, 65
 - Thermometer, 7, 20-22
 - Glass, 78
 - Infrared, 208
 - Inverted bulb, 5
 - Mercury-in-glass, 6
 - Platinum resistance, 20, 65
 - Standardization of, 7
 - Thermoscope, 5
 - Threshold concentrations of ozone, 597

- Thunderstorms, 378
 Time series model, periodic, 417
 TIROS-N satellite, 90, 138-141, 142, 149
 Toxicity of ozone
 Exposure to ozone, 600-602
 Exposure with other gases, 603
 Toxicology of ozone, 575-605, 619
 Bacterial clearance, 588, 589
 Lungs, 588, 589
 Morphological alterations, 575, 578-588, 594
 Mutagenesis, 575, 591-594
 Pulmonary function, 575-578, 588, 593
 Teratology, 591, 594
 Trajectories, 271, 273, 296, 301, 422, 423, 429, 431, 435, 436, 440-442, 445-459, 533
 Transducer, 75
 Transgression velocity, 513
 Transient response, 75-77
 Transmission functions, 102
 Transmittance, 86, 90
 Transport, 389-405
 Energy, 134
 Ozone, 340, 389-405, 421, 435, 440, 442, 445, 448, 454-456, 468, 535, 555, 615
 Pollutant, 201, 282
 Tropopause, 443, 468, 469, 472, 476, 477, 481
 Break, 441-443
 Equatorial temperature, 501, 502
 Fold, 380, 382, 390, 480
 Lifting, 479, 484
 Troposphere, 422, 423, 425-442, 480, 481, 489
 Characteristics of vertical velocity in, 513
 Low-tropospheric ozone, 506, 513
 Tropospheric
 Air mass, 471
 Ozone budget, 480-482
 Ozone concentrations, 425-440
 Photochemistry, 535
 Stratospheric exchange, 480, 484, 533
 Turbidity, 226
 Turbulence, 55, 56, 201, 202, 206, 209, 237, 238, 240, 242-244, 248, 276, 280, 283
 Turbulent kinetic energy, 236
- U**
- Ultraviolet, 83, 133-135
 Umkehr, 345, 349, 361, 491, 492, 496, 499, 503-505
 Urban
 Diffusion models, 262-275
 Heat island, 225, 267, 305
 Ozone, 523, 524, 533
 Plumes, 446, 448, 455, 456, 530, 533
- V**
- Vacuum, 13
 Vane, 59, 76
 Vassy ozonemeter, 349
 Vertical distribution
 Ozone, 340, 345-361, 421, 426, 430, 432, 437, 480, 525
 Pollutant, 238, 241, 248, 249
 Vertical spread of pollutants, 248, 250, 251-256, 259
 Vertical temperature structure, 305
 Visibility, 35-38, 42, 46, 49, 50, 55
 Von Karman's constant, 236
- W**
- Water vapor, 227, 461, 462, 467, 473, 477, 501-504
 Weather
 Fronts, 389-405

- Maps, 8
- Systems, 391-394, 402
- Wind, 320, 323
 - Anemometers, 60, 64
 - Data, 113, 114
 - Measuring instruments (see Meteorological instruments)
 - Nondivergent, 317
 - Propeller devices, 60-64
 - Radar, 179, 180
 - Satellite observations, 110, 112-114, 116
 - Sensors, selection of, 60, 61
 - Signal translators, 60
 - Speed correlated to pollution concentration, 266
 - Ten-metre mast, 71
 - Three-dimensional devices, 60
 - Time-averaging techniques, 64
 - Vector, 323
- Windows, 83, 86, 88
- World Meteorological Congress (WMC), 28
- World Meteorological Convention, 29, 30
- World Meteorological Organization (WMO), 8, 27-34, 36, 58, 71, 138, 342
 - Constituent bodies, 28
 - Guides, 33, 70
 - History of, 29
 - Language impediments in, 31
 - Recommended practices and procedures, 30
 - Standard practices and procedures, 30
 - Technical regulations, 30-33
- World Weather Watch (WWW)
 - Manuals, 32
 - Organization of, 28
 - Program, elements of, 28
- Worst case situation, 292