

Index

- A**
- Adhesion
 Organic fibers, 122, 139, 140, 143, 148
 Degradation, 150
 Processing, 123–125
 Promotion, 136
 Steel cord, 69, 71, 72, 75, 76, 87, 139, 140, 142, 153
 Aged, 71, 91
 Brass, 90, 91, 95–97
 Initial, 71, 90, 91
 New, 153
 Pull-out force, 154
 Rubber compounds, 88–90, 92–95
 Sulfur, 99
 Adhesion energy, 160
 Adhesives (organic fibers)
 Concepts, 134
 Epoxide, 136
 Epoxy hardener, 136
 Isocyanates, 135
 Primer, 136
 RFL, 4, 122, 135, 139
 Two-coat, 135
 Aramid, 7
 ASTM testing of, 14
 Steel cords, 21, 157
 Synthetics, 127
 Atmospheric pollutants
 Gases, 140
 Protectants, 144
 Test chambers, 141
- B**
- Bartha test (*see* Compression test)
 Belt design, 27, 284, 285
 Steel cord, 86
 Belt test, steel cord, 104
 Bending dynamometer, 110
 Buckling, 24, 26, 27
- C**
- Calendering, 47, 48
 Carcass, 86
 Charpy test (*see* Tests, impact)
 Columb damping parameter, 177
 Composites
 Dynamics, 183, 186, 188
 Extensometers, 187
 Macromechanics, 181
 Mechanical properties, 189, 190
 Micromechanics, 183
 Orthotropic, 182
 Poisson's ratio, 187
 Strain analysis, 184, 186
 Conveyor belts, 87
 Cord tensile, 15, 19
 Corrosion (*see also* Steel cords)
 Inhibitors, 73
 Cotton fabric, 4, 123
 Cyclic stress testing
 Compression flex, 202
 Mallory tube, 202
 MTS, 186, 203
 SCEF, 203
- D**
- Dip unit, 249
 Design, 126
 Environmental factors, 133
 Trends, 132
 DOT, 15, 16
- E**
- Electron microprobe, 221–223
 Environmental factors (*see also* Dip units)
 Pollutants, 139
 Epoxides (*see* Adhesives)
 Extensometers (*see* Composites)

- F**
- Fabric (organic fibers)
 Processing, 123-125
 Properties, 128-132
- Failure analysis (*see* Tire testing)
- Fatigue testing (steel cords)
 Bartha (*see* Compression test)
 Bending dynameter, 110
 Rotaflex (*see* Testing)
 Rotating beam (*see* Testing)
- Fatigue testing (synthetics), bending dynameter, 119
- Fiber fractography, 204-208, 210-220, 224-229
- Fiberglass, 122
- Fiber morphology, 209, 229
- Fibrillation, 229, 230
- Flat spotting, 5
- G**
- Glass fiber (*see* Fiberglass)
- H**
- Hose, steel cord, 87
- Hysteresis, 181, 243, 254, 262
- I**
- Isocyanates (*see* Adhesives)
- K**
- Kevlar (*see* Aramid)
- Kinking, 24, 26
- L**
- Lateral stiffness, 27
- Low load elongation test, 50
- M**
- Modulus
 Compression, 24
 Dynamic, 173, 190
- Effective, 168, 244
- Heat generation, 251-254, 258, 259, 268, 306-309
- Loss, 171, 172, 176, 184, 244, 256
- Secant, 24
- Shear, 181, 188
- Storage, 175, 184, 189
- Tangent, 26
- Young's, 27, 154
- N**
- Nondestructive testing, 163
- Nylons, 5, 140, 148
- O**
- Ozone, 140, 148
- P**
- Peel test, 107
- Photoelasticity, 185, 186, 192-195
- Poisson's ratio (*see* Composites)
- Pollutant gases, 140
 Test chambers, 141
- Polyester, 5, 148
- Polyvinyl alcohol, 7, 8
- Primers (*see* Adhesives)
- Processing
 Manufacture (*see* Steel cords)
 Organic fibers, 123-133
 Puckers, 47-54
 Steel cord, 52, 53
- Protectants (*see* Atmospheric pollutants)
- R**
- Radial tire, 6
- Rayon, 4, 140
- Releau's law, 106
- RFL (*see also* Adhesives)
 Primer, 136
- Rheovibron (*see also* Yarn modeling), 265
- Ride, 5, 6

Rolling resistance, 266, 271–274
 Cord-rubber contribution, 266
 Energy loss, 269, 275
 Rubber compounds
 Steel cords (*see* Adhesion)
 Synthetics, 134
 Rust (*see* Corrosion)

S

Scanning electron microscope testing,
 79–82, 200
 Steel cords, 75–82, 119–121
 Steel cord
 Bias cutting, 47, 48
 Brass-plated, 57, 73, 90, 91, 95–
 97, 140
 Corrosion, 69, 71–74
 Elongation, 64
 Fatigue, 120
 Handling characteristics, 63
 Manufacturing
 Economics, 63
 Process shortening, 58
 Stiffness, 64
 Tenacity, 64
 Strain analysis (*see* Composites)
 Sulfur, 99
 Superimposed waves, 163, 260

T

Taber stiffness, 30
 Testing
 Failure analysis, 312–318
 Reinforcement fibers, 21
 Steel cord, 21, 75–82, 98
 Temperatures, 267, 300, 302–311
 Tires, passenger, 76, 109, 267,
 274–282, 310, 311
 Truck, 74, 279
 Tests
 Bending, 30, 106
 Compression, 22–27, 29
 Continuous belt, 45
 Elasticity, 30

Fretting, 45, 83–85, 107–109
 Impact, 32, 33
 Peel, 107, 142
 Rotaflex, 39
 Rotating beam, 37
 Rubber penetration, 35
 Stiffness, 27
 TCAT, 153
 Three point bending, 31
 Tire cord
 Constraints
 Cast, 12
 Energy conservation, 13
 Government, 13
 Heat generation (*see* Modulus)
 History, 4–8
 Optimization, 14, 15
 Properties (*see also* Type), 286
 Tensilizing, 249–251
 Usage, 7–12, 66
 Viscoelastic properties, 243, 245–
 249, 259, 265–301
 Tire design, 22, 87, 298, 299
 Tire performance
 Bruise, 15
 Burst, 14
 Cornering, 110, 285–288
 Footprint force distribution, 293
 Highspeed durability, 294, 295, 296
 Power loss, 7
 Tread life, 288–294, 296
 Tread squirm, 296, 297
 Tire types (passenger)
 Bias, 6, 87, 274, 279
 Bins belted, 6, 7, 87
 Radial, 6, 7, 87, 279, 284

W

Wave propagation (*see* Yarn)
 Woven steel cord, 47, 53, 140

X

X-ray analysis
 Auger, 98
 ESCA, 98

Y

Yarn

Failure modes, 201

Modeling, 166, 177

Properties, 166, 169, 173

Viscoelastic properties, 167

Wave propagation, 165, 177