

Index

- A**
- Activation energy, 14, 82, 166, 481
 Aging, 198, 218
 Aluminum, 126
 Aluminum alloys, 427, 440
 Anneal, 237, 270, 278, 302, 411, 440
 Auger spectroscopy, 186
- B**
- Beryllium, 309
 Boron, 50, 366, 429
 Burger's vector, 36, 49, 334, 628, 642
 Burst test, 557, 567
- C**
- Carbides, 198, 210
 Carbon, 13, 126, 260
 Cavities, 77
 Charpy V-notch test, 237, 253, 268, 280, 296
 Chromium, 225, 260, 267, 366
 Cold working, 64, 148, 162, 209, 330, 450, 591, 598, 657
 Columbium (*see* Niobium)
 Compact tension specimen, 280, 531
 Copper, 235, 259, 281
 Creep, 497
 Coefficients, 669
 In-reactor, 608, 656
 Irradiation, 181, 329, 500, 567, 581, 598, 624, 640
 Models, 181, 624, 640
- Rupture, 656
 Thermal, 333, 646
 Transient, 341
- D**
- Damage function, 380
 Defect clusters, 110, 351
 Defect trapping, 38, 111, 188, 624
 Density, 92, 221, 432, 659
 Diffusion, 80, 145
 Dislocations, 5, 14, 33, 49, 67, 110, 132, 145, 163, 198, 208, 310, 333, 351, 429, 446, 483, 500, 590, 628, 642
 Loop nucleation and growth, 38, 121, 166, 209
 Displacement cascades, 59, 138, 647
 Dosimetry, 238, 268, 348, 402
 Drop-weight test, 268
 Ductility, 96, 237, 278, 432, 442, 453, 477, 493
- E**
- Elongation, 99, 271, 432, 442, 453, 479, 517, 550
- F**
- Failure
 Strain, 562, 569, 662
 Stress, 559, 569
 Temperature, 559, 569
 Fatigue, 466, 477, 490

Fluence, effect of, 8, 33, 63, 80, 173, 186, 211, 332, 351, 367, 383, 419, 434, 442, 452, 475, 557, 573, 605, 660
 Flux, effect of, 66, 157, 343, 383, 632
 Fracture
 Mode 99, 437, 447, 483, 498, 664
 Toughness 275, 280, 309, 511, 529
 Fuel cladding, 557
 Fuel pins, 152, 608
 Fusion reactors, 77, 88, 107, 466, 490

G

Gamma prime, 198, 211, 531
 Gas bubbles, 79, 94, 146
 Nucleation, 79
 Grain boundaries, 50, 73, 198, 337, 432, 642
 Growth, irradiation, 62, 329

H

Hardening, 119, 355, 479
 Precipitation, 195, 440, 531
 Work, 447
 Hardness, 47, 109, 271, 310
 HAZ, 238
 Heating rate, 557
 Helium, 50, 82, 90, 146, 209, 310, 365, 429, 456, 479, 498, 531
 Hydrogen, 90, 429

I

Impact testing, 268
 Impurities, effect of, 48, 137, 625
 Inconel 600, 88
 Interstitials, self, 8, 14, 49, 67, 136, 145, 167, 188, 310, 335, 351, 625, 642
 Iron, 366

Irradiation

Electron, 5, 12, 77, 158, 209
 Heavy ion, 33, 77, 125, 158, 186
 Neutron, 5, 46, 63, 90, 107, 152, 162, 194, 207, 268, 278, 295, 309, 346, 402, 427, 440, 450, 466, 477, 490, 511, 529, 546, 557, 598
 Proton, 329, 346
 Temperature, effect of, 15, 49, 66, 80, 152, 179, 196, 211, 302, 339, 383, 411, 452, 557, 573, 630

K

K_{1c} , 316

L

Lateral expansion, 244, 271
 Laves phase, 225

M

Magnesium, 5
 Manganese, 260
 Microhardness, 109
 Microscopy
 Optical, 479
 SEM, 99, 479, 664
 TEM, 5, 12, 33, 49, 68, 95, 109, 127, 150, 162, 191, 198, 331, 347, 429, 444, 479, 538
 Molybdenum, 225, 260
 Molybdenum alloys, 12, 267

N

Nickel, 33, 90, 125, 216, 240, 259, 267, 346, 366

Nickel alloys

- Inconel 600, 88
- Nickel-silicon alloys, 33, 184
- Nimonic PE-16, 194, 529

Niobium, 107, 346

Niobium alloys, 107

O

Overaging, 198

Oxygen, 26, 475

P

Phase stability, 188, 194, 207

Phosphorus, 245, 260

Precipitates, 36, 73, 110, 188, 194,
210, 429, 442, 531

Precracking, 311, 532

Pressure vessel, 236, 252, 402

Pressurized-tube creep test, 587, 608

R

Reactors

ATR, 310

BR2, 6

CRBR, 371

CTR, 77, 88, 107, 466, 490

DFR, 149

EBR-II, 90, 109, 161, 198, 371,
412, 451, 467, 500, 558, 568,
601, 610, 657

FTR, 371, 558, 568, 610

HFIAR, 47

HFIR, 90, 371, 428, 441, 498

HFR, 478

ORR, 47, 412

SNR-300, 477

UBR, 239, 280

UCRR, 239

Rapsodie, 513, 550

Recrystallization, 453

S

Segregation, solute, 184, 214

Silicon, 184, 211, 428, 441

Simulation

Fusion reactor irradiation, 77, 90

Neutron irradiation, 77, 158

Stainless steels, 366, 546

304SS, 478, 511, 657

316SS, 82, 148, 162, 195, 207, 369,
450, 490, 558, 609, 657

316L SS, 511, 549

DIN 1.4948, 477

Strain

Range, 471, 493

Rate, 479, 548, 586, 667

Stress

Maximum fiber, 604

Range, 471, 493

State, 145, 156, 160, 583, 606

Structural steels

A302-B, 254

A508, 254

A533-B, 235, 254, 278, 296

A543, 254

HY80, 254

Ni-Cr-Mo, 254

Sulfur, 245

Surveillance materials, 402

Swelling, 26, 85, 92, 125, 173, 207,
432, 581, 612, 659

Models, 28, 143, 173

T

Tension test, 92, 268, 347, 427, 440,
450, 479

Texture, crystallographic, 65, 330

Thermal transients, 558, 567

Transient test, 558, 567

Transition temperature, nil-ductility,
238, 253, 273, 283, 296

U

Ultimate strength, 96, 271, 432, 442,
452, 517, 550
Upper-shelf energy, 240, 281

V

Vacancies, 8, 19, 49, 67, 111, 145,
167, 188, 310, 335, 351, 625,
642
Vanadium alloys, 466
Voids, 26, 50, 73, 79, 110, 125, 173,
198, 207, 429, 444, 642
Nucleation and growth models,
79, 143, 173

W

Welds, 238, 253, 267, 278, 512
WOL specimens, 268

Y

Yield strength, 96, 111, 271, 347,
432, 442, 452, 479, 517, 533,
550

Z

Zirconium, 46, 62, 108, 329, 340
Zirconium alloys
Zircalloys, 62, 330
Zirconium-niobium alloys, 330