

Subject Index

A

- Absorbed
 - Dose, 628, 629
 - Water, 666
- Absorbers, 596
- Absorption
 - Atomic, 34
 - Current, 302, 315, 321
 - Electronic, 30
 - Factor, 63
 - Frequency, 48, 74
 - Index, 32
 - Optical, 30-33, 247, 248, 317
 - Peak, 52
 - Resonance, 30, 32, 67
- ABS resin, 172
- Accumulated dose, 642
- Acetophenone, 206, 359
- a-c loss, 45, 49
- Activation energy, 39, 40, 43, 57, 88,
 - 97, 100, 109, 110, 112, 155,
 - 188, 197, 263, 288, 324, 511,
 - 637, 645
 - Of diffusion, 155, 211
 - Of dipole orientation, 39
 - Of ionic relaxation, 39
 - Of jump rate, 155
 - Thermal, 637
- Activation enthalpy, 183
- Additives, 331
- Admittance, 63, 68
- Aging, 220, 447
 - Accelerated, 220
 - Radiation-induced, 651
- Alkali halides, 16, 266, 504
- Alumina, 449, 548, 554, 570, 574
 - Emery, 555
 - Properties of, 555
 - Ruby, 555
 - Sapphire, 555
 - Structure of, 556, 557
 - α -Type, 555
 - γ -Type, 554
- Aluminum, 263, 315, 524
 - Chloride, 529
 - Films, 650
 - Oxide, 56
- Amber, 637
- Amorphous
 - Content, 334
 - Materials, 142, 195, 288
 - Polymers, 52, 87, 288
 - Regions, 90, 498
 - Semiconductors, 289
 - Structure, 20, 24, 80, 95, 97, 142,
 - 195
- Anisotropy, 453, 470
- Anomalous dispersion, 34
- Anthracene, 308
- Antimony triiodide, 529
- Antioxidants, 166
- Arc tracking, 683
- Area effect, 448
- Arrhenius behavior, 180, 182, 210,
 - 211, 266, 276, 289, 309, 334
- Arsenic trioxide, 529
- Asbestos, 548
 - Actinolite, 549
 - Amosite, 549
 - Amphiboles, 549
 - Anthophyllite, 549
 - Chrysotile, 549, 550
 - Health hazards, 550
 - Structure of, 550-552

Asphalt, 691
 Association of Edison Illuminating
 Companies (AEIC) water tree
 test, 424
 Atactic structure, 215, 221
 Austenite, 522
 Avrami equation, 148

B

Band
 Bending, 267, 308
 Gap energy, 241, 244, 247, 254,
 306, 634, 635, 647
 Structure, 244, 245, 247, 249,
 285, 318
 Barium
 Oxide, 100
 Titanate, 574, 575
 Barrier
 Distortion, 292
 Height, 290
 Beryllia, 103, 576
 Beryllium oxide, 56
 Binding
 Adsorption type, 664
 Energy, 249, 255, 256, 288
 Resin, 670
 Bismuth
 Fluoride, 527
 Triiodide, 527
 Blue stone, 522
 Boltzmann
 Approximation, 252
 Constant, 10, 39
 Factor, 286
 Statistics, 10
 Boron
 Nitrite, 577
 Oxide, 56
 Boundaries of spherulites, 165, 283,
 453

Bow-tie trees, 355, 358, 364, 366-
 370
 Bragg
 Equation, 148
 Peaks, 142
 Branching, 21
 Brass, 522
 Breakdown, 447
 Anisotropy of, 470, 492
 Avalanches, 457
 Diagnostic techniques, 510, 511
 Electromechanical, 487
 High energy criterion for, 454
 Impulse, 451, 467, 469, 477, 478,
 481, 486, 500
 In d-c fields, 455
 Intrinsic, 447, 448, 451, 456
 Low energy criterion for, 454
 Self-healing effects, 507, 508
 Shock waves during, 492
 Standards, 509
 Strength, 453, 456, 463, 479, 483,
 503, 504
 Thermal, 451, 472, 477, 478, 480-
 482, 501
 Time lag, 465, 479
 Bulk effects, 297
 Butadiene styrene, 503
 Butaprene rubber, 203

C

Cable failure statistics, 357
 Cadmium
 Chloride, 529
 Iodide, 529
 Sulfide, 540
 Calcium oxide, 56
 Cal-Rods, 541
 Capacitance, 5, 57, 58, 61, 263, 654,
 679, 693

- Capture
 - Cross-section, 256, 291
 - Rate, 254
- Carbon
 - Black, 79, 94, 166, 167, 204, 205, 207, 227, 323, 599, 614
 - Dioxide, 168
- Carbonization, 683
- Carbonyl group, 92
- Carborundum, 538, 539
- Carbowax, 181
- Catalysts, 87, 88, 310, 334
- Cavities, 676
- Cellulose
 - Acetate, 615, 616
 - Paper, 689
 - Polymers, 614
 - Structure of, 615
- Ceramics, 80, 86, 88, 101, 104, 106
 - Alumina, 101
 - Capacitors with, 449
 - Forsterite, 449
 - High-temperature, 101
 - Low-temperature, 101
 - Metal oxide, 56
 - Multiphase, 102, 103
 - Porcelain, 102
 - Steatite, 102, 103
- Ceresin, 499
- Chain branches, 244
 - Of polyethylene, 244
 - Of polystyrene, 161
 - Structure of, 21
- Characteristic voltage for treeing, 383
- Charge
 - Concentration, 261, 268, 284
 - Density, 5, 11, 271, 283, 321
 - Deposition, 275
 - Distribution, 316, 633, 638, 642
 - Induced, 12
 - Transfer, 271
 - Trapping, 265, 315, 318, 319, 632, 633
- Charles defect model, 44
- Chemical
 - Dyes, 359, 416
 - Potential of water trees, 408
- Chlorination, 16
- Chromel, 538, 541
- Chromium, 108
 - Oxide, 56
- cis*-polyisoprene, 121, 181, 202
- Clausius-Mosotti equation 12, 30 242
- Clay, 101, 166, 204, 226, 558, 599
 - Dickite, 558-560
 - Halloysite, 558, 559, 561
 - Illite, 558
 - Kaolinite, 558, 559
 - Minerals in, 558
 - Montmorillonite, 558, 561
 - Nacrite, 558-560
 - Polygorskite, 558
 - Properties of, 560
 - Pyrophyllite, 562
 - Structure of, 560-562
 - Talc, 562, 563
 - Vermiculite, 558, 562, 563
- Coaxial emission shield, 391
- Cohesive energy density, 502
- Cole-Cole plot, 38, 39, 77, 188
- Cole-Davidson plot, 189
- Collective electron theory, 454, 456
- Composite materials, 663
- Compton
 - Current, 275, 656
 - Scattering, 247
- Conductance, 57
- Conduction, 272, 671, 685
 - Along surface, 325
 - Band, 53, 83, 84, 244, 245, 247, 248, 259, 288
 - Electronic, 285

- In bulk, 325
- Ohmic, 284
- Space-charge-limited, 278
- Steady-state, 308
- Conditioning, 309
- Conductivity, 48, 80, 122, 206, 211, 239, 241, 282, 284, 289, 632, 634, 671
 - a-c, 3, 43, 44, 82, 97
 - Dark field, 276, 324, 636, 643, 646
 - d-c, 3, 34, 43, 44, 48, 97, 99, 122, 674, 676, 682
 - Decay curve, 639
 - Delayed-induced, 265
 - Dose rate dependence, 643
 - Due to electrons, 53, 56, 83, 85-103, 207
 - Due to ions, 79-82, 103, 209, 671
 - High field, 293
 - Low field, 295, 298, 312
 - Radiation-induced, 278, 282, 315, 632, 636, 644, 647, 649
 - Steady-state, 300
 - Temperature effect on, 636, 644, 645
 - Thermally stimulated, 241, 257, 259, 261, 511
 - Time dependence, 647
 - Measurement of, 321-337, 649, 652, 653, 656
- Conductor bars, 692
- Conference Internationale des Grands Reseaux Electriques (CIGRE)
 - electrical treeing test, 382
- Conjugated π bond, 207
- Contact charging, 269, 335
- Continuity equation, 283
- Cooperative movement, 20, 96
- Copolymerization, 127
- Copolymers, 86, 126, 187, 191
 - Block, 128, 161, 165, 203
 - Graft, 128, 161
 - Random, 126, 159
- Cordierite, 567, 569
 - Properties of, 570
 - Structure of, 570
- Corona charging, 261, 276, 319, 322
- Correlation
 - Function, 22, 23
 - Of orientation, 171
 - Of treeing to lifetime, 417
- Corundum, 525, 567
- Coulomb
 - Field, 272, 296
 - Trap, 255
 - Well, 258
- Cristobalite, 532, 534, 567
- Cross-linking, 125, 166, 599
- Crystalline
 - Ceramics, 55
 - Ionization energy, 242
 - Materials, 20, 26, 80, 512
 - Microstructure, 26
 - Polymers, 50, 244
 - Regions, 90, 95, 310
- Crystallinity, 127, 142, 143, 158, 159, 185, 188, 193, 212, 446, 592
 - Degree of, 588, 592
- Crystallite size, 310
- Crystallization
 - Imperfect, 21
 - Rate of, 149
 - Secondary, 145
 - Stress-induced, 157
- Crystallographic configuration, 28
- Crystallon, 538
- Crystals, 70, 129, 130, 211, 490
 - Helices of, 215
 - Ionic, 17, 18
 - Lattice of, 454, 497
 - Of alkali halides, 485, 488
 - Of ceresin, 499

Of nylon, 213
 Of sodium chloride, 456, 492
 Single, 129, 137, 142, 193, 466

Cuprous

Bromide, 540
 Chloride, 540
 Oxide, 582

Curie-von Schweidler law, 314

Curing process, 588, 599

Current

Bulk-limited, 300
 Density, 48, 62, 80, 282, 283, 298,
 304, 314
 Runaway, 480
 Space-charge-limited, 290, 292,
 313, 327, 332
 Thermally stimulated, 499
 Time curves, 281
 Transients, 301, 303

D

Dacron, 601

Debye

Behavior, 301, 673
 Equation, 15, 21, 42, 106, 170
 Length, 73, 269, 271
 Unit, 16, 17, 19

Decay rate, 640

Deep traps, 108, 109

Defect

Dipole moment of, 26
 Frenkel type, 80
 Pairs, 28
 Point, 102
 Point-pair, 26
 Schottky type, 80
 Sites of, 25, 26, 28, 48
 Void, 79

Density, 92, 270

Of amorphous phase, 142
 Of crystalline phase, 142
 Of localized states, 289

Of states, 244, 245, 247, 249, 251,
 289

Of surface states, 268

Detrapping, 255, 259

Diallylphthalate, 637

Diamond, 17

Structure of, 539

Diatomic gases, 16

Dicumylperoxide, 588

Dielectric

Breakdown, 218, 280

Dispersion, 171

Displacement, 33

Losses, 75, 79, 83, 85, 110

Relaxation, 171

Strength (a-c), 687

Strength (d-c), 686

Dielectric constant, (*see also* Permittivity)

Complex, 33, 104

Imaginary, 33, 34, 37

Of polymers, 168, 172, 217

Optical, 21

Real, 33, 34, 37, 57, 91, 92, 100,
 103, 634, 650, 679

Relative, 666

Static, 17, 21

Dielectrophoresis, 359, 408

Differential thermal analysis, 494

Diffusion, 70, 279, 295, 307, 333,
 666

Along surface, 309

Coefficient, 70, 81, 279

Rates of, 666

Dig-ins, 258

Dilutants, 196

Dipolar effects, 263, 672

Dipole

Definition of, 6

Moment of, 6, 8, 168, 170, 215

Orientation, 19, 74

Permanent, 39

Relaxation models, 49
 Traps, 255
 Discharges, 447
 Dislocations, 211
 Dissipation factor, 57-59, 172, 472,
 634, 654, 659, 666, 692
 Definition of, 34
 Peak value of, 38
 Distribution
 Cole-Cole, 174, 175
 Cole-Davidson, 175
 Functions, 49, 74-77, 98, 173
 Gaussian, 76
 Havriliak-Negami, 176
 Of charges, 513
 Of relaxation times, 184
 Weibull, 448, 449
 Dodecanol, 359, 430
 Dose, 620, 640
 Enhancement, 319
 High, 646
 Low, 620
 Rate, 306, 319, 620, 640
 Dosimeters, 629
 Dosimetry, 628
 Double-specimen method, 657
 Drift velocity, 287
 Dry curing, 400, 401, 429

E

Ebonite, 613
 Edge effect, 326
 Eigen frequency, 30
 Electrets, 215, 318, 337
 Electric displacement, 5
 Electric field
 Dependence on, 296, 301
 Directing, 9, 11, 13
 Distortion of, 70
 External, 7, 10, 90
 Initial, 304
 Intense, 79, 83
 Internal (local), 11, 13, 171, 268
 Lateral, 273
 Reaction, 13, 21, 171
 Electrical tree initiation, 371-379
 Electron injection, 375, 376
 Mechanical effects, 376, 377
 Partial discharge, 377
 Thermal effects, 377
 Electrical trees, 355, 358, 371-403
 Bow ties, 358, 366
 Cross-linking effects, 391
 Dendrites, 366
 From cavities, 386
 From crossed needles, 388-390
 From standard defects, 381-386
 Growth inhibition of, 389-402
 Growth process of, 379-381
 Inorganic filler effects, 399
 Mechanical strain effects, 402
 Morphological considerations, 379
 Organic additive effects, 391-399
 Process change effects, 400-402
 Temperature effects, 402
 Tests for, 381-389
 Under impulse conditions, 377
 Voltage effects, 402
 Electric strength, 446
 Electrodes, 71, 73, 98, 275, 300, 302
 Blocking, 272, 309
 Chromium, 108-112
 Colloidal graphite, 309
 Evaporated, 309
 Injection from, 291, 318, 327
 Selenium, 272
 Silicon, 108-112
 Virtual, 512
 Electroendosmosis, 409
 Electroluminescence, 330
 Electrolyte path, 685
 Electromechanical effects, 501
 Electron
 Beam cross-linking, 401
 Beam probe method, 512

- Beam pulse, 279
 - Cloud, 8, 16
 - Emission, 79, 249, 495
 - Hole pairs, 281
 - Hopping, 53, 56, 57, 88, 446
 - Hot, 287-289, 330, 455
 - Injection of, 86, 375, 376, 467
 - Lattice Hamiltonian, 256
 - Orbitals of, 86
 - Spin resonance, 322
 - Traps, 251, 259, 322
 - Tunnelling, 53, 57, 79, 85, 94, 293, 458, 462, 470, 476
 - Electronic
 - Absorption, 30-33
 - Carriers, 275, 297
 - Electrostrictive
 - Coefficient, 317
 - Effect, 411
 - Response, 323, 330
 - Encapsulation, 489, 490, 506, 656
 - Energy
 - Level, 241
 - Gap, 244, 504
 - Entropy, 39
 - Environmental effects
 - In space, 622
 - Near accelerators, 624
 - Near electron beams, 623
 - Epoxy resins, 88, 447, 467, 608, 609, 644, 645, 686, 688, 689
 - Structure of, 612
 - Equivalent circuits
 - Combination, 60
 - Distributed parameters, 66, 329
 - For resonance absorption, 67
 - Metal-polymer-metal, 324
 - Parallel, 57, 59
 - Series, 58, 59
 - Escape probability, 305, 307
 - Ethylene propylene diene terpolymer, 489
 - Ethylene propylene rubber, 91-95, 366, 368, 383, 400, 420, 593, 599-600
 - Excitation
 - Rate, 305, 627
 - Optical, 306
 - Excited states, 250
 - Exciton bands, 250
 - Extenders, 164
 - Extractables, 93
 - Extraction of charge, 273, 275
 - Eyring equation, 78
- F**
- Failure probability, 449
 - Faraday cage effect, 385
 - Felspar, 559, 563
 - Albite, 563, 564
 - Anorthite, 563, 564
 - Celsian, 563, 564
 - Orthoclase, 563, 564
 - Fermi level, 83-85, 251-253, 267, 269, 335, 634, 635
 - Radiation effects, 634, 635
 - Ferric bromide, 529
 - Ferroelectric, 575
 - Field emission, 85
 - Fiberglass cloth, 684, 689
 - Fibers, 664, 668, 671
 - Fibrous reinforcement, 548, 664
 - Fick's laws
 - First law, 70
 - Second law, 71
 - Fillers, 80, 91, 166, 204, 226, 599, 686, 688
 - Film dielectrics, 107, 578
 - Cuprous oxide, 582
 - Silicon dioxide, 26, 107-112, 530
 - Silicon nitride, 26, 578, 579
 - Titanium dioxide, 573
 - Titanium pentoxide, 581
 - Zinc sulfide, 578
 - Film thickness effect, 112

- Flakes
 - Glass, 664
 - Mica, 664, 668
 - Flame retardancy, 96, 165
 - Flow fields, 228, 229
 - Fluorite, 577
 - Fluorocarbons, 265, 336
 - Fluoroethylene propylene, 265
 - Fluorophlogopite, 548
 - Flux density, 5, 6, 11, 61
 - Foamed materials, 167
 - Folded
 - Chain, 145, 214
 - Surface, 142, 191, 214
 - Forlani-Minnaja relation, 461, 463
 - Forsterite, 568, 569
 - Fourier components, 317
 - Fowler-Nordheim effect, 83, 84, 300, 318, 459, 461
 - Fracture failure, 491
 - Franck-Condon transition, 256
 - Free volume, 312, 320, 334, 335, 486, 495, 497, 503, 504
 - Freezing point, 19
 - Frenkel
 - Defects, 80
 - Effect, 291
 - Fröhlich
 - Amorphous theory, 457, 466, 468, 503
 - Equation, 22
- G**
- Gamma irradiation, 258, 275, 305, 323, 625
 - Gap
 - Energy, 245
 - Forbidden, 290
 - Gaps, 665
 - Gas constant, 39
 - Gas inclusions, 669, 693
 - Gel microstructures, 222
 - Glass, 24, 55, 70, 80, 83, 86, 97, 522
 - Borosilicate, 552
 - Ceramics, 571
 - Cloth, 670
 - Lead alkali, 552
 - Lime, 552
 - Lithium-soda-silica, 97
 - Properties of, 553
 - Silicate, 44
 - Soda-lime, 99
 - Soda-lime-silica, 97
 - Structure of, 25
 - Vanadium-barium-phosphate, 56
 - Glass transition temperature, 52, 88, 91, 152, 155, 186, 188, 189, 195, 196, 213, 214, 216, 264, 309, 487, 494, 552, 641
 - Glow peaks, 258
 - Grading voltages, 509
 - Graphite, 207
 - Growth
 - Radial, 150, 155
 - Rate, 150
 - Guard
 - Circuits, 681
 - Electrodes, 653, 681
 - Gunn oscillations, 279
 - Gypsum, 522
- H**
- Havriliak-Negami plot, 153
 - Heat
 - Transfer, 225
 - Treatment, 101, 337, 468
 - Heymann process, 690
 - Hochdruckpolyäthylen, 331
 - Hoffman-Lauritzen equation, 153
 - Hoffman's model, 51
 - Holes, 56, 272, 288
 - Traps for, 251
 - Hopping
 - Mechanism, 86, 87, 311
 - Transport, 282, 332

- Hückel-Debye theory, 73
- Humidity
 Conditioning, 682
 Effect, 326, 681, 683
 In air, 666
- Hydrogen
 Atom, 8
 Bonding, 122, 137, 139, 211, 213,
 258, 387
 Ions, 211
- I**
- Impedance, 67
- Index of refraction, 18
 Complex, 29
 Imaginary, 29
 Real, 29
- Inhomogeneities, 57
- Initiator fragments, 123, 187, 211
- Injection of charge, 79, 86
- Inorganic thin films, 107-112, 460
- Interactions, 452, 627
 Dipole-dipole, 502
 Electron-lattice, 455
 Phonon-phonon, 89, 452
- Interchain distance, 496
- Interface
 Amorphous-crystalline, 52
 Area, 664
 Electrode-dielectric, 69, 79, 108
- Interfacial polarization, 61, 64, 65,
 70, 91, 93, 94
- Internal charge, 512
- Intrinsic electric strength, 371, 447,
 448, 451, 456
- Ion
 Alkali, 25, 70, 97
 Interstitial, 26, 102
 Jumps, 25
 Negative, 8
 Oxygen, 44
 Positive, 8
 Sites for, 56
- Sodium, 25, 44, 81, 100, 107-112
 Trapping of, 108-112
 Vacancy, 26
- Ionic
 Conductivity, 45, 49, 87, 97
 Diffusion, 97
 Impurities, 87, 95
 Loss, 43, 90, 100
 Motion, 74, 88, 98
 Relaxation, 43, 99
- Ionization
 By collision, 446, 461, 467
 Energy, 453, 454
 Mechanism for, 627
- Isokeraunic level, 358
- Isotropic materials, 142
- J**
- Joule heating, 290
- Jump
 Distance, 40, 41, 45, 46, 313, 335
 Probability, 40, 107, 289
 Rate, 292
- Jumps
 Dipole, 43, 78
 Direction of, 46
 Ionic, 43, 78, 89
 Molecular, 52
 Of side branches, 52
- K**
- Kaolin, 563
- Kirkwood equation, 22
- Kramers-Kronig relation, 301
- Kriegler-Bartnikas model, 109, 110
- L**
- Lamella, 21
- Lamellar
 Surface, 498
 Thickness, 137, 140, 141, 148,
 149, 156, 179, 191, 195

Laminates, 558, 676, 681
 Specifications for, 678, 679
 Langevin function, 10
 Lattice
 Constant, 504
 Scattering, 288, 319
 Lead chloride, 466
 Leakage current, 650, 656
 Lexan (*see* Polycarbonate), 121
 Lichtenberg figures, 356
 Lichtenecker rule, 104
 Life expectancy for cables, 432-434
 Light
 Emission, 471, 472
 Pulse, 279
 Liquid electrodes, 508
 Local mode motion, 196
 Loss
 Angle, 172
 Factor, 33, 34
 α -Peak, 187, 192

M

Machine insulation, 689, 691
 Magnesia, 548, 574
 Magnesium oxide, 56, 100, 525, 541,
 543, 548
 Main chain, 93
 Martensite, 522
 Mass absorption coefficient, 629,
 645
 Maximum stress, 460
 Maxwell-Garnett equation, 284
 Maxwell stress, 377
 McKeown specimens, 490, 505-507
 Mean free path, 250, 286
 Mechanical damage, 358
 Melamine formaldehyde, 172
 Melting
 Index, 592
 Point of polymers, 216, 221
 Mercuric oxide, 527

Metallic
 Oxides, 325
 Powders, 323
 Metal-polymer-metal cell, 324
 Metamorphism, 549
 Meyer-Neldel rule, 310
 Mica, 543, 559, 561, 689
 Muscovite, 543, 547, 689
 Papers, 690, 692
 Phlogopite, 548, 549
 Ruby, 543
 Structure of, 546, 548
 Microscopy, 130
 Electron, 130, 146, 148, 150, 155,
 166, 226
 Optical, 146, 150
 Transmission electron microscopy
 (TEM), 150
 Mixing rules, 103, 669
 Mobile additives, 359
 Mobility, 56, 256, 260, 274, 276,
 279, 280, 282, 291, 300, 320,
 336
 Along surface, 326, 327
 Electronic, 286
 Fast, 281
 Field-dependent, 305
 Ionic, 81, 88, 101
 Slow, 318
 Mohs hardness scale, 538
 Moisture effects, 93, 383, 404, 502,
 670, 681, 682, 684
 Molal voltage stabilization, 394, 397
 Molecular
 Binding, 502
 Branching, 123, 145, 157
 Chain backbone, 52
 Chains, 311
 Cooperative motion, 266
 Cross-links, 157, 168
 Folding, 129, 142, 145
 Motion, 266, 492, 497
 Orientation, 52, 188
 Oxygen, 258

Rotation, 52, 188
 Segments, 20
 Side groups, 52
 Structure, 15, 20, 21, 25
 Weight, 122, 123, 125, 144, 157,
 215, 221, 585, 592
Molecules
 Excited, 277
 Polar, 9
 Thermal movement, 14
Moment
 Average, 10
 Induced, 8, 31
 Of dipoles, 8, 13, 15, 21
 Monomers, 208, 583
Morphological
 Effects, 144, 226
 Structure, 224, 228, 229, 233
Morphology, 310, 314, 448, 468, 492
Mylar (*see* Polyethylene terephthalate), 121

N

Nachwirkungskonstante, 63
 Natural rubber (*see cis*-polyisoprene), 121, 157, 175
 Needle electrodes, 221
 Neutrons, 625
 Newton's law, 472
 Niederdruckpolyäthylen, 331
 Nitric oxide, 302
 Nitromethane, 19
n-type material, 268, 269
 Nucleation, 140, 144, 145, 150, 153,
 156, 157, 166
 Nylon 6, 121
 Nylon 66, 121, 122, 172, 207, 324,
 637

O

O'Dwyer theory, 476
Onsager
 Enhancement, 291
 Equation, 21

Mechanism, 306, 317, 334, 337
 Probability, 305
 Solution, 295, 296
Organic dyes, 165
Orientation
 Correlation, 22
 Dipole, 19, 74, 95
 Hindrance to, 20, 52
 Osmium tetroxide, 152, 165
 Oxidation, 92, 94, 187, 263, 326,
 333

P

Partial discharge effects, 275, 367,
 379-391
 Particle agglomeration, 676
 Pellat-Debye equation, 173, 174,
 175, 177
 Periclase, 570
 Permittivity, 5, 15, 241
 Imaginary, 42
 Real, 42
 Static, 5, 10, 11
 Perovskite, 522, 575
 Phase velocity, 29
 Phenolic resins, 606
 Phenol formaldehyde, 608
 Structure of, 606, 607
Phonon
 Acoustic, 256
 Optical, 256
 Phosphors, 522
 Phosphorus pentoxide, 56
 Photoconduction, 249, 250, 271,
 272, 317, 631
 Photoelastic deformation, 488
 Photoelectric effects, 331
 Photoexcitation, 304
 Photoinjection, 271, 272, 281, 317
 Photon, 307
 Stimulated current, 260, 315
 Piezoelectricity, 317, 323, 330
 Planck's constant, 39, 55, 297

- Plasticizer, 96, 331, 336, 598
- Plexiglas (*see* Polymethyl methacrylate), 121
- Poisson's equation, 72, 268, 283
- Polar groups, 92, 95
- Polarizability, 6, 9, 27, 241
 - Atomic, 14, 18, 21, 31
 - Bond, 243
 - Complex, 31
 - Deformation, 14
 - Electronic, 8, 14, 18, 21, 35
 - Polarization, 6, 11, 15, 19, 34, 41
 - Atomic, 32
 - Deformation, 22
 - Electronic, 32
 - Energy, 241, 243, 250
 - Saturation value of, 36
- Polaron
 - Acoustic, 256, 257, 289
 - Band, 256
 - Hopping of, 288
 - Optical, 256
 - Theory, 274
- Polyacetylene, 208, 209
- Polyamide, 132, 135, 137, 142, 204, 211, 337, 601, 631
- Polybutadiene, 121, 455, 456, 480, 495
- Poly(ϵ -caprolactone), 121
- Polycarbonate, 96, 97, 121, 172, 274, 337, 605, 608
- Polychlorotrifluoroethylene, 189, 192, 194, 195, 212, 214, 216, 336, 631
- Polydiacetylene, 137, 209
- Polydimethyl siloxane, 631
- Polydispersity, 585, 586
- Polyester, 120, 121, 125, 127, 132, 135, 167, 172, 192, 196, 600, 608
 - Cloth, 689
- Polyethylene, 16, 52, 90, 95, 96, 121, 131-133, 135, 140, 142, 144, 152, 164, 170, 172, 176, 188, 192, 205, 207, 208, 214, 221, 244, 245, 247, 248, 258, 263, 276, 281, 322, 355-391, 446, 457, 467, 468, 469, 481, 482, 490, 499, 590, 631, 645
- Branching in, 590
- Chlorinated, 455-457, 493
- Cross-linked, 91, 92, 94, 206, 221, 222, 228, 229, 451, 594
- High-density, 90, 121, 125, 221, 260, 309, 331
- Irradiated, 489
- Isotactic, 449
- Linear, 598
- Low-density, 90, 121, 185, 259, 309, 331
- Oxidized, 260, 331
- Terephthalate, 121, 152, 192, 195, 212, 214, 216, 263, 513, 601
- Polyimide, 602, 608
 - Films, 482, 484
- Polyisobutylene, 455
- Polymerization, 120, 583
 - Branching, 120
 - Chain reactions, 120, 123, 127, 583, 584
 - Condensation, 583, 584
 - Cross-linking, 120
 - Degree of, 122, 214, 583
 - Step-growth, 120, 583, 584, 600, 608
- Polymers, 20, 21, 23, 86, 119, 123, 248, 271, 280, 318, 582
 - Blends of, 161
 - Chain entanglement of, 23
 - Chain-growth in, 590
 - Conjugated, 137, 208, 209
 - Cross-linked, 125
 - Foamed, 167
 - Helix form of, 132, 135
 - Isotactic, 132
 - Properties of, 593

- Semicrystalline, 221
 - Single crystals of, 311
 - Structure of, 583
 - Polymethyl methacrylate, 88, 121, 172, 195, 309, 355, 455, 469, 631, 637
 - Trees in, 371
 - Polymorphs, 531, 539
 - Poly(*N*-vinyl carbazole), 215
 - Polyphenylene oxide, 172
 - Poly(*p*-phenylene), 209
 - Polypropylene, 121, 132, 137, 172, 221, 498, 593, 595, 637
 - Oxide of, 196
 - Polystyrene, 281, 335, 495, 631, 637, 645, 649
 - Acetate, 455
 - Polysulfone, 172
 - Polysulfur nitride, 209
 - Polytetrafluoroethylene, 172, 264, 598, 631, 637, 645
 - Polyurethane, 122, 128, 167, 204
 - Polyvinyl
 - Acetate, 279, 455, 631
 - Alcohol, 455
 - Carbazole, 631
 - Pyrolidone, 631
 - Polyvinyl chloride, 8, 95, 121, 159, 172, 195, 216, 495, 496, 593, 595, 631
 - Carbon loaded, 324
 - Structure of, 9, 597
 - Polyvinylidene chloride, 631
 - Poole equation, 292, 312
 - Poole-Frenkel
 - Coefficient, 294, 313
 - Effect, 280, 291, 295, 296, 300, 313, 330, 451, 461, 470, 482
 - Porcelain, 101-103, 563, 681
 - Mullite phase in, 563-565
 - Phase diagram of, 566
 - Properties of, 564
 - Structure of, 564, 565
 - Positive feedback, 451, 475, 487
 - Positron, 322
 - Potash feldspar, 548
 - Potassium
 - Bromide, 453, 456
 - Chloride, 458, 466, 478, 479, 503
 - Fluorosilicate, 548
 - Iodide, 16
 - Oxide, 56
 - Potential
 - Barrier, 40, 43, 83
 - Energy distribution, 46
 - Well model, 40, 41, 43
 - Pressure dependence, 334
 - Prestressing, 467, 469
 - d-c, 467
 - Proton, 337
 - p*-type materials, 268, 269
 - Pulsed excitation, 281
 - Pyrene, 86
 - Pyrex, 548
 - Pyroceram, 572
 - Pyroelectric
 - Coefficient, 317
 - Materials, 315-317
 - Method, 321
 - Response, 323
 - Pyroxene, 527, 533
- Q**
- Quantum
 - Energy, 306, 322
 - Mechanics, 54
 - Of light, 330
 - Yield, 307
 - Quartz, 530, 536, 538, 563
 - Amethyst, 531
 - Fused, 537
 - Glass, 537
 - Rose color, 531
 - Smoke color, 531
 - Quenching, 468

R

Radiation

- At reactors, 621, 622
- Damage, 620
- Effects on breakdown, 657
- Effects on permittivity, 658
- Effects on $\tan \delta$, 658
- Environments, 621
- Exposure to, 628
- Induced oxidation, 620
- Interaction of, 625
- Permanent effects, 619, 631, 632, 650, 651
- Source, 644
- Temporary effects, 619, 632, 650

Raman effect, 322

Recessed specimens, 505

Recombination

- Center, 320
- Electron-hole, 320
- Time, 280

Recrystallization, 221

Reinforcing

- Materials, 665, 676

Relaxation mechanisms, 221

- α -Process, 52, 53, 90, 92, 95, 96, 186, 192, 198, 220
- β -Process, 52, 90, 95, 96, 186, 192, 198
- δ -Process, 96, 97, 186, 192
- γ -Process, 96, 97, 186, 192
- Secondary, 52

Relaxation times, 35, 39, 42, 48, 51, 75, 106, 107, 174, 176, 182

- Distribution of, 43, 49, 75, 76, 98

Repeat unit, 582

Reorientation effects, 93

Residual stresses, 227

Resins, 663, 676

Resistance, 58

Resistivity

- a-c, 88
- d-c, 666
- Surface, 681

Rods, 668

Rose model, 318

Rubber, 80, 222, 227, 589

- Ebonite, 613
- Ethylene propylene, 80, 91, 92, 95
- Gutta percha, 613
- Natural, 611
- Neoprene, 614, 615
- Nitride, 614

Rubidium chloride, 503

Rutile structure, 574

S

Samica process, 690

Scandium

- Chloride, 529
- Oxide, 56

Scattering

- By amorphous phase, 143
- By crystalline phase, 143
- Cross-section, 286
- Of light, 148, 149
- Of X-rays, 149

Schatzki's model, 52

Schottky

- Barrier, 269
- Emission, 79, 83, 298, 300, 451, 461, 463, 464
- Mechanism, 79, 83, 313, 315
- Plot, 332
- Potential, 307

Schrödinger's equation, 54, 255

Seebeck coefficient, 335

Semiconduction, 206

Semiconductor, 289, 522

- Amorphous, 289
- Impure, 268
- Metal-oxide, 302

Semicrystalline polymers, 310

Shallow traps, 108-110, 285, 297, 306

Shock waves, 492

Shrinkage volume, 665

- Silanes, 430
 Silica, 56, 567
 Silicon
 Carbide, 537-539
 Dioxide, 24, 107-112, 445
 Electrodes, 108
 Monoxide, 460, 462, 476
 Nitride, 26, 578, 579
 Silicones, 603, 608
 Structure of, 604, 605
 Silicone rubber, 172
 Silver electrodes, 654, 656
 Sodium
 Chloride, 17, 458, 459, 463, 543
 Ions, 25, 45, 100, 107-112
 Monoxide, 56
 Oxygen couplet, 25
 Solid-liquid transition, 20
 Space charge, 69, 72, 74, 98, 100,
 106, 302, 451, 461, 464, 476,
 495, 512
 Distortion by, 313
 Distribution of, 304
 Field, 308, 322
 Specimens for treeing, 378, 379
 Spherulites, 144-146, 148, 149, 153,
 157, 195, 222, 499, 587
 Boundaries of, 212, 221, 500
 Size of, 212
 Spinel, 522, 567, 570
 Split Faraday cup, 278
 Stained water trees, 358, 359, 416
 Stannic oxide, 56
 Stark effect, 322
 Steatite, 101-103, 567, 568
 Step-growth polymers, 608
 Stereoisomers, 124
 Stoichiometry, 551
 Strain amplitude, 692
 Stray currents, 650
 Streamer breakdown, 371
 Stress
 Concentration, 371-374
 Enhancement, 372, 373
 Grading paint, 691
 Relief, 507
 Structural representations
 Atactic, 596
 Close-packed, 522, 524
 Cubic, 524
 Hexagonal, 524
 Isotactic, 596
 Nets, 522, 523
 Polyhedral, 522, 526
 Syndiotactic, 596
 Structures
 Lamella, 486
 Metal-oxide-silicon (MOS), 107-
 112, 464
 Styrene-hexylmethacrylate, 272
 Styrofoam (*see* Polystyrene), 167
 Sub-bands, 244, 247, 249
 Substrate, 271
 Sulfide capture sheath, 391
 Surface
 Charge, 322
 Contacts, 650
 Free energy, 141
 Resistivity model, 328
 State effect, 318
 Traps, 326
 Suspensions, 668

T

 Talc, 562, 563, 567
 Tapes, 689
 Teflon, 264, 593, 598
 Temperature
 Effect, 82, 92, 176, 220, 455, 456,
 482, 483, 486, 506, 636, 640-
 645, 676
 Of degradation, 598
 Tetrafluoroethylene hexafluoropro-
 pylene, 329
 Tetrahedral holes, 524
 Thermal
 Agitation, 70
 Excitation, 251

- Expansion coefficient, 664, 665
 - Instability, 473, 476
 - Runaway, 474
 - Thermalization length, 305
 - Thermally stimulated
 - Current experiments, 261, 314, 321, 324
 - Current peaks, 260, 265, 266, 278, 333
 - Depolarization current, 260
 - α -Peak, 264
 - ρ -Peak, 264
 - Thermoelectrets, 264
 - Thermoluminescence, 263
 - Thermoplastic polymers, 119, 586
 - Thermosetting polymers, 120
 - Thermosetting resins, 606, 690
 - Thickness dependence, 107-112, 302, 313, 460
 - Thin films, 53, 55, 83, 107-112
 - Thorium dioxide, 577
 - Time constant, 62, 63
 - Tip-up (of $\tan \delta$), 693
 - Titania, 573, 574
 - Titanium
 - Bromide, 529
 - Pentoxide, 56, 101, 581
 - Townsend α -process, 458
 - Transit time, 276, 279-281
 - Mean free, 286
 - Transition
 - Metal oxides, 53, 55, 83
 - Phenomena, 494
 - Probability, 45, 47
 - Translational effects, 14
 - Transmission line, 671
 - Trap
 - Concentration, 297
 - Density, 265, 271, 290, 320
 - Depth, 255, 257, 262
 - Distribution, 257, 320
 - Donorlike, 294
 - Site, 263, 332
 - Trapped charge detection, 321
 - Trapping
 - Level, 254, 257, 258, 262, 280, 304
 - Lifetime, 320
 - Trees, 220, 355-435, 447, 470, 500
 - Bow ties, 220, 221, 355, 364, 366-370
 - Branching, 358, 371
 - Bush type, 220, 358
 - d-c induced, 378
 - Dendrites, 356-358
 - Electrical, 227, 355, 358-360, 362, 371-403
 - Electrochemical, 364-368
 - Impulse-induced, 377
 - Occurrence, 358-371
 - Vented, 390
 - Water, 229, 360-364, 370
 - Triboelectric charging, 330
 - Tributyl phosphate, 631
 - Triple extrusion, 392, 399
 - Tungsten oxide, 56
 - Tunneling effect, 53, 56, 84, 85, 271, 272, 297, 301
 - Two-layer dielectric, 61-65, 671
- U**
- Ultraviolet
 - Absorbers, 165
 - Light, 214, 249, 271, 308, 322
 - Photoeffects, 325
- V**
- Vacuum system, 656
 - Valence
 - Band, 53, 83, 244, 247, 248
 - Electrons, 247
 - Vanadium
 - Pentoxide, 56
 - Trichloride, 529
 - Vibration
 - Effects, 692
 - Frequency, 40, 45
 - Vinyl chloride, 17

Vinylidene chloride copolymers, 631
 Viscoelasticity, 589
 Voids, 449, 501
 Voltage
 Effects, 676
 Endurance, 692
 Gradient, 33
 Volume
 Fraction, 285
 Resistivity, 212
 von Hippel criterion, 452
 von Schweidler behavior, 302
 Vulcanization, 125, 599, 613

W

Wagner
 Effect, 61, 64, 198, 301, 302, 321, 674, 675
 Equations, 285
 Walden trapping model, 314
 Water
 Adsorption, 101, 326, 329
 Films, 681
 Immersion, 681
 Water treeing, 65, 355, 358, 403-435
 Bow ties, 358, 367, 410
 Conductivity effect, 429
 Frequency effects, 427-428
 Growth rate, 412-429
 Inhibition, 429-432
 Moisture vapor permeability, 403
 Mechanisms of failure, 404-412
 String of beads, 359, 407

 Temperature effects, 428-429
 Vented, 358-361
 Wave function, 54, 55, 244, 253, 269
 Weak link effect, 448
 Williams-Landel-Ferry equation, 266, 497
 Work function, 83, 263, 269, 301, 317, 375-382, 462
 Wurtzite structure, 539, 542, 576, 578

X

X-ray, 263, 531, 625
 Diffraction, 263
 Dosimeters, 304
 Fluorescence, 167
 Irradiation, 323
 Small-angle scattering, 496

Y

Young's modulus, 487

Z

Zinc
 Oxide, 100
 Selenide, 540
 Sulfide, 540, 578
 Zinc-blende structure, 539, 578, 570
 Zircon, 570, 571
 Zirconia, 56, 572, 574
 Fluorite structure, 572, 573