

Subject Index

A

- Aging, effect on σ -phase formation, 80
- Alloy parameters, low activation austenitic stainless steels, 30
- Alumina, diffusion bonding with vanadium alloys, 219
- Austenite-stable alloys, 7
- Austenitic stainless steels
 - Fe-Cr-Mn, *see* Fe-Cr-Mn austenitic stainless steels
 - high manganese, mechanical properties, 47
 - low activation, 30, 80
 - reduced activation, 7

B

- Bainitic alloys, containing vanadium, 113
- Bend test, diffusion bond between vanadium alloys and alumina, 219
- Boron, vanadium alloys, 179
 - binary alloys, 210

C

- Carbon, effects in vanadium-binary alloys, 210
- Charpy impact tests, low activation ferritic alloys, 113
- Chemical compatibility, vanadium alloys and silicon carbide, 236
- Chromium
 - effects in vanadium-binary alloys, 210
 - low, reduced-activation ferritic steels, 140
- Chromium-molybdenum steels, 140
- Chromium-tungsten steels, 140
- Cold work, effect on σ -phase formation, 80
- Creep rupture strength, reduced activation ferritic steels, 130

D

- d-electron concept, low activation austenitic stainless steels, 30
- Diffusion bonding, between vanadium and alumina, 219

- Dislocation loops, vanadium alloys, 199
- Ductile-brittle transition temperature, reduced activation ferritic steels, 130
- Ductility, hydrogen effects, Fe-Cr-Mn austenitic stainless steels, 103

E-F

- EB welding, low-activation vanadium-binary alloys, 210
- Equilibrium diagram, Fe-Cr-Mn ternary system, 80
- Fast reactor irradiation, Fe-Cr-Mn austenitic stainless steels, 19
- Fe-Cr-Mn austenitic stainless steels, 19
 - composition and phase effects on segregation, 93
 - ductility, hydrogen effect, 103
 - σ -phase formation, 80
 - precipitation sensitivity, 56
- Fe-Cr-Mn-Ni-C-N, low activation austenitic steels, 30
- Fe-Cr-Mn-Ni steels, 19
- Fe-Mn-Cr-C system, 7
- δ -Ferrite, 7
- Ferritic alloys
 - low activation, irradiation effects, 113
 - mechanical properties, 47
 - microstructure, 113
 - reduced-activation, 130
 - low chromium, 140
- Fracture mode, vanadium-binary alloys, 210

G-I

- Grain boundaries, Fe-Cr-Mn austenitic stainless steels, 93
- Helium embrittlement, vanadium alloys, 161
- High manganese steels, mechanical properties, irradiation effects, 47
- High-voltage electron microscope, 199
- Hydrogen, ductility effects, Fe-Cr-Mn austenitic stainless steels, 103
- Irradiation hardening, vanadium alloys, 161

L-M

- Loop nucleation, vanadium alloys, 199
- Low activation, *see* Reduced activation
- Manganese-stabilized stainless steels, 7
- Martensite, 7
- Martensitic steels, low activation, 113
- MC precipitation, Fe-Cr-Mn austenitic stainless steels, 56
- Mechanical properties
 - ferritic steels, 47
 - high manganese steels, 47
- Metal/ceramic interface, 219
- Micro Knoop indentation technique, 219
- Microstructure
 - ferritic alloys, 113
 - low chromium reduced-activation, 140
 - vanadium alloys, 161, 190
 - high-voltage electron microscope, 199
- Molecular orbital calculations, low activation austenitic stainless steels, 30

N-O

- Nuclear transmutation effect, Fe-Cr-Mn austenitic stainless steels, 103
- Oxidation resistance, vanadium alloys, 236

P

- Phase stability
 - austenitic stainless steels
 - Fe-Cr-Mn, 19
 - low activation, 30
 - ferritic alloys, low activation, 113, 130
- Phase transformation, Fe-Cr-Mn austenitic stainless steels, 93
- Precipitation
 - radiation-induced, vanadium alloys, 190
 - sensitivity, Fe-Cr-Mn austenitic stainless steels, 56

R

- Radiation-resistance, Fe-Cr-Mn austenitic stainless steels, 56
- Recrystallization, Fe-Cr-Mn austenitic stainless steels, 56
- Reduced activation
 - austenitic stainless steels, 7, 80
 - Fe-Cr-Mn, 56
 - ferritic steels
 - irradiation effects, 113
 - low chromium, 140
 - optimization, 130

- materials, 47
- vanadium alloys, 161, 179
- binary alloys, EB welding, 210

S

- Schaeffler diagram, 7
- Segregation, radiation-induced
 - Fe-Cr-Mn austenitic stainless steels, 93
 - vanadium alloys, 190
- σ -phase formation, Fe-Cr-Mn austenitic stainless steels, 80
- Silicon carbide, solid state reactions with vanadium alloys, 236
- Solid state reactions, vanadium alloys and silicon carbide, 236
- Surface treatment, vanadium alloys, 236

T

- Tempering behavior, low chromium reduced-activation ferritic steels, 140
- Tensile properties
 - Fe-Mn-Cr-C alloys, 7
 - low activation ferritic alloys, 113
 - low chromium, 140
 - vanadium alloys, 161
 - binary alloys, 210

V

- Vacancy migration energy, vanadium alloys, 199
- Vanadium alloys
 - boron doping, 179
 - defect behavior, high-voltage electron microscope, 199
 - diffusion bonding with alumina, 219
 - dislocation loops, 199
 - helium embrittlement, 161
 - internal carbides, 237
 - irradiation hardening, 161
 - low activation, 161, 179
 - EB welding, 210
 - microstructure, 161, 179, 190
 - high-voltage electron microscope, 199
 - precipitation, radiation-induced, 190
 - segregation, radiation-induced, 190
 - solid state reactions with silicon carbide, 236
 - tensile properties, 161
 - void formation, 190
 - void swelling, 161, 179
- Vanadium-boron alloys, 210
- Vanadium-carbon alloys, 210

Vanadium-chromium alloys, 210
Void formation, vanadium alloys, 190
Void swelling
 austenitic stainless steels
 Fe-Cr-Mn, 19
 low activation, 30
 ferritic alloys, low activation, 113

vanadium alloys, 161, 179

W-Y

Work hardening coefficient, Fe-Cr-Mn
 austenitic stainless steels, 103
Yield strength, vanadium-binary alloys, 210