

Subject Index

- A**
- Aging dock, 25
Aircraft, aging, 191
Amplitude, 3
- B**
- Bone, microdamage, 3
Burn, workpiece, 107
Burst testing, 224, 236
B-value, 156
- C**
- Calibration procedure standard, 93
Cold proof testing, 191
Composite wrapped pressure vessels, 224, 236
Concrete beams, structural integrity, 25
Concrete, reinforced beams, structural integrity, 25
structures, characterization, 41
Corrosion, 79
reinforced concrete beams, 25
Cortical bone, fatigue, 3
Crack characterization, rocks, 141
Crack determination, 79
Crack lengths, 3
Crack measurement, 125
Crack mechanisms, two-dimensional model, 175
Crack resistance, 41
Crack, shear, 25
Crack volume estimation, 175
Curve-fitting techniques, 156
Cyclic loading test, 25
- D**
- Damage zone dimensions, 3
Davies-bar technique, 175
- E**
- Defect detection, 191
Deformation, 125
- E**
- Eigenvalue analysis, 175
Embrittlement, 79
- F**
- Fatigue, aging aircraft, 191
Fatigue damage, traffic signal poles, 50
Fatigue testing, bone, 3
Flaw depth, 209
Fracture, 125
brittle, traffic signal structures, 50
rock, 141
- G**
- Gas containers, natural, 224, 236
Gas cylinders, seamless steel, 209
Graphical analysis, 156
Green's function, simplified, for moment tensor analysis, 175
Grinding, 107
- I**
- Inconel, workpiece burn detection, 107
Iron alloys, material quality monitoring, 125
- K**
- Kaiser effect, 25
- J**
- Japanese Society for Non-Destructive Inspection calibration procedure standard, 93

L

- Laser opto-interferometer, bar end oscillation measurement, 175
- Leak detection, buried pipelines, 67
- Linear location mode, 209
- Loading
 - unloading, 25
- Location methods, buried pipelines, 67
- Longitudinal wave, 93

M

- Material quality monitoring, 125
- Mechanical integrity testing, 79
- Metals
 - gas cylinders, seamless steel, inspection, 209
 - material quality monitoring, 125
 - steel-lined hoop wrapped, 236
 - workpiece burn detection, 107
- Microscopy, confocal, 3
- Mineralogy, rock fault formation, 141
- Moment tensor analysis, 175

N

- Natural gas vehicle, 224, 236
- Niobium, material quality monitoring, 125

P

- Parametric plot, 141
- Peak-amplitude distributions, 156
- Pipelines, buried, leak detection, 67
- Plastic, continuous fiber-reinforced, 236
- Pneumatic proof pressurization, 191
- Pressure processing, 125
- Pressure vessels
 - gas distribution, seamless steel, testing, 209
 - inspection, ultrasonics, 79

- natural gas, filament wound, 224
- natural gas, hoop wrapped, steel lined, 236
- Process safety management, 79
- Proof testing, 191

R

- Rate process analysis, 156
- Rayleigh wave, 93
- Reciprocity method, 93
- Reference standards, laboratory, pipeline leaks, 67
- Rocks, crack characterization, 141

S

- Screening, in-service, traffic signal poles, 50
- Sensor calibration, 175
- Shear cracking, 25
- Shear wave analysis, 79
- SiGMA-two-dimensional procedure, 175
- Signal difference location technique, 67
- Signal enhancement, 67
- Signal processing, 41, 107, 191
- Slope failure prediction, 156
- Standards
 - characterization, concrete structures, 41
 - laboratory reference, 67
 - proposed, gas-filled
 - filament-wound pressure vessels, 224
 - proposed, reinforced concrete structural integrity, 25
 - transducer calibration, reciprocity method, 93
- Steels
 - alloy, pressure vessel testing, 209
 - bearing, workpiece burn detection, 107

dual phase, material quality
 monitoring, 125
 gas cylinders, steel-lined, 236
 Stiffness, 41
 Storage tank, mechanical
 integrity, 79
 Strength, concrete structures, 41
 Stress effects, rock, 141
 Superconductors, 125

T

Tin alloys, material quality
 monitoring, 125
 Titanium alloy superconductors,
 125
 Traffic signal poles, 50
 Transducer calibration, 93

U

Ultrasonic imaging, 141
 Ultrasonic testing, 79
 U.S. Department of
 Transportation, seamless
 pressure vessel inspection,
 209

V

Volumetric strain, 141
 Volumetric testing technique,
 224

W

Wave attenuation, 156
 Waveforms analysis, 141, 175
 b-value, 156
 digital, 191
 Welds, 50
 Wind-induced vibrations, 50
 Workpiece burn, 107

Z

Zirconium-tin-niobium-iron
 alloys, 125