

## Index

### A

Aluminum and aluminum alloys, 14,  
 21–28, 31, 32, 35, 41, 42,  
 50–54, 62  
 1100, 28, 40, 43  
 2024, 26, 28, 32, 37, 40, 43  
 2219, 40, 43  
 4043, 62  
 5052, 212–214  
 5086, 63  
 5356, 63  
 6061, 23, 26, 40, 43, 61–63, 96,  
 103–112, 189  
 7075, 22, 28, 32, 37, 38, 43, 96,  
 103–112  
 Compatibility with dissimilar  
 materials, 42  
 Corrosion potentials, 23  
 Corrosion rates, 23  
 Galvanic corrosion, 20  
 Galvanic series, 26  
 Literature references on pitting,  
 276  
 Maximum pit depth, 212  
 Pipeline, 214  
 Pitting probability, 212  
 Power cables, 71  
 Area ratio, 15, 32, 36, 38, 50, 52,  
 54, 55, 66, 79, 139, 237,  
 238, 240, 241

ASTM exposure racks, 98  
 Atmospheric exposure, 94, 98, 106  
 Clean air, 132, 138  
 Galvanic, 94  
 Panama Canal Zone, 94  
 Polluted air, 141  
 Atmospheric pollutants  
 Effect on materials, 132  
 Effect on pitting, 136  
 Nitrogen dioxide, 133  
 Ozone, 133  
 Sulfur dioxide, 133  
 Autoclave tests, 148

### B

Bimetallic couples (see also Gal-  
 vanic couples and Dissimilar  
 metals), 48  
 Brine solutions, 147  
 Pitting of titanium, 147  
 Buried structures (see also Soils), 69

### C

Carbon  
 Effect on pitting of copper tubes,  
 162, 166, 177, 178  
 Residue in copper tubes, 156,  
 157, 163, 174, 175  
 Calcium, 253–255

- Cadmium, 23, 25, 32, 40, 43
- Carbon black (CB) test, 158, 176, 178
- Case histories, 117
- Catchment principle, 36, 38
- Cathodic control, 78
- Cathodic protection, 48, 54
  - Cathodic current, 90
  - Composite structures, 48
  - Current density distribution, 48
  - Galvanic couples, 33, 67, 105, 112, 150
  - Protection voltage, 48
  - Seawater, 48
  - Weld materials, 62
- CB number, 158–171, 177
  - Round-robin testing, 177
- Chemical analysis techniques
  - Atomic absorption, 244
  - Electron microprobe, 204
  - Emission spectrography, 247
  - Karl Fischer titration, 181
  - X-ray diffraction, 141, 246
  - X-ray fluorescence, 247
- Cleaning procedures, 59
  - Abrasive, 171–173
  - ASTM Recommended Practice, 101, 204
  - Chemical, 98, 101, 168, 178
  - Standard techniques, 22
  - Ultrasonic, 86
- Coatings for corrosion protection, 117, 126
  - Inorganic conversion, 46
  - Metallic, 46
- Copper and copper alloys, 11, 15, 17, 22–28, 32, 40, 43, 49–52, 71, 155–179, 192, 233, 237
  - 122 alloy, 155
  - 360 brass, 96, 103–112
  - 70Cu-30Ni, 10, 233, 237
- Corrosion products, 178
  - Literature references on pitting, 280
  - Pitting corrosion, 171
  - Potentials in water, 162
- Copper tubes in cold water service, 155, 156
  - British standard specification, 157, 158, 172
  - Cleaning, 172
  - Effect of alloying, 169
  - Effect of carbon residues, 162, 166, 177
  - Effect of drawing lubricants, 156
  - Effect of temper, 167, 175
  - Effect of water composition, 164
  - Factors affecting corrosion, 156
- Cobalt and cobalt alloys
  - Haynes 188, 25, 41
- Concentration cell corrosion, 231, 237, 261
  - Area ratio effects, 238
  - Critical oxygen level, 138
  - Under-deposit corrosion, 119
  - Water-line attack, 119
- Corrosion fatigue, 117, 125
- Corrosion products
  - Analysis, 141, 246
  - Bridge over pit, 252
  - Carbon steel tubes, 122
  - Collection and identification, 204
  - Copper, 178
  - Galvanized steel-clean air, 142–144
  - Galvanized steel-polluted air, 144, 145
  - Iron, colloids, 259
  - Titanium, 150
  - Zinc, 139–141
- Cost of corrosion, 129

- Crevice corrosion (see also Concentration cell corrosion), 102, 103, 105
  - Area ratio effects, 237, 241
  - Electrode assembly, 262
  - Electrode-mount interface, 270
  - Evaluation, 261
  - Initiation and propagation, 16, 235, 239
  - In seawater, 231, 234
  - Morphology, 236, 238, 240
  - Probability, 236, 239
  - Potential regions, 268
  - Stainless steels in seawater, 234
  - Standard specimen, 232
  - Statistics, 231
  - Test method, 232
  - Types of crevices, 231
- Current (see also Galvanic current)
  - Alternating, 69
  - Continuous monitoring, 12, 48
  - Diffusion current density, 39
  - Distribution, 52
  - Leakage, 69
  - Measurement, 11, 46, 58, 88
  - Protection, 50, 55
- Current-time curves
  - Galvanic, 12, 14, 24-30

## D

- Delamination
  - Aluminum alloys, 112
- Depth gage, 208
- Dew
  - Light cycle, 134
  - pH, 139-141
- Dezincification, 103
- Diffusion current density, 33, 39
- Dissimilar metals, 22, 26, 42, 48, 56, 81, 102-112
  - Effect of potential difference (see also Galvanic couples), 39
- Distilled water, 26, 28

## E

- Eddy-current testing, 157, 160, 206
- Electrochemical instrumentation, 5, 43
  - Operational amplifier, 13, 45
  - Potentiostat, 12, 45, 182
  - Zero resistance ammeter, 11, 44, 58, 87
- Electrochemical techniques
  - Applications and precautions, 7
  - Cathodic polarization, 186, 189
  - Cathodic protection, 48, 54
  - Critical pitting potential, 185
  - Current measurement, 11, 46, 58, 88
  - Evaluation of crevice corrosion, 261
  - Evaluation of pitting corrosion, 261
  - Examination of fused joints, 56
  - Galvanic currents, 11, 21, 43-45, 58
  - Galvanostatic polarization, 48, 71, 75, 77
  - Passive current density, 184
  - Polarization measurement, 15, 16, 39
  - Polarization resistance, 190
  - Potential measurement, 8, 15, 59, 87
  - Potentiodynamic polarization, 16, 261
  - Predicting galvanic corrosion, 5
  - Soil measurements, 86
- Electromagnetic testing, 206

Electron microprobe analysis, 140, 204  
 Electroplated coatings  
   Literature references on pitting, 280  
 Ellipsometry, 202  
 Environmental chamber, 133  
 Environmental effects  
   Literature references on pitting, 280  
 Environmental Protection Agency (EPA), 132  
 Environments  
   Concentrated brine, 147  
   Distilled water, 26, 28  
   Galvanic corrosion, 28, 39  
   Marine, 95  
   Seawater, 9, 48, 49, 57, 62, 63, 94  
   Soils, 73, 77, 83, 85, 86, 100  
   Tap water, 26, 28  
   Tropical, 95  
   Underground, 69  
 Exfoliation, 103

## F

Failure analysis, 117  
 Faraday's law, 33, 79  
 Field failures (see Service failures)  
 Fused joints (see Welded joints)

## G

Galvanic corrosion  
   Air, soil, and sea environments, 94  
   Aluminum alloys, 20  
   Composite structures, 48  
   Effect of area ratios, 32, 50, 52, 54, 55  
   Effect of corrosive environment, 28, 39  
   Effect of dissimilar metal, 22, 39

Electrochemical techniques, 5, 43  
 Laboratory studies, 20  
 Magnitude, 21  
 Panama Canal Zone, 94  
 Prediction, 5  
 Pitting, 14, 102–112, 152  
 Ranking of aluminum-metal couples, 25  
 Tests, 5  
 Theoretical considerations, 33  
 Underground, 81  
 Underground power cables, 69  
 Weld material, 66  
 Galvanic couples (see also Dissimilar metals)  
   Aluminum alloys, 4130 steel, 14, 23, 31  
   Aluminum 2024, copper, 35  
   Aluminum 6061, metals and alloys, 26, 102–112  
   Aluminum 7075, cadmium, 23, 32  
   Aluminum 7075, copper, 22, 28  
   Aluminum 7075, Ti-6Al-4V, 22, 102–112  
   Aluminum 7075, zinc, 23, 32  
   Aluminum 7075, Type 304 stainless steel, 22, 110  
   Atmospheric, 94  
   Cathodic protection, 33, 67, 105, 112, 150  
   Copper, carbon steel, 11, 48  
   Copper, iron, 15  
   Copper, Type 304 stainless steel, 16  
   Copper, Type 409 stainless steel, 11  
   Copper, Type 430 stainless steel, 11, 16  
   Combination of magnesium AZ31, Type 316 stainless steel, 4340 steel, 6061 and 7075 aluminum, 360 brass, 400

- Monel, and Ti-6Al-4V, 102-112
- Dissimilar metals, 22, 26, 42, 48, 56, 81, 102-112
- SCPE, lead/tin alloy, 79, 80
- SCPE, copper, 79, 80
- Seawater, 94
- Soil, 94
- Stainless steel, magnesium, 87
- Stainless steel, metals, 16, 89, 102-112
- Welded joints, 56
- Galvanic current, 5, 11, 12, 14, 22, 26, 28, 32, 33, 37, 40, 44-46, 59, 62, 66, 73, 78, 87, 89
- Continuous monitoring, 12, 46
- Current density, 33, 35, 40
- Measured versus true, 14
- Measurement, 11, 21, 43
- Welded specimens, 60, 67
- Galvanic series
  - Based on metal potentials, 10, 40
  - Factors affecting position, 10
  - For aluminum, 26
  - For seawater, 9
  - Ranking, 25, 26
- Galvanized steel, 132, 135-142
  - Effect of dew, 141
  - Lead inclusions, 139
  - Moisture nucleation sites, 139
  - Pitting, 132
  - Potential, 142
  - Pourbaix diagram, 145
- Graphite
  - Literature references on pitting, 282

## H

- Heat exchanger
  - Carbon steel tube failure, 118

- Chromate inhibitor, 119
- Cupro-nickel tubes, 119
- Monel tube sheets, 147, 153
- Titanium tubes, 147
- Tube deposits, 119
- Hydrogen embrittlement, 81, 90, 92

## I

- Inhibitors
  - Anions, 181
  - Chromate, 119
  - Organic, 156, 173
- Ion concentrations
  - Calcium, 253-255, 258
  - Chloride, 39, 180, 249, 257
  - Hydroxyl, 247
  - Iron, 251, 258
  - Magnesium, 248-253, 258
  - Mass balance calculations, 255
  - Nitrate, 193
  - Perchlorate, 180, 193
  - Phosphate, 180, 193
  - Sodium, 255, 256
  - Sulfate, 180, 200, 258
- Iron, 6, 8, 15, 83, 86, 87, 190, 199, 256-258
  - Colloids, 259
  - Corrosion products, 259
  - Ductile, 220-227
  - Gray cast iron pipe, 217, 229
  - In titanium scratches, 149
  - In aluminum pit, 204
  - Literature references on pitting, 282
  - Nodular, 217
  - Pitting in seawater, 243
- Iron-chromium-nickel alloys (see also Stainless steels), 261
  - Literature references on pitting, 283

**L**

- Lead, 8
  - Lead-tin alloy, 71, 78
- Literature references on pitting corrosion
  - Aluminum, 276
  - Copper, 280
  - Electroplated coatings, 280
  - Environmental effects, 280
  - Graphite, 282
  - Iron and steel, 282
  - Iron-chromium-nickel alloys, 283
  - Nickel, 288
  - Test methods, 289
  - Theoretical, 290
  - Titanium, 292
  - Tungsten, 292
  - Zinc, 292
  - Zirconium, 292
- Localized corrosion, 117

**M**

- Magnesium and magnesium alloys,
  - 83, 86, 87, 88, 248–253
  - AZ-31, 96, 102, 104–112
- Marine environments (see Seawater)
- Metal-ion corrosion, 237
  - Area ratio effects, 240
- Methyl alcohol, 181, 182
  - Acid additions, 181, 189, 193, 194
  - Anhydrous, 181
  - Aqueous, 181
  - Decomposition potential, 202
  - Water additions, 181, 182, 195, 197, 199
- Microscopy
  - Calibrated focus, 202
  - Interference, 209

Optical, 88

- Scanning electron, 139, 141–143
- Military equipment, 95
- Mixed-potential theory, 5
- Moisture nucleation sites, 146

**N**

- National Bureau of Standards (NBS), 81, 218
- National Committee on Materials Policy, 129
- Nernst equation, 260
- Nickel and nickel alloys, 10, 25, 43, 187, 199
  - 65Ni-35Cu, 233, 237
  - Hastelloy C, 233, 241
  - Incoloy 825, 233, 237
  - Inconel 625, 233, 241
  - Inconel 718, 25, 40
- Literature references on pitting, 288
- Monel, 147, 152
  - Monel 400, 96, 103–112
  - Pitting morphology, 192
- Nondestructive testing, 203, 206
  - Acoustic emissions, 207
  - Eddy current, 157, 160, 164, 165, 206
  - Electromagnetic, 206
  - Hydrostatic, 120, 129
  - Magnetic field, 206
  - Penetrants, 207
  - Radiographic, 119, 124, 206
  - Sonics, 206
  - Ultrasonics, 206

**O**

- Operational amplifier, 13, 45

**P**

- Panama Canal Zone, 95, 98
  - Galvanic corrosion, 94
- Passivation
  - Titanium, 195, 197
- Passivity, 184, 197, 199
- Passive films, 10, 196, 202
- pH
  - Effect on potential, 142
  - Measurement in pits, 246
  - Microelectrode, 246
  - Profile in simulated pit, 256
  - Variations, 75, 259
- Phosphorus-deoxidized copper, 168
- Pipeline
  - Service life, 213, 227
- Pits
  - Acidic conditions, 153
  - Active, 173
  - Density, 205
  - Detection by nondestructive methods, 206
  - Examination, 204
  - Identification, 204
  - Macropit, 244
  - Morphology, 120, 122, 148–153, 190–197, 205, 208, 211, 267
  - pH within, 246
  - Size and distribution, 205
  - Solution chemistry, 246–257
- Pit depth measurements, 207–210, 217, 218, 220, 229
  - Average, 210
  - Depth gage, 208
  - Machining, 208
  - Maximum, 210–214
  - Metallographic, 207
  - Micrometer, 208
  - Microscopic, 209
  - Spherometer, 209
- Pitting corrosion
  - Artificial pit, 243
  - Autocatalytic, 141
  - Copper tubes in water, 155, 156, 160, 171
    - Effect of alloying, 169
    - Effect of carbon residues, 155, 156, 162, 177, 178
    - Effect of pH, 156
    - Effect of temper, 167
    - In England, 175
  - Data interpretation, 217
  - Definition, 203
  - Density, 205
  - Effect of chloride, 180, 196
  - Effect of pH, 146, 153
  - Effect of scratches, 149–153
  - Effect of sulfates, 180, 200
  - Effect of water, 164, 194
  - Effect of pollutants, 136
  - Effect on mechanical properties, 214
  - Evaluation, 203, 261
  - Galvanic couples, 102–112, 152
  - Galvanized steel, 132
  - Heat exchanger tube, 120
  - Initiation and propagation, 16, 139, 150
  - Literature references, 276
  - Loss in mechanical properties, 214
  - Macropit, 244
  - Measurement, 203, 218
  - Methods to determine extent, 207
  - Morphology, 120, 122, 148–153, 190–197, 205, 208, 211, 267
  - Organic media, 180, 186
  - Protection, 16
  - Rate of attack, 137
  - Solution chemistry, 243–257

- Statistical calculations, 217
- Steam condensate line, 120
- Steam generator line, 129
- Test cell, 244
- Theoretical (literature references), 290
- Titanium tubes, 147
- Zinc, 138, 140
- Pitting evaluation, 209
  - Burst pressure, 215
  - Metal penetration, 210
  - Standard charts, 209
  - Statistical, 211
- Pitting factor, 211
- Pitting potential, 185
  - Aluminum alloys, 23, 39
  - Copper, 160, 167
  - Effect of chloride, 196
  - Effect of crevices, 262
  - Effect of hydrochloric acid, 188
  - Effect of water, 187
  - Regions, 266, 273
  - Titanium, 195
- Pitting probability, 211, 212
- Platinum, 192
- Platinum group metals, 16
- Polaristat, 48
- Polarization
  - Activation, 6
  - Anodic, 9, 10, 16, 183–201, 261
  - Cathodic, 49, 62, 186, 263
  - Cathodic control, 55
  - Concentration, 63, 66
  - Galvanic couple, 12, 50
  - Galvanostatic, 48, 71, 75, 77
  - Measurement, 5, 15, 39, 77
  - Prediction of localized corrosion, 15
  - Potentiodynamic, 9, 10, 16, 261
  - Potentiostatic, 39, 183–201
  - Resistance, 58, 190
  - Test cell, 263
  - Weld zones, 61
- Polarization curves
  - Aluminum and stainless steel in seawater, 52–54
  - Aluminum 6061 in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 196, 197
  - Carbon steel 1006 in 5 percent sodium chloride, 15
  - Copper in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 198
  - Copper in 5 percent sodium chloride, 15
  - Copper and steel in seawater, 50–52
  - Effect of scan rate, 264
  - Effect of surface finish, 269
  - Galvanic couple regions, 17
  - Hysteresis loop, 265, 268
  - Iron in 5 percent sodium chloride, 9
  - Iron in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 198
  - Iron in 1.0 *N* sodium sulfate, 6
  - Lead in 5 percent sodium chloride, 9
  - Nickel in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 191
  - Pitting regions, 266, 273
  - Platinum in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 199
  - Stainless steel
    - Type 304 in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 193
    - Type 304 in sodium chloride, 264–274
    - Type 310 in 5 percent sodium chloride, 10
    - Type 434 in 5 percent sodium chloride, 10
  - Titanium in  $\text{CH}_3\text{OH}$  plus  $\text{H}_2\text{SO}_4$ , 189

- Titanium 75A in  $\text{CH}_3\text{OH}$  plus  $\text{HCl}$ , 182–184, 200
  - Titanium 75A in organic media plus  $\text{H}_2\text{SO}_4$ , 201
  - Zinc in 5 percent sodium chloride, 9
  - Polyethylene
    - Semiconducting (SCPE), 71
  - Potential
    - Critical, 15, 16
    - Critical breakdown, 16, 173, 184
    - Constant, 186, 266, 270, 273
    - Copper tubes, 163
    - Corrosion, 8, 21, 23, 28, 162
    - Equilibrium, 6
    - Galvanic, 28
    - Measurement, 8, 46, 59, 87, 160
    - Mixed, 6, 8, 15, 17
    - Open circuit 57, 63, 75, 92
    - pH influence, 142
    - Pitting, 23, 39, 160, 167, 185, 187, 195, 262, 266, 273
    - Protection, 50
    - Repassivation, 265, 270
    - Solution, 260
    - Variation with time, 11, 162–168
    - Welded specimens, 60, 67
  - Potential, pH behavior
    - Zinc, 142
  - Potential, time curves
    - Copper tubes in water, 162–168
    - Copper-nickel in seawater, 11
    - Nickel in seawater, 11
    - Stainless steel in seawater, 11
  - Potentiostat, 12, 45, 182
  - Pourbaix diagram
    - Galvanized steel, 145
    - Zinc, 145
  - Power lines, 69
  - Pressure tests, 215
  - Probability
    - Crevice corrosion, 236, 239
  - Protective coatings, 46, 117, 126
- R**
- Radiographic inspection, 119, 124, 206
  - Reference electrodes
    - Copper-copper sulfate, 86
    - Saturated calomel, 182
    - Silver-silver chloride, 160
- S**
- Salt evaporators, 147
    - Salt plugs, 152
  - Seawater, 9, 49, 57, 62, 63, 94
    - Artificial, 244
    - Barnacle growth, 112
    - Cathodic protection, 48
    - Composite structures, 48
    - Crevice corrosion, 231, 234
    - Exposure, 100, 105, 233
    - Flume, 233
    - Galvanic corrosion, 94
    - Immersion racks, 100, 104, 110
    - Oxygen concentration corrosion, 238
    - Panama Canal Zone, 94
    - Pitting of iron, 243
  - Service failures
    - Carbon steel high-pressure steam condensate line, 119
    - Carbon steel steam generator blow-down line, 129
    - Carbon steel tube heat exchanger, 118
    - Carbon steel waste line, 124
    - Case histories, 118–129
    - Cause of equipment failures, 118
    - Copper tubes in cold water service, 155, 172

- Copper tubes in United Kingdom, 177
- Ductile iron pipe underground, 227
- Estimated life, 228
- Salt evaporator, 147
- Steel pipe underground, 227
  - Power cables in soil, 69
  - Welds in seawater, 64
- Shepard cane, 86
- Silver, 25, 40, 43
- Sodium, 255, 256
- Sodium chloride, 9, 10, 12–15, 21
  - 24–26, 28, 31, 32, 37, 73, 263–274
- Sodium sulfate, 6, 73
- Soil
  - Aggressive, 227
  - Burial, 69, 94, 102, 108
  - Chemical analysis, 73
  - Polarization measurements, 77
  - Properties, 83
  - Resistivity, 86, 91, 221
  - Specimen exposure and removal, 86
  - Test site variations, 83–85, 94, 100, 221, 228
  - Types, 83, 220
- Soil resistivity, 91, 221
  - Measurement, 86
- Solution chemistry, 243–259
- Solution potential, 260
- Sonic testing, 206
- Specimens
  - Atmospheric, 96, 98
  - Coupled, 21, 96
  - Crevice, 232
  - Galvanic, 76
  - Seawater immersion, 49, 97
  - Soil burial, 86, 97, 102
  - Welded, 57
- Specimen preparation, 21, 49, 59, 75, 85, 95, 135, 233, 263
  - ASTM Recommended Practice G 1, 204
  - Neutral wire electrode, 71
- Stainless steels, 15, 16, 25, 50, 52–54, 81, 82, 83, 87, 88
  - 6X, 233, 241
  - 26CR-1Mo, 82, 90, 92
  - 26Cr-6.5Ni, 83, 90, 92
  - CA-15, 235
  - CA-8M, 235
  - Mechanical properties, 82
  - PH13-8Mo, 21
  - Pitting morphology, 194
  - Stressed, 85
  - Type 301, 82, 88, 90, 92
  - Type 304, 10, 16, 17, 22, 28, 82, 90, 92, 189, 199, 232, 237, 262, 264
  - Type 304 L, 26, 28, 32
  - Type 310, 10
  - Type 316, 10, 96, 102, 104–112, 231, 237, 262, 271
  - Type 409, 11
  - Type 430, 11, 16
  - Type 434, 10
- Standards
  - ASTM Method E 3, 205
  - ASTM Recommended Practice G 1, 101, 204
  - ASTM Recommended Practice G 16, 235
  - ASTM Specification D 1141, 245
  - NACE RP-01-73, 204
- Statistical analysis, 203, 217
- Statistics, crevice corrosion, 231
  - ASTM Recommended Practice G 16, 235
  - Probability plot, 235
- Statistics, pitting

- Confidence limits, 219
  - Extreme valve probability, 213, 219
  - Log-normal distribution, 219
  - Maximum pit depth, 210–214
  - Prediction intervals, 217, 219, 221–230
  - Probability test, 211, 212
  - Regression calculations, 219, 221
  - Statistical analysis, 132
  - Steam condensate line
    - Corrosion fatigue of carbon steel, 119
    - Low-frequency cyclic loading, 124
  - Steam generator
    - Carbon steel blow-down lines, 129
  - Steel
    - 4130, 14, 23, 25, 28, 31, 32, 40, 43
    - 4340, 96, 102, 104–112
    - Bessemer pipe, 229, 230
    - Carbon, 11, 15, 17, 50–52, 220–227
    - Carbon steel service failures, 117
    - Galvanized, 132, 135–142
    - Literature references on pitting, 282
    - Localized corrosion, 117
  - Stress corrosion, 81
    - Strain gages, 85
    - U-bend specimens, 85
- T**
- Tafel
    - Equation, 5
    - Extrapolation, 62
    - Slope, 192
  - Tap water, 26, 28, 159, 160
  - Test cell
    - Polarization, 263
    - Simulated pit, 245
  - Test methods (see also Electrochemical Techniques)
    - Autoclave, 148
    - Carbon black (CB), 158, 176, 178
    - Crevice corrosion, 232
    - Eddy current, 157, 160, 206
    - Environmental, 133
    - Galvanic, 5, 21
    - Literature references on pitting, 289
    - Seawater immersion, 105
  - Test racks
    - ASTM exposure racks, 98
    - Chill, 135
    - Laboratory tube testing, 159
    - Monel, 98
    - Seawater, 100, 104
    - Site tube testing, 159
  - Test sites
    - Atmospheric, 98
    - Panama Canal Zone, 95, 98
    - Seawater, 100, 233
    - Soil, 83, 100, 221, 228
  - Thallium in seawater, 260
  - Time of wetness, 134
    - Dew-light cycle, 134
  - Tin, 25, 41
  - Titanium and titanium alloys, 147, 152, 181, 193–195
    - Corrosion products
      - Titanium chloride, 150
      - Titanium dioxide, 150
      - Titanium hydride, 153
    - Effect of methyl alcohol plus acids, 181, 193
    - Effect of organic solvents, 194
    - Heat exchangers, 147

- Literature references on pitting, 292
- Mechanism of pitting, 149, 150
- Passivation, 195, 197
- Pitting in hot brine, 147
- Ti-6Al-4V, 22, 25, 26, 28, 32, 40, 96, 103-112, 181, 186
- Ti-75A, 181, 186
- Tropical environments, 95
- Tungsten
  - Literature references on pitting, 292

## U

- Underground corrosion (see also Soil)
  - Galvanic, 81
  - NBS tests, 218
  - Stressed stainless steel, 81
- Underground power distribution cable, 69
  - Concentric neutral wires, 69
  - Galvanic corrosion, 69
  - Laboratory tests, 73, 74
- U. S. Army Tropical Testing Station, 95

## W

- Waste line, 124, 126
  - Coatings, 126
- Water
  - Aggressive, 176
  - Compositional analysis, 161
  - Distilled, 26, 28
  - Distribution systems, 155
  - Domestic, 155
  - Effect of composition on pitting, 166, 176

- Hard, untreated, 157
- Passivating effect, 195
- Softened, public supply, 157
- Tap, 26, 28, 159, 160
- Treatment, 176, 177
- Water line attack, 121
- Welded joints, 56, 274
  - Cathodic protection, 62
  - Field failures, 63
  - Filler metal (FM), 56, 63
  - Galvanic corrosion, 66
  - Galvanic couples, 62
  - Galvanic susceptibility, 67
  - Heat affected zone (HAZ), 56, 60-64
  - Parent metal (PM), 56, 60, 63
  - Seawater corrosion, 56
  - Specimen, 57
  - Weld metal, 61
- Wenner bridge, 86

## Z

- Zero resistance ammeter, 11, 44, 58, 87
- Zinc, 8, 22, 25, 26, 28, 32, 35, 40, 43, 83, 86, 87, 136
  - Corrosion products, 139-141
    - Carbonate, 139
    - Hydroxide, 140
    - Oxide, 140
    - Sulfate, 141
  - Lead inclusions, 139
  - Literature references on pitting, 292
  - Pit initiation sites, 139
  - Potential, pH behavior, 142
- Zirconium
  - Literature references on pitting, 292