

# CELL CULTURE TEST METHODS

S. A. BROWN  
editor



# CELL-CULTURE TEST METHODS

A symposium sponsored by  
ASTM Committee F-4 on Medical and  
Surgical Materials and  
Devices  
Dearborn, Mich., 11 May 1982

ASTM SPECIAL TECHNICAL PUBLICATION 810  
S. A. Brown, University of California at Davis,  
editor

ASTM Publication Code Number (PCN)  
04-810000-54



1916 Race Street, Philadelphia, Pa. 19103

Copyright © by AMERICAN SOCIETY FOR TESTING AND MATERIALS 1983  
Library of Congress Catalog Card Number: 83-70421

**NOTE**

**The Society is not responsible, as a body,  
for the statements and opinions  
advanced in this publication.**

Printed in Ann Arbor, Mich.  
October 1983

# Foreword

The symposium on Cell-Culture Test Methods was presented at Dearborn, Mich., 11 May 1982. The symposium was sponsored by ASTM Committee F-4 on Medical and Surgical Materials and Devices, S. A. Brown, University of California, Davis, Calif., presided as chairman and editor of the publication.

## **Related ASTM Publications**

**Medical Devices: Measurements, Quality Assurance and Standards, STP 810  
(1983), 04-800000-54**

**Corrosion and Degradation of Implant Materials, STP 684 (1979),  
04-684000-27**

## A Note of Appreciation to Reviewers

The quality of the papers that appear in this publication reflects not only the obvious efforts of the authors but also the unheralded, though essential, work of the reviewers. On behalf of ASTM we acknowledge with appreciation their dedication to high professional standards and their sacrifice of time and effort.

*ASTM Committee on Publications*

## **ASTM Editorial Staff**

**Janet R. Schroeder  
Kathleen A. Greene  
Rosemary Horstman  
Helen M. Hoersch  
Helen P. Mahy  
Allan S. Kleinberg  
Virginia M. Barishek  
Susan L. Gebremedhin**

# Contents

<b>Introduction</b>	1
<b>Direct-Contact Cell-Culture Method</b> —LINDA M. SMITH	5
<b>Test Method for Human Cell-Culture Elution to Evaluate Medical Materials and Devices for Cytotoxicity</b> —LINDA M. ETTORRE AND KATHY PHILLIPS	12
<b>Tissue-Culture Methods for Determining Biocompatibility</b> —JUDY FEHN AND DENISE SCHOTTLER	19
<b>Tissue-Culture Biocompatibility Testing Program</b> —HUGH J. JOHNSON AND SHARON J. NORTHUP	25
<b>Evaluation of Materials Used for the Fabrication of Medical Devices: Cytotoxicity Testing</b> —CHARLES R. HORRES, HAMILTON G. MEARS, ROGER E. WILSNACK, AND GEORGE E. MOORE	35
<b>Primary Acute Toxicity Screen for Biomaterials: Rationale, In Vitro/In Vivo Relationship and Interlaboratory Performance</b> —ELWOOD O. DILLINGHAM	51
<b>Cytotoxicity Testing: Prediction of In Vivo Toxicity from In Vitro Tests</b> —THOMAS F. GENOVA, STANKO BODNAR, MARYELLEN VACCARELLA, CAROL STAFFORD, AND KATHLEEN M. SCHADY	71
<b>Assessment of Biocompatibility of Orofacial Materials and Devices by Culturing with Human Excised Donor Tissues</b> —JOHN F. LONTZ, MARY D. NADIJCKA, AND RICHARD HOLMES	77
<b>Cell-Culture Cytotoxicity Testing of Candidate Device Materials</b> —STEVEN G. MEYERS, MICHAEL B. O'CONNELL, AND MICHAEL S. KORCZYNSKI	88
<b>The Chromium-51 Release Cytotoxicity Test: Comparison to the Agar Overlay and Cell-Growth Inhibition Tests</b> —DENIS A. MAGOFFIN, DEBRA L. KUSHELL, AND RICHARD J. SCHLESINGER	94

<b>In Vitro Toxicity Testing: A Quantitative Microassay—</b> JUDITH B. ULREICH AND MILOS CHVAPIL	102
<b>Availability and Standardization of Cell Lines at the American Type Culture Collection: Current Status and Prospects for the Future—</b> ROBERT J. HAY	114
<b>Workshop on Cell-Culture Test Methods—</b> STANLEY A. BROWN, THOMAS D. NICKEL, AND THOMAS W. WALKER	127
<b>Summary</b>	155
<b>Index</b>	159

