

STP 1496—Masonry
TABLE of CONTENTS

Investigation and Repair of Glazed Brick Cladding: A Case Study—*T.A. Gorrell, I.R. Chin*

A Discussion of the Benefits and Problems of ASTM C 1324 for Analyzing Hardened Masonry Mortars—*L. Powers, A. Coleman, S. Papas*

Laboratory Study of Time-of-Tooling Effects on Mortar Joint Color—*B. Erlin, T. Conway*

The Selection and Use of Natural and Manufactured Stone Adhered Veneer—*R.J. Godbey, M.L. Thomson*

Deflection Criteria for Masonry Beams—*R.M. Bennett, W.M. McGinley, J. Bryja*

Variations in the Activity of Dry-Powder Water-Repellent Mortar Admixtures with Different Mortar Formulae—*H. Nordmeyer, P. Hall*

Evaluation of ASTM Methods to Determine Splitting Tensile Strength in Concrete, Masonry, and Autoclaved Aerated Concrete—*C.K. Parker, J.E. Tanner, J.L. Varela*

Type S Portland Cement-Lime Mortar as a Low-Lift Grout—*D.T. Biggs, M.L. Thomson*

The Effect of Void Area on Brick Masonry Performance—*J.P. Sanders, D.A. Brosnan*

Evaluation of the Effectiveness of Clear Water Repellent Coatings on Partially Grouted Single-Wythe Concrete Masonry Walls—*J.H. Greenwald, T.C. Young*

Seismic Evaluation of Low-Rise Reinforced Masonry Buildings with Flexible Diaphragms—*G.L. Cohen, R.E. Klingner, J.R. Hayes, Jr., S.C. Sweeney*

Greening of Mortars with Pozzolans—*K. Bargaheiser, D.H. Nordmeyer*

Replacement of the Final Time of Setting Maximum with an Initial Time of Setting Maximum as Measured with the Gillmore Needles in ASTM C 91, C 1328, and C 1329—*J.T. Conway*